

Bceid dump

PROJECT 1 (BCeID Replacement)

Use this format when writing your polished case study.

[BCeID Documentation for Telus.pdf](#)

1 Context & Scale (Establish Stakes)

What to highlight:

- Portal supports 62,000+ referrals annually
- 65 healthcare programs
- 1,800 providers
- 5,600 active user accounts
- 500 organizations
- System-critical for care delivery and payments
- Hard external deprecation deadline

Example framing:

The Telus Provider Portal is a critical healthcare infrastructure system supporting 62,000+ annual referrals across 65 programs. Authentication relied entirely on the BC Government's Personal BCeID system, scheduled for decommissioning by March 2025. Without intervention, over 5,600 provider accounts across 500 organizations would lose access, disrupting claims processing and care delivery province-wide.

This establishes scale and risk.

2 The Real Product Problem (Reframe from IT to Product)

Instead of:

"Replace BCeID with ForgeRock."

Frame it as:

How might we migrate identity infrastructure without disrupting provider workflows, breaking artifact-level data integrity, or overwhelming support channels?

Key product tensions:

- Legacy authentication tightly coupled to provider artifacts (GUID linkage)

- Registration flow redesign required
- Email not captured historically
- Large distributed user base
- External BC Gov dependency
- Security compliance constraints
- Compressed timeline

This signals systems thinking.

3 Your Role & Product Ownership

This must be crystal clear.

Clarify:

- Did you own discovery?
- Did you define migration strategy?
- Did you shape the change management approach?
- Did you influence sequencing?
- Did you push risk mitigations?

Tech hiring managers want to know what YOU drove.

4 Strategic Decisions (This Is the Most Important Section)

A. Identity Abstraction Strategy

Highlight:

- Decision to maintain GUID consistency to minimize artifact disruption
- Avoided full decoupling due to timeline constraints
- Minimized Telus external development
- Reduced vendor dependency risk

This shows tradeoff thinking under constraint.

B. IDAM → ForgeRock Transition Strategy

Earlier you mentioned mitigation via IDAM-first strategy.

In reality, you:

- Built directly into ForgeRock CIAM
- Ensured same credentials payload structure
- Preserved system stability

That's backward compatibility thinking — highly valued in tech platform roles.

C. Change Management as a Product Surface

This is where your project becomes differentiated.

Most PMs describe migration.

You should describe **user behavior design**.

You:

- Intercepted users at login with banner prompts
- Used time-boxed behavioral nudges (1 month window)
- Escalated to manual provisioning fallback
- Built splash-page communication flow
- Created admin-led cascading communication model
- Monitored account completion rates
- Conducted cleanup 3 months later

That's user activation and migration funnel design.

Frame it that way.

5 User Journey Redesign

This wasn't just authentication replacement.

It fundamentally changed:

- Credential model (email + phone vs in-person BCeID)
- Onboarding process
- Password reset experience
- Admin workflow
- Help desk load

You redesigned the provider authentication journey.

That's product work.

6 Metrics & Impact

You have strong measurable outcomes:

Output Metrics:

- 5,600+ accounts migrated
- 100% active BCeID accounts transitioned
- All deliverables completed
- Zero deferrals

Outcome Metrics:

- No interruption in provider referrals
- Operational continuity maintained
- Unified login credential model
- No major lockout incidents (if true)

If you have support call data, include it.

Tech PMs are evaluated on:

- Adoption
 - Retention
 - Stability
 - Risk mitigation
-

7 Complexity & Stakeholder Leadership

This is where your project becomes impressive.

Stakeholders included:

- BC Government (external authority)
- TELUS Partner Management Group
- CPR (vendor with limited ownership)
- Security teams

- Cloud Platform
- DevSecOps
- 500 provider organizations
- Help desk operations
- Internal Health Care Programs team

That is multi-party systems orchestration.

At companies like:

- Uber (marketplace complexity)
- Stripe (platform + compliance complexity)

This kind of coordination is highly valued.

8 What Went Wrong & What You Learned (Senior Signal)

This section is powerful if written honestly.

Examples you can frame:

- Engaging integration teams too late
- Vendor knowledge gaps (CPR team)
- Security review bottlenecks
- Limited test account availability
- Logout journey shipped incomplete

This shows maturity and reflection.

Tech companies love PMs who:

- Diagnose process failures
 - Improve future systems
 - Strengthen vendor accountability
-

9 What This Signals to Tech Recruiters

Explicitly conclude your portfolio case study with:

This project demonstrates:

- Platform-level identity system thinking

- Backward-compatible migration strategy
- High-scale user transition planning
- Risk mitigation under regulatory deadlines
- Multi-org stakeholder orchestration
- Behavioral change design
- Operational continuity management

That reframes public sector work into tech-relevant competencies.

Why This Project Is Stronger Than You Think

Many tech PMs:

- Have never led a hard migration deadline.
- Have never managed authentication infrastructure.
- Have never coordinated across 10+ stakeholder groups.
- Have never executed migration for 5,600+ live accounts.

You have.

You just need to position it correctly.

[BCeID Replacement Project Closure ReportV1 \(1\).pdf](#)

[Architecture](#)

[Decisions I Drove](#)

[Budget and timeline information](#)

[Artifacts](#)

[POC details](#)

Background

The Telus Provider Portal, implemented in August 2011, plays a crucial role in the treatment of injured workers and their return to work. This online business center streamlines health care delivery for specialized programs, benefiting both providers and injured workers.

Here are the key points about the Telus Provider Portal:

1. **Purpose:** The portal facilitates interactions between health care providers and WorkSafeBC. Providers can:
 - Receive and accept WorkSafeBC referrals for specialized programs.

- Submit reports and invoices related to services provided.
- Check payment and claims status.

2. Usage and Growth:

- The portal processes 62,000+ referrals annually across 65 health care programs.
- It serves 500+ providers across multiple locations.

3. Authentication:

- Given the personal data exchanged on the portal, robust security is essential.
- Individual users must obtain a Personal BCeID for access.
- The BCeID authentication process requires users to visit a BC Services location in person and provide approved identification.

Currently, WorkSafeBC uses an Customer Identity Access Management (CIAM) platform that utilizes ForgeRock Identity provider. CIAM is the authentication layer of the Online Portal, allowing employers, workers and providers to sign up to access online services. It outlines how the employer, worker, and provider create an account, signs up for employer, worker and provider services and how they can manage a user's access permissions to the online services.

CIAM features:

- My profile
- Access my services
- For administrators – Access requests
- For administrators – Manage users

Problem Statement:

The BC Government plans to take the personal BCeID system offline by March 2025, so a new authentication mechanism for users to access the Telus Provider Portal must be implemented. After this date, the province will no longer accept new registrations for a Personal BCeID. This will impact all new users who want to enroll into TELUS Provider portal. WorkSafeBC would prefer to replace the authentication with the ForgeRock platform they use internally for provider and employer authentication.

Swapping out the authentication platform, migrating users, and this system change will significantly impact the registration process for transitioning existing registrants and onboarding new clinics/locations and their associated practitioners and staff.

The adoption of WorkSafeBC's CIAM solution using ForgeRock, as the Identity Provider, will transform the user authentication process for the Provider Portal and necessitate adaptations.

Objectives:

1. Migrate existing BCeID accounts to ForgeRock.
2. Login Authentication Journey: Replace integration with BCeID IDP with ForgeRock CIAM solution.
3. CPR New User Identified API: Replace Central Provider Registry (CPR) process to call new ForgeRock API instead of BCeID to retrieve new user profiles.

In scope:

- Scope of work is only replacing integration with BCeID.

[image.png](#)

Telus Provider Portal: [Login](#)

Out Of Scope:

- Any other internal TELUS provider portal upgrades are not part of this project scope.

Goals

The Telus Provider Portal plays a crucial role in the treatment of injured workers and their return to work. This online business center streamlines health care delivery for specialized programs, benefiting both providers and injured workers.

The sole objective of this project is to migrate Healthcare Provider users from BC gov supported BCeID platform to WorkSafeBC supported CIAM solution (ForgeRock platform).

Constraints**CIAM Authentication**

- Current TELUS Provider Portal users login to BCeID with userid.
- ForgeRock IDP allows users to login with only email address (Personal and Corporate)
- Future state is to migrate all users from UserID to EmailID, which might be a Change Management constraint.

Export BCeID data into CIAM

- A new process is required to migrate the existing BCeID data into CIAM.
- CIAM only deals with email address for login so UserID are no more supported.

CIAM Customization for migrating existing BCeID GUIDs.

- CIAM should maintain the old BCeID GUIDs for Users in custom Field.
- CIAM should also maintain the new internal GUIDs for all new registrations.

CIAM ES3 API extention

- TELUS Provider portal use Central Provider Registry (CPR) to maintain the registry of all Providers.
- Current Central Provider Registry (CPR) process call the BCeID Webservices to retrieve the BCeID generated GUID by BCeID UserID.
- This feature should be extended for CIAM so that CPR process will continue with retrieve the Old BCeID GUIDs or new ForgeRock GUIDs going forward.

Conversion of BCeID UserIDs to Emails for existing users in CPR

- TELUS Provider portal use Central Provider Registry (CPR) to maintain the registry of all Providers.
- Current Central Provider Registry (CPR) process call the BCeID Webservices to retrieve the BCeID generated GUID by BCeID UserID.
- CIAM API can only accept email address.
- For this purpose, all the existing BCeID UserID should be mapped to respective email address for login. Also, use the email address to retrieve the GUID from CIAM API.
- Any new users will already be using emails to login to Provider Portal, so the change management process is needed for Onboarding new users into CPR.

Architectural Representation

The remaining sections of this document discusses the architectural goals and constraints of the solution and uses a number of different viewpoints and perspectives to capture and convey the significant architectural decisions which have been made on the solution.

The Viewpoints that are used in the document are:

Context Viewpoint: defines the relationships, dependencies and interactions between systems that are part of the system. It serves to define what systems interact with each other and the system boundaries.

Functional Viewpoint: describes system's components, responsibilities, interfaces, and primary interactions.

Information Viewpoint: describes the way a system stores, manipulates, manages, and distributes information.

Development Viewpoint: Describes the architecture that supports the software development process.

Deployment Viewpoint: describes the environment into which the system will be deployed. It captures the required physical deployment artifacts and installation packages outside of a standard WorkSafeBC server setup.

Operational Viewpoint: describes how the system will be operated, administered, and supported when it is running in its production environment

Current State Topology:

[image.png](#)

Future State Topology:

[image.png](#)

Start date - March 1 2024

End date - June 30 2025

Budget allocated - 500K

Spent - 650K

goal - Ensure the integrity of WorkSafeBC data and systems. ensure operational systems are stable, available, secure

1 Identity Architecture Diagram

Show:

- BCeID
- IDAM
- Forgerock
- Provider Portal
- GUID/UID relationships

This makes the complexity visible.

before architecture

after architecture

2 Risk Matrix Snapshot

Include:

- Dependency risk
- Data integrity risk
- Migration sequencing risk

- Mitigation strategies

Signals senior PM thinking.

3 Data Migration Strategy Visual

Show:

- Old GUID
- New UID
- Artifact mapping

Hiring managers love seeing data thinking.

4 Options Analysis Slide

SAML 2.0 provider comparison

Decision framework

Demonstrates structured evaluation.

5 Timeline Roadmap

[BCeID replacement_pp.pdf](#)

Show phased rollout:

- Discovery
- Architecture
- Migration
- Cutover
- Support

Makes infra feel strategic.

Context viewpoint/ diagrams

Change management considerations

[BCeID Change Management.pdf](#)

Marketing and outreach

Targeted reinforcements

[Advisory Email Content to Providers_Admns - Provider BCeID Migration to WorkSafeBC Account.pdf](#)

Content schedule and placement for vendor (telus)

[Telus CPR Banner Content - Provider BCeID Migration to WorkSafeBC Account.pdf](#)

- created web content
- user guides and new web assets
- call support guides
- call triage rules
- FAQ guide

[FAQ.pdf](#)

- created info booklets for direct outreach through healthcare program managers
- created a shared mailbox for core team to support with technical issues until 2 weeks after the cutover till support teams were ready to take questions on.
- created call scripts for outreach informing of change

created a comprehensive use case document for robust testing across both systems

[BCeID replacement - Use Cases.pdf](#)

Agenda

1. Review the high-level ADD and solution
2. Ask / resolve assumptions and outstanding questions
3. Discuss testing environments

Solution

- Review Diagram PPT
- [BCeID Replacement_TELUS.pptx](#)

Description of Proposed Change:

Project Objectives:

1. Login Authentication Journey: Replace integration with BCeID IDP with ForgeRock CIAM solution.
2. CPR New User Identified API: Replace Central Provider Registry (CPR) process to call new ForgeRock API instead of BCeID to retrieve new user profiles.
3. Scope of work is only replacing integration with BCeID.
4. Any other internal TELUS provider portal upgrades are not part of this project scope.

In the current BCeID setup:

1. TELUS CPR is pulling the BCeID GUIDs by calling the BCeID API
 2. TELUS Provider portal
- Is providing the link (journey starts at the FIM SAML 2.0 federation with BCeID, this can be challenging to change to provide that federation) to BCeID IDP redirect for login journey.
 - FIM is not a current product, needs to run on Websphere version 8, if there is an overlap with modern applications and this version of FIM, it could complicate the integration (assertion signing, modern certificates, etc.)

- Once authenticated, BCeID is returning the GUID as part of SAML 2.0 XML response and GUID is used to validate and authorize the user to respective role(s) and servicing Locations

In the future ForgeRock CIAM setup:

1. TELUS CPR will be calling the new ForgeRock CIAM API for pulling the user GUIDs.
 - We can target to have the API payload to be same as existing BCeID payload so that we can minimize the amount of work for TELUS.
 - We can also target to make the API authentication pattern to be similar so that amount of work for TELUS will be minimized.
 - Make sure the experience API built will cater to minimal changes for TELUS development team.
2. TELUS Provider portal
 - Will be replacing BCeID IDP link with new link to ForgeRock IDP redirect for login journey.
 - Once authenticated, ForgeRock will return the user GUID (This could be old BCeID converted GUID or any new registration happening in ForgeRock itself), as part of SAML 2.0 XML response and GUID is used to validate and authorize the user to respective role(s) and servicing Locations.
 - An extract of the BCeID user GUID list will be required for the migration
 - For TELUS the whole journey will be targeted to be as transparent as possible with minimal changes.

Goals of the Project:

1. Keep the TELUS changes as minimal as possible and provide only the change which is needed to migrate from BCeID to ForgeRock IDP.
2. Work with WorkSafeBC technical staff to come up with holistic solution.
3. Minimize any other dependencies as much as possible.
4. Migrate to new IDP solution before March, 2025

Assumptions

Assumption1 for BCeID

1. TELUS provider portal calls BCeID only for authenticating Users.
 1. GUID is used throughout the portal, including calls between the portal and iScheduler, if there is any format change to the GUID, that will need to be validated/tested in portal and iScheduler

2. TELUS Central Provider Registry calls BCeID Web Services only for retrieving the User GUIDs.
 1. it is one method
 2. REST API should be fine, it will require some code changes on the Telus side
 1. authorization pattern will be changed

Assumption2 for Portal Login

1. TELUS Provider Portal is using BCeID only for authentication.
2. Authorization is managed internally in Provider portal via internal TELUS managed LDAP.
3. Authentication with BCeID is using SAML2.0 protocol.
 1. need follow-up discussion with IDAM/Security team
4. This is standard protocol so we can replace BCeID with any other Identity provider like ForgeRock.
 1. Risk: FIM has risk of integrating with other identity providers due to differences in implementation of SAML2.0
5. TELUS expects the GUID to be returned in similar way as existing BCeID.
 1. Telus uses Hexadecimal32

Assumption3 about CPR communication with BCeID

1. TELUS CPR calls BCeID Web Services as a batch process. It is part of the operation action
2. The sole purpose of CPR calling the BCeID is to retrieve GUIDs.
 1. Need to maintain existing database
 2. Can an email be used instead of a username?
 3. Telus does not capture the email address of the BCeID user, they capture the username and the GUID
 1. when the user is removed, deleted from a service location, they need to remove it from CPR
 2. BCeID allows them to change their display name

Questions

Login Page questions

1. What are the changes scoped out to replace BCeID login page with ForgeRock login page?
2. Are there any challenges you see to replace BCeID with ForgeRock redirect URL? The assumption is, it's a simple redirect URL change for TELUS.

3. Is TELUS using the login UserID values anywhere else internally?
 1. needs further discussion
 2. the portal ID's are used with iScheduler, so eCeptionist will need to be consulted
4. Is there any logout journey integration with BCeID?
 1. single signout BCeID and the portal at the same time
5. What other integrations are configured with BCeID on portal side?
6. Any documentation about how the Portal login is setup currently?

BCeID Web Services questions

1. What BCeID Web Services methods are consumed by CPR?
 - confirmed that it is consumed by CPR only
1. Is CPR the only place calling BCeID Web Services?
 - same as above
1. Currently UserID is used to login to BCeID, how complex is to replace the UserID with email address while calling new ForgeRock API?
 1. needs further discussion, the answer is complex
 2. not sure if we can get email access to the BCeID account

Risks

- Email addresses are not in CPR and may not be available
- Can ForgeRock communicate with TFIM in its current state?
- GUID format for BCeID is different than ForgeRock
 - CIAM GUID will need to be the same format as BCeID (Hexadecimal 32 characters)
- CIAM example: a4f5f756-7990-44da-958f-d71e1af4045e
- BCeID example: 4F3E30C203624367AC447D35210745DF
- Also needs to be unique

Next steps

- User account discussion
- Confirmation that SAML2.0 is being used with BCeID, confirmed
- Can ForgeRock communicate with TFIM in its current state?
 - PoC

- Does ForgeRock have the ability to create LTPA tokens?