SHARDA UNIVERSITY

Beyond Boundaries

RESEARCH PROJECT REPORT ON

TOPIC

PREDICTING HEALTH FRAUD USING MACHINE LEARNING AND DATA ANALYTICS

SUBMITTED BY:

Kuldeep Sarkar (2024423784)

MBA (BUSINESS ANALYTICS)

UNDER THE GUIDANCE OF:

Dr. Atul Sanghal

(Professor)

DECLERATION

I hereby declare that the project entitled **"Predicting Health Fraud Using Machine Learning and Data Analytics"** submitted in partial fulfillment of the requirements for the degree of [MBA] at [SHARDA UNIVERSITY] is a record of original work carried out by me under the guidance of [ATUL SANGAL].

This project has not been submitted earlier, either wholly or in part, to any other university or institution for the award of any degree, diploma, or other similar title.

All information, data, figures, and content in this project are based on genuine research and analysis. Any literature, data, or work from other sources has been duly acknowledged and referenced.

Place: [GREATER NOIDA]

Date: [22-04-2026]

Name: [KULDEEP SARKAR]

SYSTEM ID: [2024423784]

Signature: _____

ABSTRACT

Healthcare is an essential in people's lives and it must be affordable. The healthcare industry is an intricate system with numerous moving components. It is expanding at an expeditious pace. At the same time, fraud in this industry is turning into a critical problem. One of the issues is the misuse of the medical insurance systems. Manual detection of frauds in the healthcare industry is a strenuous work. Recently, machine learning and data mining techniques are used for automatically detecting the healthcare frauds. In this paper, we attempt to give a review on frauds in healthcare industry and the techniques for detecting such frauds. With an emphasis on the techniques used, determining the significant sources and the features of the healthcare data, various available researches were studied in the literature work. From this review it can be concluded that the advanced machine learning techniques and incipiently acquired sources of the healthcare data would be forthcoming subjects of interest in order to make the healthcare affordable, to improve the effectiveness of healthcare fraud detection and to bestow top quality on healthcare systems.

Many recent researches, as reviewed in this paper, use machine learning and data mining to detect fraud in healthcare industry. There is a need additional research work to determine different unusual patterns of misuse of health insurance systems and more sophisticated machine learning techniques can be used to improve results.

ACKNOWLEDGEMENT

First and foremost, we want to sincerely thank Dr. Atul Sangal, our supervisor, for their constant support, encouragement, and enlightening criticism during this study process. Their knowledge and assistance have been crucial to finishing this thesis.

We also want to express our sincere gratitude to Sharda University Greater Noida for giving us the tools and space we needed to do our job. We are especially grateful to everyone, whose guidance and support enhanced this research.

Your confidence in us kept us going. We want to express our gratitude to everyone who helped us finish this thesis, whether directly or indirectly.

Kuldeep Sarkar

system id - 2024423784

TABLE OF CONTENT

S.No.	PARTICULARS	PAGE NO.
1.	INTRODUCTION	1
2.	RESEARH GAP	5
3.	RESEARCH OBJECTIVES	6
4.	LITERATURE REVIEW	7-10
5.	RESEARCH HYPOTHESIS	11
6.	RESEARCH METHADOLOGY	12-13
7.	RESEARCH QUESTIONS	14
8.	DATA ANALYSIS	15-21
9.	RESULTS & FINDINGS	22-23
10.	CONCLUSIONS	24
11.	IMPLICATION	25-26
12.	LIMITATIONS	27-28
13.	FUTURE RESEARCH DIRECTIONS	29-31
14	REFERENCES	32-33
15.	ANNEXURE 1	34-37

INTRODUCTION

Healthcare fraud is increasingly apperceived as one of serious social concerns. Clearly, healthcare fraud is a problem for the government and there is a need for more effective detection methods. To detect healthcare fraud, it requires great amount of efforts with extensive medical knowledge.

Traditionally, healthcare fraud detection greatly depends on the experience of domain experts, which is erroneous enough, expensive and time consuming. Manual detection of healthcare fraud involves a few auditors who manually review and identify the suspicious medical insurance claims which requires much effort. But the modern advances of machine learning and data mining techniques led to more efficient and automated detection of healthcare frauds. There has been a growing interest in mining healthcare data for fraud detection in the recent years. This paper reviews the various approaches used for detecting the fraudulent activities in Health insurance claim data.

- **Essential Role of Healthcare and Cost Dynamics**

  Healthcare is vital to individuals' well-being, involving specialized physicians treating complex human body systems. The cost of such specialized treatment reflects payments to doctors, medical staff, and drug suppliers. These high costs often exceed patients' affordability, necessitating insurance schemes to spread the financial burden and cover necessary care assets.
- **Prevalence and Impact of Healthcare Fraud**

  Healthcare fraud is recognized as a serious social and economic problem. It not only strains government budgets but also impacts service quality and accessibility by diverting resources. Annual healthcare fraud losses in the U.S. range between $60 billion and $250 billion, with recent enforcement actions charging over 300 defendants for schemes involving $14.6 billion in fraudulent claims.
- **Traditional Fraud Detection Challenges**

  Historically, fraud detection has relied heavily on manual audits and domain expertise. This approach is time-consuming, labor-intensive, costly, and prone to errors. Moreover, manual processes lack scalability and struggle to identify new or sophisticated fraud patterns, creating gaps in healthcare fraud prevention.

- **Advantages of Machine Learning-Based Detection**

  Machine learning (ML) provides automated, dynamic fraud detection by analyzing vast healthcare datasets. ML algorithms—such as logistic regression, decision trees, random forests, support vector machines, and neural networks—can identify subtle, non-obvious patterns indicative of fraud that traditional methods miss. This leads to improved accuracy, faster detection, and adaptability to evolving fraud tactics.

- **Recent Trends and Innovations**

  Growing interest in ML-driven healthcare data mining reflects its potential to strengthen fraud prevention. Modern approaches include supervised and unsupervised learning, ensemble methods, and explainable AI, which help bridge the gap between detecting fraud and understanding model decisions.

- **Challenges in Machine Learning Implementation**

  Despite promising results, deploying ML in healthcare fraud detection faces challenges: the scarcity of high-quality and comprehensive datasets, privacy concerns, model interpretability, class imbalance in fraud detection, and integration with existing healthcare workflows.

- **Importance of Comprehensive Fraud Detection Frameworks**

  Effective systems combine domain expertise with ML and big data analytics to holistically address fraud detection. They enable healthcare providers, insurers, and regulators to implement proactive fraud management strategies, recover financial losses, and reinforce public trust in healthcare systems.

- **Practical Implications and Future Research**

  The study emphasizes the vital need for continued research on ML applications tailored to healthcare fraud. Focus areas include enhancing model transparency, federated learning for privacy preservation, improved resampling techniques, and exploring datasets from developing regions to globalize fraud detection efficacy.

A. Types of Frauds in Healthcare

Healthcare fraud has different fraudulent behaviors change to the occasion. It is a specific topic for every country. There are different types of fraud that occur in the healthcare industry. The types of frauds can be classified on the basis of which group or individuals are engaged in the fraud

- Fraud by Service Providers
  - Service providers' may bill for the medical services that are not actually performed;
  - Service providers' may bill for each stage of a medical procedure as if it were a separate treatment; also called as Unbundling
  - Service provider may bill for expensive medical services than the one actually performed;
  - Just to generate insurance payments, service providers may perform unnecessary medical services;
  - Just to obtain insurance the service providers may misrepresent non-covered treatments as medically necessary covered treatments;
  - To validate the medical procedures that are not actually needed, service providers may falsify patients' diagnosis and/or treatment histories;

- Fraud by Insurance subscribers:
  - For obtaining a lower premium rate, records of employment / eligibility can be falsified;
  - Subscribers may file claims for medical services which are not actually received;
  - To illegally claim the insurance benefits, subscribers may use other persons' coverage or insurance card.

- Frauds by Insurance carriers:
  - Fake reimbursements;
  - Misrepresenting benefit / service statements.

- Conspiracy frauds:
  - In such frauds more than one party are involved; for example, fraudulent activity may include a patient and a doctor or insurance company.

B. Data for Healthcare Fraud

The other kinds of data used in the healthcare fraud detection, other than the insurance claims data, are data of physicians, data of prescriptions given by the physicians, data of the medication or drugs prescribed and data of bills and transactions. Each country has unique characteristics for its healthcare system data. Thus, the work done in fraud detection is evaluated by taking into consideration the knowledge of the governmental health data. U.S. Health Care Financing Administration (HCFA) is a major governmental health department. Medicare and Medicaid are two health care programs in the U.S. Mostly researchers, to detect frauds and abuse in the healthcare systems, uses Medicare or Medicaid data which involves data of medication and drugs, bills and transactions and medical providers.

A. Methods for Healthcare Fraud Detection

There are various intricate and complicated patterns with many small trivial specifications comprised in Fraud, whose data is gathered over a prolonged time span. It is extremely difficult to detect these patterns in the present times, where we have a huge accumulation of the data and very few means for evaluating them.

RESEARCH GAP

Healthcare fraud detection has been widely studied, yet several important gaps remain that limit the accuracy, scalability, and practical implementation of current systems. Many existing studies continue to rely on traditional supervised learning methods and narrow datasets, which are insufficient for identifying the increasingly complex forms of fraud emerging in modern healthcare environments. Additionally, most research does not address real-time detection needs or ensure transparency through explainable AI. These gaps highlight the need for more advanced, integrated, and adaptive fraud detection approaches.

Key Gaps Identified:

- Limited focus on emerging and sophisticated fraud patterns, as most studies only examine well-known or historical fraud behaviors.
- Insufficient exploration of advanced machine learning techniques, such as hybrid models, ensemble learning, deep learning, and semi-supervised approaches.
- Lack of multi-source healthcare data integration, with existing research depending primarily on claims data rather than combining prescriptions, provider profiles, and billing information.
- Absence of real-time and scalable fraud detection systems, even though fraud patterns evolve rapidly and require continuous monitoring.
- Minimal use of explainable AI (XAI) tools, which are essential for ensuring model transparency, trust, and regulatory compliance.

RESEARCH OBJECTIVES

1. To analyze the current landscape of healthcare fraud

To understand how healthcare fraud happens today, including common types, patterns, and challenges in identifying it.

2. To review and evaluate machine learning approaches for fraud detection

To examine different machine learning methods used to detect fraud and compare how effective they are.

3. To investigate the role of data quality and preprocessing in ML fraud detection

To study how clean, accurate, and well-prepared data improves the performance of ML fraud-detection models.

4. To explore adaptive and real-time ML techniques for emerging fraud detection

To look into advanced ML methods that can quickly adjust and detect new or evolving fraud activities as they occur.

LITERATURE REVIEW

1. Foundations of Machine Learning in Healthcare Fraud Detection

Healthcare fraud detection has evolved extensively over the past decade, driven by the rapid growth of healthcare data, increasing complexity of medical billing systems, and the rising financial burden associated with fraudulent claims. Early research laid the foundation for applying machine learning to this domain, beginning with classical supervised learning models. Smith and Johnson (2010) were among the first to demonstrate that logistic regression, decision trees, and support vector machines could effectively identify known fraudulent patterns within healthcare claims. Their work validated the feasibility of rule-driven and pattern-based classification techniques, showing that historical claims data, when paired with systematic model training, could uncover repeatable fraud signals such as duplicate billing, unusual service frequencies, or anomalous provider behaviors. While these early models focused primarily on detecting known types of fraud using labeled data, they established machine learning as a viable analytical framework for healthcare fraud detection, inspiring later research to push beyond standard supervised learning approaches.

2. Emergence of Unsupervised and Anomaly-Detection Approaches

Building on this foundation, researchers began addressing the limitations of supervised models—particularly their dependence on labeled datasets, which are difficult to obtain due to privacy constraints and the rarity of confirmed fraud cases. Jones and Brown (2015) introduced anomaly detection methods that aimed to identify unknown, emerging, or subtle fraud patterns that had not been captured in prior models or manually codified rules. Their work emphasized the dynamic nature of healthcare fraud, noting that fraudulent actors continuously alter behaviors to evade detection. Anomaly detection techniques offered a more flexible, adaptive method by identifying claims that deviated significantly from normative behavior, even when the system lacked explicit labels. Studies such as Joudaki et al. (2016), which used cluster analysis to detect suspicious prescribing patterns among physicians in Iran, and Aboutorabi et al. (2016), which examined correlations between hospital demographics and informal payment irregularities, reinforced the importance of unsupervised and semi-supervised techniques. These clustering and outlier-detection methods demonstrated real-world applicability,

capturing unusual billing frequencies, inconsistent treatment patterns, and unexpected financial flows in healthcare institutions.

3. Advancements Through Deep Learning and Neural Architectures

As healthcare data grew richer and more complex, deep learning emerged as a transformative tool for fraud detection. Zhang, Li, and Wang (2018) demonstrated that convolutional neural networks (CNNs) outperform traditional machine learning models in detecting sophisticated fraud patterns embedded within medical records and billing data. Unlike earlier approaches that relied on manually engineered features, CNNs could automatically extract hidden patterns and capture nonlinear relationships, enabling them to detect complex forms of fraud such as upcoding, unbundling, and identity-based fraud. This insight was echoed in later research by Arnab Das (2024), who compared deep learning models with SVMs, random forests, and other machine learning methods, concluding that deep learning consistently achieved higher accuracy and generalization on large healthcare datasets. The evolution of fraud detection from simple, rule-based systems to advanced neural architectures reflected a broader trend toward more intelligent, automated, and scalable detection frameworks.

4. Importance of Feature Engineering and Data-Centric AI

Despite advances in algorithms, multiple studies emphasized that *data quality and feature engineering* remain central to building accurate fraud detection systems. Chen, Wang, and Liu (2020) argued that domain knowledge plays a critical role in selecting meaningful features, such as claim duration, provider specialty, procedure-code density, and historical payment behavior. Their review showed that targeted feature selection significantly boosts model performance by eliminating irrelevant variables and highlighting fraud-specific indicators. Similar findings were discussed in another study from 2022 focusing on data-centric AI, which emphasized the importance of dataset design, labeling quality, model interpretability, and iterative data refinement. The 2022 feature-engineering study further reinforced that careful construction of features—rather than solely relying on advanced algorithms—is crucial for achieving robust fraud detection. These insights align with earlier research by Aral et al. (2012), who analyzed prescription patterns, drug prices, and patient details, demonstrating that well-

structured features enable algorithms to effectively uncover fraudulent activities such as doctor shopping, forged prescriptions, and price manipulation.

5. Rise of Hybrid Models, Blockchain, and Ensemble Approaches

By 2024 and 2025, large-scale reviews and benchmarking studies began consolidating the diverse research landscape. The 2024 benchmark study compared multiple machine learning approaches and found that ensemble methods—such as random forests, gradient boosting, and hybrid models combining supervised and unsupervised learning—consistently achieved superior accuracy on health insurance fraud datasets. Ensemble techniques excelled because they integrated multiple decision-making processes, reducing the risk of false positives and improving stability across diverse datasets. Similarly, the 2025 systematic literature review from AI Insights examined logistic regression, decision trees, clustering models, neural networks, and hybrid solutions. The review highlighted that hybrid models, including combinations of anomaly detection and deep learning, offered the most promising results, especially in complex, real-world environments where fraud schemes change rapidly. It also identified blockchain-supported systems as an emerging solution for fraud prevention, enabling transparent, traceable, tamper-resistant healthcare transactions, though challenges remain in scalability, regulatory acceptance, and interoperability.

6. Real-Time Detection, Blockchain Integration, and Future Innovations

Recent studies published in 2025 extend these trends into more applied, real-time detection systems. One 2025 study on machine learning for claim-level fraud detection demonstrated how automated algorithms can process streaming claim data and flag anomalies in real-time—an essential advancement for payers seeking to prevent, rather than retroactively identify, financial losses. Another 2025 review by Tanjung and Charir found that machine learning, combined with blockchain technologies, is becoming a dominant strategy in fraud prevention due to its ability to provide both analytical intelligence and secure data provenance. These modern approaches integrate predictive modeling with auditability, enabling healthcare organizations to track financial flows and detect suspicious transactions with greater transparency and reduced manual workload. Regional research further demonstrates practical implementations: Massi et al. (2020) applied grouping and outlier validation algorithms in

Lombardy hospitals, identifying inflated procedures in heart failure treatments, while Joudaki et al. (2016) and Aboutorabi et al. (2016) showed how local provider data can reveal physician misconduct and informal payments through clustering and anomaly analysis.

7. Overall Synthesis and the Future of Healthcare Fraud Detection

Overall, the combined body of research highlights a clear trajectory: from early supervised machine learning models to sophisticated, data-centric, and hybrid AI systems capable of detecting both known and unknown fraud. Feature engineering and domain expertise are repeatedly shown to be critical for achieving high accuracy, while deep learning and ensemble approaches deliver superior performance on large and complex datasets. Emerging technologies such as blockchain provide added layers of security and transparency, enhancing fraud prevention capabilities. Real-time analytics and anomaly-detection systems offer the ability to identify fraud as it occurs, reducing financial losses and improving trust in healthcare reimbursement processes. Collectively, these 15 studies show that the future of healthcare fraud detection lies in integrated, intelligent, and scalable AI systems supported by rich data, robust features, and secure information infrastructures.

RESEARCH HYPOTHESES

1. **H1: Machine learning algorithms provide significantly higher accuracy in detecting healthcare fraud compared to traditional rule-based systems.**

2. **H2: Ensemble machine learning methods (such as Random Forests and Gradient Boosting) outperform single classifiers in fraud detection accuracy and robustness.**

3. **H3: Semi-supervised learning approaches improve fraud detection performance when labeled fraudulent claims are scarce compared to purely supervised learning techniques.**

4. **H4: Incorporating multi-source healthcare data (claims, physician profiles, prescriptions) improves the predictive power of fraud detection models relative to using claims data alone.**

5. **H5: Feature selection methods that combine domain knowledge with statistical techniques lead to better model performance than automated feature selection alone.**

RESEARCH METHODOLOGY

1. Research Design

This study adopts a **mixed research design**, incorporating both exploratory and descriptive approaches to understand the impact of credit cards on India's digital cashless economy.

- **Exploratory Research Design:**

Exploratory design was used to identify emerging fraud patterns, evolving provider behaviours, and new technological approaches—such as anomaly detection, deep learning, and blockchain—in healthcare fraud detection. It helped form the foundation for understanding key trends and gaps in existing research.

- **Descriptive Research Design:**

Descriptive design was employed to present a clear and factual overview of the machine learning methods, feature engineering techniques, and detection strategies used across studies. It enabled structured comparison of fraud detection models and summarized how AI improves accuracy in healthcare fraud analysis.

2. Data Collection

The study uses both **primary** and **secondary** data sources.

A. Primary Data Collection

Primary data was collected directly from respondents using a **structured survey questionnaire**.

1. Survey Method

A questionnaire containing **15 structured questions** (multiple choice, Likert scale, and multi select options) was distributed to participants.

Sample Size

A total of **100 respondents** participated in the survey.

2. Target Population

The target population included:

- Individuals aged 18 and above
- Respondents from **urban, semi-urban, and rural** regions
- Students, professionals, self-employed individuals, and others

3. Sampling Method

A **Stratified Random Sampling** approach was used. Respondents were divided into strata based on:

- **Location** (Urban / Semi-urban / Rural)
- **Age group**
- **Occupation**

This ensured proportional representation of diverse demographic groups.

B. Secondary Data Collection

Secondary data was collected from credible published sources to support and validate the primary data.

Secondary data helped to understand long-term trends and compare them with the survey findings.

1. Sampling Plan

- **Sample Size:** A total of **100 respondents** were included in the final sample.
- **Sampling Technique: Stratified Random Sampling**, ensuring representation from:
  i. Age groups
  ii. Gender groups
  iii. Users vs. non-users
  iv. Geographic categories
  Occupation group

RESEARCH QUESTIONS

1) **How can machine learning improve the detection of healthcare fraud?**

2) **Does using multiple types of healthcare data help in finding fraud more accurately?**

3) **Can real-time fraud detection systems make healthcare claim checks faster and more reliable?**

DATA ANALYSIS

1. How familiar are you with the concept of healthcare fraud?

117 responses



2. In your opinion, who commits healthcare fraud most often?

117 responses



3. How serious do you think the problem of healthcare fraud is in your country?

117 responses



4. Which of the following methods do you think is most effective for detecting healthcare fraud?

117 responses



5. How confident are you that machine learning can accurately detect fraudulent claims?

117 responses



6. What type of healthcare data do you think is most useful for detecting fraud?

117 responses



7. Which type of fraud do you think is hardest to detect?

117 responses



8. What is your opinion on using artificial intelligence in the healthcare system?

117 responses



9. What do you think is the biggest challenge in detecting healthcare fraud?

117 responses



10. Do you think using advanced machine learning can make healthcare more affordable in the long run?

117 responses



11. Which type of computer learning do you think works best to find fake healthcare claims?

117 responses



12. Why do you think people commit healthcare fraud?

117 responses



13. Do you think government health data (like Medicare or similar) is trustworthy for fraud studies?

117 responses



14. What's the biggest advantage of using computers to find fraud?

117 responses



15. What is the biggest problem in using computer systems for fraud detection?

117 responses



16. How often do you think fake or wrong medical bills are made?

117 responses



17. Would you like the government and hospitals to use more technology to stop healthcare fraud?

117 responses



RESULTS & FINDINGS

1. Increased Awareness of Healthcare Fraud

- Survey findings indicate that most respondents are aware of healthcare fraud, though the level of understanding varies. A majority reported that fraud is a *moderately to extremely serious* problem, highlighting public concern and recognition of the issue's impact on healthcare costs and service quality.

2. Perception of Who Commits Fraud

- Respondents believed that **all groups—service providers, insurance subscribers, and insurance companies—contribute to fraud**, with service providers being viewed as the most common offenders. This aligns with literature showing provider-level fraud as the costliest category.

3. Preference for Machine Learning Over Manual Methods

- Most participants rated **machine learning (ML) algorithms as more effective** than manual auditing or random checks. Respondents expressed moderate to high confidence in ML-driven fraud detection, indicating strong support for technology-assisted solutions in healthcare governance.

4. Data Considered Most Useful for Fraud Detection

- Insurance claim data and billing transactions were identified as the most useful datasets. This corresponds to existing research emphasizing claims-level analysis for detecting upcoding, unbundling, and unusual service frequencies.

5. Conspiracy Fraud Seen as Hardest to Detect

- Participants rated **multi-party conspiracy fraud** as the most difficult to identify, consistent with ML research showing that collusive fraud requires network analytics, anomaly detection, and graph-based ML models.

6. Machine Learning Viewed as a Contributor to Affordable Healthcare

- Most respondents agreed that advanced ML techniques could make healthcare more affordable in the long run by reducing financial leakage, improving claim scrutiny, and minimizing fraudulent reimbursements.

7. Key Challenges Identified

- Participants highlighted the following as the biggest obstacles to effective fraud detection:
- Lack of high-quality, standardized data
- Complex and ever-changing fraud patterns
- Limited availability of technical expertise
- Privacy and data security concerns in deploying ML models
- These challenges align with research gaps identified in the literature review.

8. Strong Support for Technology-Driven Healthcare Systems

- A majority of respondents strongly supported the integration of AI and ML in healthcare operations. They acknowledged advantages such as:
- Faster detection
- Fewer errors
- Reduced administrative costs
- This reinforces the need for modernized fraud-detection pipelines.

9. Reasons Behind Fraud

- Respondents believed that fraud occurs primarily due to:
- Weak checking systems
- Financial motives
- Confusing insurance processes
- This shows a perceived need for clearer guidelines, stronger monitoring, and automated systems to reduce human errors.

CONCLUTION

This study demonstrates that healthcare fraud is widely recognized as a critical and escalating issue that significantly impacts healthcare affordability, service quality, and trust in insurance systems. Traditional methods—primarily manual auditing—are no longer adequate due to the complexity, volume, and constantly evolving nature of healthcare fraud schemes.

Machine learning emerges as a powerful and necessary tool in addressing these challenges. The literature and survey findings agree that ML provides several advantages over rule-based and manual approaches, including higher accuracy, adaptability, scalability, and the ability to detect hidden or emerging fraud patterns. Ensemble methods, hybrid models, and anomaly-detection techniques offer particularly strong performance, while recent advances in deep learning and explainable AI further strengthen fraud detection capabilities.

However, the study also reveals critical limitations that must be addressed for ML systems to operate successfully. These include inadequate data quality, fragmented datasets, limited computational resources, privacy concerns, model interpretability challenges, and lack of standardized evaluation benchmarks. The survey responses confirm these barriers, emphasizing the need for structured data, strong privacy frameworks, and skilled professionals capable of developing and maintaining such systems.

Overall, the findings suggest that healthcare fraud detection is moving toward more intelligent, data-driven, and automated frameworks. Future work must focus on integrating multiple data sources, enabling real-time detection, adopting privacy-preserving ML techniques, leveraging federated learning, and implementing explainable AI for regulatory compliance and trust. There is also a need to develop standardized datasets and benchmarks to ensure fair evaluation across models.

In conclusion, machine learning has strong potential to revolutionize healthcare fraud detection and contribute to a more affordable, transparent, and trustworthy healthcare ecosystem. With continued research, investment in technology, and a commitment to data-driven governance, ML-enabled systems can significantly reduce fraud, optimize insurance processes, and strengthen healthcare delivery across both developed and developing regions.

IMPLICATIONS OF THE STUDY

1. Strengthening Fraud Detection Systems in Healthcare

The study shows that machine learning (ML), particularly ensemble methods such as Stacking and XGBoost, can significantly enhance the accuracy and efficiency of fraud detection. This implies that healthcare organizations and insurers can reduce financial losses and improve claim-processing speed by integrating automated fraud detection tools into their systems.

2. Improved Decision-Making for Insurers

High-precision ML models mean fewer false positives, allowing insurers to focus resources on genuinely suspicious cases. This results in better allocation of auditing efforts and optimized operational costs.

3. Need for Data-Driven Healthcare Governance

The research highlights the importance of clean, structured, and high-quality healthcare datasets. Policymakers and regulatory bodies may need to enforce stricter guidelines for standardized data recording, interoperability, and secure data sharing to support ML-driven fraud detection.

4. Increased Awareness of Evolving Fraud Schemes

The findings demonstrate that fraud patterns continuously evolve. The use of ML allows for adaptive learning and faster response, implying that static rule-based systems are no longer sufficient for healthcare fraud detection.

5. Support for Real-Time Fraud Prevention

The real-time fraud detection pipeline developed in the study implies that fraud can be intercepted before payments are processed, reducing financial leakage and improving trust in insurance systems.

6. Contribution to Machine Learning in Critical Sectors

The research contributes to the broader field of applying ML in sensitive domains such as healthcare. It strengthens the case for using explainable, transparent, and auditable AI systems in decision-making processes that affect public welfare.

LIMITATIONS OF THE STUDY

1. Limited Computational Resources

The study acknowledges computational restrictions such as low GPU capacity and Colab limitations, resulting in the use of sampled datasets. This may limit the evaluation of deep-learning models on full-scale healthcare datasets.

2. Dataset Size and Diversity

The dataset used appears to be limited to a specific region or system, which reduces generalizability. Healthcare fraud patterns vary by country, insurance type, and healthcare regulations.

3. Class Imbalance Challenges

Healthcare fraud datasets are naturally imbalanced, with very few fraudulent claims. While techniques like SMOTE may help, they cannot fully replicate the complexity of real-world fraud scenarios.

4. Lack of Unstructured Data Integration

The study focuses on structured data (claims, prescriptions, billing). However, healthcare fraud also appears in unstructured data such as doctor notes, emails, reports, and medical images, which were not included.

5. Interpretability Concerns

Although some models were evaluated, deep models like DNNs or CNNs may reduce interpretability. The study did not fully implement explainable AI frameworks (e.g., SHAP, LIME) despite identifying the need for transparency.

6. Limited Exploration of Real-World Deployment

The research focuses on model performance but does not fully examine practical deployment issues such as integration with existing claim-management systems, privacy regulations (e.g., HIPAA, GDPR), or scalability.

7. Geographic and Policy Constraints

Most fraud detection studies, including this one, rely on data structures and patterns typical of systems like Medicare/Medicaid. Results may differ significantly in developing countries with different medical billing practices.

FUTURE RESEARCH DIRECTIONS

1. Use of Full, Large-Scale Healthcare Datasets

Future work should use full datasets instead of sampled data to enhance model robustness and better simulate real-world conditions. This requires higher computational resources or cloud-based ML frameworks.

2. Integration of Unstructured Data

- Future models should incorporate:
- Doctors' handwritten notes
- Clinical reports
- Radiology images
- Voice transcripts

  This would significantly expand fraud-detection capabilities.

3. Adoption of Federated Learning and Privacy-Preserving AI

- Federated learning
- Differential privacy
- Homomorphic encryption

4. Explainable AI (XAI) for Trust and Compliance

Implementing SHAP, LIME, counterfactual explanations, or rule-based explanation layers on top of ML models will help:

- Build trust among auditors
- Improve transparency
- Meet legal compliance in healthcare

5. Advanced Hybrid and Ensemble Models

- Future studies should explore:
- Hybrid semi-supervised + supervised models.

- Deep-learning + rule-based hybrid architectures.
- Graph neural networks (GNNs) for detecting collusion fraud.

6. Real-Time Streaming Models

Fraudsters rapidly change tactics. Future work should focus on:

- Online learning
- Incremental model updating
- Real-time anomaly detection engines
- Streaming data analytics

7. Cross-Country and Cross-Domain Studies

Fraud patterns differ globally. Future research should analyze:

- Comparative fraud datasets from multiple countries
- Fraud detection in private vs. public insurance systems
- Local healthcare billing practices

8. Development of Standard Benchmarks

Healthcare fraud detection lacks consistent benchmarks. Future research should:

- Create standardized datasets
- Define common evaluation metrics
- Publish reproducible ML models

9. Inclusion of Behavioral and Network Analysis

Using social network analysis, GNNs, or behavioral profiling can identify:

- Links between fraudulent providers
- Suspicious prescribing networks
- Collusion-based fraud

10. Blockchain-Integrated Fraud Detection Systems

Blockchain can create immutable medical and billing records. Future research can explore:

- Smart contracts for claim verification
- Blockchain + ML fraud prevention systems
- Distributed audit trails

\

REFERENCE

1. Abdallah, A., Maarof, M. A., & Zainal, A. (2016). Fraud detection system: A survey. Journal of Network and Computer Applications, 68, 90-113.
2. Behdad, Mohammad, et al. "Nature-inspired techniques in the context of fraud detection." IEEE Transactions on Systems, Man, and Cybernetics, Part C (Applications and Reviews) 42.6 (2012): 1273-1290.
3. Konasani, Venkatareddy, Mukul Biswas, and Praveen Krishnan Koleth. "Healthcare fraud management using big data analytics." *An Unpublished Report by Trendwise Analytics, Bangalore, India* (2012).
4. National Health Care Anti-Fraud Association. "Health Care Fraud–A Serious and Costly Reality For All Americans." April2005 (2007).
5. Yang, Wan-Shiou. "A Process Pattern Mining Framework for the Detection of Health Care Fraud and Abuse." National Sun Yat-Sen University, Taiwan (2003)..
6. Liu, Qi, and Miklos Vasarhelyi. "Healthcare fraud detection: A survey and a clustering model incorporating Geo-location information." In 29th World Continuous Auditing and Reporting Symposium (29WCARS), Brisbane, Australia. 2013..
7. Thornton, Dallas, Roland M. Mueller, Paulus Schoutsen, and Jos van Hillegersberg. "Predicting healthcare fraud in medicaid: a multidimensional data model and analysis techniques for fraud detection." Procedia technology 9 (2013): 1252-1264.
8. Bauder, Richard A., Taghi M. Khoshgoftaar, Aaron Richter, and Matthew Herland. "Predicting medical provider specialties to detect anomalous insurance claims." In Tools with Artificial Intelligence (ICTAI), 2016 IEEE 28th International Conference on, pp. 784- 790. IEEE, 2016.
9. Branting, L. Karl, Flo Reeder, Jeffrey Gold, and Timothy Champney. "Graph analytics for healthcare fraud risk estimation." In Advances in Social Networks Analysis and Mining (ASONAM), 2016 IEEE/ACM International Conference on, pp. 845-851. IEEE, 2016.
10. Musal, Rasim Muzaffer. "Two models to investigate Medicare fraud within unsupervised databases." *Expert Systems with Applications* 37, no. 12 (2010): 8628-8633.

11. Copeland, Leanndra, Dana Edberg, Anna K. Panorska, and Jeanne Wendel. "Applying business intelligence concepts to Medicaid claim fraud detection." Journal of Information Systems Applied Research 5, no. 1 (2012): 51.

12. Bauder, Richard A., and Taghi M. Khoshgoftaar. "A probabilistic programming approach for outlier detection in healthcare claims." In Machine Learning and Applications (ICMLA), 2016 15th IEEE International Conference on, pp. 347-354. IEEE, 2016.

13. Bauder, Richard A., and Taghi M. Khoshgoftaar. "A novel method for fraudulent medicare claims detection from expected payment deviations (application paper)." In Information Reuse and Integration (IRI), 2016 IEEE 17th International Conference on, pp. 11-19. IEEE, 2016.

14. van Capelleveen, Guido, Mannes Poel, Roland M. Mueller, Dallas Thornton, and Jos van Hillegersberg. "Outlier detection in healthcare fraud: A case study in the Medicaid dental domain." International journal of accounting information systems 21 (2016): 18-31.

15. Rudman, William J., John S. Eberhardt, William Pierce, and Susan Hart-Hester. "Healthcare fraud and abuse." Perspectives in Health Information Management/AHIMA, American Health Information Management Association 6, no. Fall (2009).

16. Joudaki, Hossein, Arash Rashidian, Behrouz Minaei- Bidgoli, Mahmood Mahmoodi, Bijan Geraili, Mahdi Nasiri, and Mohammad Arab. "Using data mining to detect health care fraud and abuse: a review of literature." Global journal of health science 7, no. 1 (2015): 194.

17. Jyothsna, V., VV Rama Prasad, and K. Munivara Prasad. "A review of anomaly based intrusion detection systems." International Journal of Computer Applications 28, no. 7 (2011): 26-35.

18. Li, Jing, Kuei-Ying Huang, Jionghua Jin, and Jianjun Shi. "A survey on statistical methods for health care fraud detection." Health care management science 11, no. 3 (2008): 275-287.

19. Srinivasan, Uma, and Bavani Arunasalam. "Leveraging big data analytics to reduce healthcare costs." IT professional 15, no. 6 (2013): 21-28.

20. Feldman, Keith, and Nitesh V. Chawla. "Does medical school training relate to practice? Evidence from big data." Big data3, no. 2 (2015): 103-113

ANNEURE - 1

(Questionnaire)

1. How familiar are you with the concept of healthcare fraud?

A) Very familiar

B) Somewhat familiar

C) Heard of it but don't know details

D) Not familiar at all

2. In your opinion, who commits healthcare fraud most often?

A) Service providers (doctors, hospitals)

B) Insurance subscribers (patients)

C) Insurance companies

D) All of the above equally

3. How serious do you think the problem of healthcare fraud is in your country?

A) Extremely serious

B) Moderately serious

C) Slightly serious

D) Not serious

4. Which of the following methods do you think is most effective for detecting healthcare fraud?

A) Manual auditing

B) Machine learning algorithms

C) Random checks by insurance companies

D) Whistleblower reports

5. How confident are you that machine learning can accurately detect fraudulent claims?

A) Very confident

B) Somewhat confident

C) Slightly confident

D) Not confident

6. What type of healthcare data do you think is most useful for detecting fraud?

A) Insurance claim data

B) Physician prescription data

C) Patient treatment history

D) Billing and transaction data

7. Which type of fraud do you think is hardest to detect?

A) Fraud by service providers

B) Fraud by insurance subscribers

C) Fraud by insurance carriers

D) Conspiracy fraud (involving multiple parties)

8. What is your opinion on using artificial intelligence in the healthcare system?

A) Strongly support it

B) Support it with caution

C) Neutral

D) Oppose it

9. What do you think is the biggest challenge in detecting healthcare fraud?

A) Lack of quality data

B) Complex fraud patterns

C) Limited technical expertise

D) High cost of implementation

10. Do you think using advanced machine learning can make healthcare more affordable in the long run?

A) Strongly agree

B) Agree

C) Disagree

D) Strongly disagree

11. Which type of computer learning do you think works best to find fake healthcare claims?

A) Learning from examples (supervised)

B) Finding patterns on its own (unsupervised)

C) A mix of both

D) I don't know

12. Why do you think people commit healthcare fraud?

A) To make extra money

B) Because checking systems are weak

C) Because the insurance process is confusing

D) All of these reasons

13. Do you think government health data (like Medicare or similar) is trustworthy for fraud studies?

A) Yes, very trustworthy

B) Somewhat trustworthy

C) Not trustworthy

D) I'm not sure

14. What's the biggest advantage of using computers to find fraud?

A) Fewer mistakes

B) Works faster

C) Saves money

D) All of the above

15. What is the biggest problem in using computer systems for fraud detection?

A) Privacy and data safety

B) Cost of setting it up

C) Wrong or unfair results

D) Not enough trained people

16. How often do you think fake or wrong medical bills are made?

A) Very often

B) Sometimes

C) Rarely

D) Never

17. Would you like the government and hospitals to use more technology to stop healthcare fraud?

A) Yes, definitely

B) Yes, somewhat

C) Not sure

D) No

This project uses machine learning to identify healthcare fraud in a faster and smarter way. Instead of manual checks, data analytics is used to spot unusual patterns in insurance and medical data. The goal is to reduce fraud, save money, and improve trust in the healthcare system.

2024423784- RBL

ORIGINALITY REPORT

8%	4%	0%	8%
SIMILARITY INDEX	INTERNET SOURCES	PUBLICATIONS	STUDENT PAPERS

PRIMARY SOURCES

1	Submitted to Manipal University Student Paper	3%
2	Submitted to Brigham Young University, Hawaii Student Paper	2%
3	Submitted to Salford College, Greater Manchester Student Paper	2%
4	Submitted to Malayan Colleges Mindanao, A Mapua School Student Paper	1%

Exclude quotes	On	Exclude matches	< 14 words
Exclude bibliography	On		