```
* upDate.h
* Created on: <u>Sep</u> 18, 2016
       Author: <u>Kenny</u> Do
#ifndef UPDATE_H_
#define UPDATE H
#include <iostream>
#include <string>
class upDate {
    /**
    * Stores the amount of date objects
    static int numOfDateObjects;
    /**
    * A pointer to an array of int
    int * iptr;
    /**
    * Precondition:
    * <u>julian</u> is positive
    * Postcondition:
            Set the date of this upDate object with julian
    void updateFromGregorian(int julian);
    /**
    * Precondition:
          None
    * Postcondition:
            Sets the date to May 11, 1959
    */
    void defaultDate();
public:
    /**
    * Precondition:
    * None
    * Postcondition:
         Creates a upDate with the default
    */
    upDate();
    /**
    * Precondition:
    * None
    * Postcondition:
           Creates a upDate with M, D, Y
    */
    upDate(int M, int D, int Y);
```

upDate.h

```
/**
* Precondition:
      None
* Postcondition:
      Creates a clone of date
upDate(const upDate& date);
* Precondition:
* None
* Postcondition:
* <u>Destructor</u> for update
*/
~upDate();
/**
* Precondition:
       None
* Postcondition:
       Sets the date to M, D, Y for month, day, year respectively
*/
void setDate(int M, int D, int Y);
/**
* Precondition:
* None
* Postcondition:
       Calculates the days between D and this date
int daysBetween(upDate D);
/**
* Precondition:
     None
* Postcondition:
      Returns the month
*/
int getMonth() const;
/**
* Precondition:
* None
* Postcondition:
     Returns the day
*/
int getDay() const;
/**
* Precondition:
* None
* Postcondition:
      Returns the year
*/
int getYear() const;
/**
```

```
upDate.h
```

```
* Precondition:
       None
 * Postcondition:
       Returns the number of upDate objects
*/
static int GetDateCount();
/**
* Precondition:
       None
* Postcondition:
       Returns the month same as a string
*/
std::string getMonthName();
/**
* Precondition:
       None
* Postcondition:
       Return the <u>julian</u> number
double julian() const;
/**
* Precondition:
* <u>julian</u> is positive
* Postcondition:
       Returns a upDate object that is calculated from the julian number
*/
static upDate returnGregorian(int julian);
/**
* Precondition:
      None
* Postcondition:
       Overloads the << operator with the to string of this class
friend std::ostream& operator<<(std::ostream& os, const upDate& date);</pre>
/**
* Precondition:
      None
* Postcondition:
      Assign this upDate to date
void operator =(const upDate & date);
* Precondition:
       None
* Postcondition:
       Adds an int + upDate
*/
friend upDate operator +(int N,const upDate& date);
/**
* Precondition:
```

```
* None
 * Postcondition:
       Post-increment the date by 1
*/
upDate& operator ++();
/**
* Precondition:
      None
 * Postcondition:
      Pre-increment the date by 1
upDate operator ++(int);
/**
* Precondition:
 * Postcondition:
      Post-decrement the date by 1
upDate& operator --();
* Precondition:
      None
* Postcondition:
      Pre-decrement the date by 1
upDate operator --(int);
/**
* Precondition:
* None
* Postcondition:
      Increment the date by N
upDate operator +(int N);
* Precondition:
      None
* Postcondition:
      Decrement the date by N
*/
upDate operator -(int N);
/**
* Precondition:
      None
 * Postcondition:
      Decrement the date by another date
int operator -(const upDate& date);
* Precondition:
       None
```

upDate.h

```
* Postcondition:
            Returns true if this date is greater than the other date else false
    bool operator >(const upDate & date);
    /**
    * Precondition:
            None
     * Postcondition:
            Returns true if this date is less than the other date else false
    */
    bool operator <(const upDate & date);</pre>
    * Precondition:
            None
    * Postcondition:
            Returns true if this date is greater than or equal to than the other date else false
     */
    bool operator >=(const upDate & date);
    /**
    * Precondition:
            None
    * Postcondition:
            Returns true if this date is less than or equal to than the other date else false
    bool operator <=(const upDate & date);</pre>
    /**
     * Precondition:
            None
    * Postcondition:
            Returns true if this date is equal to the other date else false
    bool operator ==(const upDate & date);
    /**
    * Precondition:
            None
     * Postcondition:
            Returns true if this date is not equal to the other date else false
     */
    bool operator !=(const upDate & date);
#endif /* upDate_H_ */
```

};