


Consultant
Address
Address
Address
Phone


Scale	1" = 10'-0"
-------	-------------






Consultant
Address
Address
Address
Phone

Scale	1/4" = 1'-0"
-------	--------------







www.autodesk.com/revit

Consultant	
Address	
Address	
Address	
Phone	

Consultant	
Address	
Address	
Address	
Phone	
Consultant	
Address	

Address	
Address	
Phone	
Consultant	
Address	
Address	
Address	

Phone	
Consultant	
Address	
Address	
Address	
Phone	

[illegible]

Autodesk

Sample House

SCHEDULES/ONE LINE DIAGRAM

Project Number	001-00
----------------	--------

Date	Issue Date
------	------------

Drawn By	Author
----------	--------

Checked By	Checker
------------	---------

E400

Scale	1 1/2" = 1'-0"
-------	----------------


LIGHTING FIXTURE SCHEDULE						
TYPE	LUMENS	LOAD	DESCRIPTION	HOUSING	OPTICS	DRIVER
L1	12000 lm	120 VA	SUSPENDED LINEAR	EXTRUDED ALUMINIUM HOUSING	20 UP/80 DOWN	
L2		30 VA	TRACK	Cooper Industries, Inc.		http://www.cooperlighting.com/
L3	1500 lm	100 VA	SURFACE CIRCULAR			
L4	1500 lm	15 VA	SURFACE CIRCULAR DECROTIVE			
L5	1690 lm	100 VA	BATH VANITY			
L6	1690 lm	15 VA	EXTERIOR SCNCE			
L7	1500 lm	100 VA	SURFACE CIRCULAR EXTERIOR			
L8		50 VA	Hanging Lighting Fixture Bowl/Orb	Unspecified		https://mep.trimble.com/
L9		50 VA	Hanging Lighting Fixture Bowl/Orb	Unspecified		https://mep.trimble.com/
L10		80 VA	Hanging Lighting Fixture Bowl/Orb	Unspecified		https://mep.trimble.com/
L11	5000 lm	150 VA	POST - TOP AREA LUMINAIRE			

Switchboard:		
Location: Bath 103	Volts: 230	A.I.C. Rating:
Supply From:	Phases: 1	Mains Type: MCB
Mounting: Wall	Wires: 2	Mains Rating: 250 A
Enclosure: PrismaSeT G Pack 250		MCB Rating: 125 A

CKT	Circuit Description	# of Poles	Frame Size	Trip Rating	Load	Remarks
1	KITCHEN SOCKET OUTLETS	1	20 A	20 A	650 VA	
2	KITCHEN SOCKET OUTLETS 2	1	20 A	20 A	600 VA	
3	DISHWASHER	1	20 A	20 A	2000 VA	
4	WASTE DISPOSAL UNIT	1	20 A	20 A	1000 VA	
5	COOKTOP	1	40 A	40 A	7000 VA	
6	LAUNDRY SOCKET OUTLETS	1	20 A	20 A	100 VA	
7						
8	DRYER	1	30 A	30 A	5000 VA	
9	REFRIGERATOR	1	20 A	20 A	1300 VA	
10	WASHING MACHINE	1	20 A	20 A	2000 VA	
11	MICROWAVE	1	20 A	20 A	1500 VA	
12						
13						
14	COND UNIT	1	20 A	20 A	2000 VA	
15	KITCHEN DINING CIRCUIT	1	20 A	20 A	1000 VA	
16	HALL	1	20 A	20 A	200 VA	
17	Heating	1	20 A	20 A	250 VA	
18	BATHROOM	1	20 A	20 A	100 VA	
19						
20	LIVING ROOM SOCKET OUTLETS	1	20 A	20 A	1300 VA	
Total Conn. Load:					32713 VA	

Legend:

Load Classification	Connected Load	Demand Factor	Estimated Demand	Panel Totals
Appliance - Dwelling Unit	14450 VA	75.00%	10838 VA	
Electric Range - 3.5 kW to 8.75 kW	7000 VA	80.00%	5600 VA	Total Conn. Load: 32713 VA
HVAC	2000 VA	100.00%	2000 VA	Total Est. Demand: 27738 VA
Lighting	250 VA	100.00%	250 VA	Total Conn.: 142 A
Lighting - Dwelling Unit	1370 VA	100.00%	1370 VA	Total Est. Demand: 121 A
Lighting - Exterior	150 VA	125.00%	188 VA	
Other	300 VA	100.00%	300 VA	
Receptacle	6600 VA	100.00%	6600 VA	
Power	960 VA	100.00%	960 VA	



① ONE LINE DIAGRAM
1 1/2" = 1'-0"