
VIZJA UNIVERSITY

Operating Systems

A02



Julian Myrcha

2026-10-14

- indeks-number.cpp
- compile and run
- compile to program name and run

```cpp
#include <iostream>
#include <string>

int main() {
  std::string indeks;
  std::cin >> indeks;
  if(indeks == "123")
    std::cout << "Its me" << std::endl;
  else
    std::cout << "Its not me" << std::endl;
  return 0;
}
```

- indeks-number.cpp
- compile and run
- compile to program name and run

```
jmy@alma9560 ~/01 $ c++ index-number.cpp
jmy@alma9560 ~/01 $ c++ index-number.cpp
jmy@alma9560 ~/01 $ ls -la
total 24
drwxr-xr-x. 2 jmy jmy    43 Oct 15 10:57 .
drwxr-xr-x. 3 jmy jmy    58 Oct 15 10:57 ..
-rwxr-xr-x. 1 jmy jmy 18960 Oct 15 10:57 a.out
-rw-r--r--. 1 jmy jmy   224 Oct 15 10:33 index-number.cpp
jmy@alma9560 ~/01 $ ./a.out
123
Its me
jmy@alma9560 ~/01 $
```

- indeks-number.cpp
- compile and run
- compile to program name and run

```
jmy@alma9560 ~/01 $ c++ -o index-number index-number.cpp
jmy@alma9560 ~/01 $ ls -la
total 24
drwxr-xr-x. 2 jmy jmy    50 Oct 15 11:24 .
drwxr-xr-x. 3 jmy jmy    58 Oct 15 10:57 ..
-rwxr-xr-x. 1 jmy jmy 18960 Oct 15 11:24 index-number
-rw-r--r--. 1 jmy jmy   224 Oct 15 10:33 index-number.cpp
jmy@alma9560 ~/01 $ ./index-number
124
Its not me
jmy@alma9560 ~/01 $
```

- cources:
  - index-number.cpp,
  - check.h,
  - check.cpp
- compile and run

index-number.cpp

```cpp
#include <iostream>
#include <string>
#include "check.h"

int main() {
  if(check("123"))
    std::cout << "Its me" << std::endl;
  else
    std::cout << "Its not me" << std::endl;
  return 0;
}
```

- cources:
  - index-number.cpp,
  - check.h,
  - check.cpp
- compile and run

check.h

```
1 bool check(std::string index);
```

- cources:
  - index-number.cpp,
  - check.h,
  - check.cpp
- compile and run

check.cpp

```cpp
#include "check.h"

bool check(std::string index) {
  std::string indeks;
  std::cin >> indeks;

  if(indeks == "123")
    return true;
  else
    return false;
}
```

- cources:
  - index-number.cpp,
  - check.h,
  - check.cpp
- compile and run

```
jmy@alma9560 ~/Private/AEH/SO2024Z/Lab/workplace/02 $ c++ index-number.cpp check.cpp -o index-number
```

```
jmy@alma9560 ~/Private/AEH/SO2024Z/Lab/workplace/02 $ ls -la
total 40
drwxr-xr-x. 2 jmy jmy    82 Oct 15 11:47 .
drwxr-xr-x. 4 jmy jmy    68 Oct 15 11:27 ..
-rw-r--r--. 1 jmy jmy   202 Oct 15 11:46 check.cpp
-rw-r--r--. 1 jmy jmy    31 Oct 15 11:38 check.h
-rwxr-xr-x. 1 jmy jmy 25872 Oct 15 11:47 index-number
-rw-r--r--. 1 jmy jmy   179 Oct 15 11:47 index-number.cpp
jmy@alma9560 ~/Private/AEH/SO2024Z/Lab/workplace/02 $
```

```
jmy@alma9560 ~/Private/AEH/SO2024Z/Lab/workplace/02 $ ./index-number
```

```
hello:
	@echo "this is print if file hello does not exist"
	touch hello

hello2:
	@echo "this is print if file hello2 does not exist"

clear:
	rm hello
```

dependency for each object file

```
CC=gcc
CFLAGS=-I.

index-number:index-number.cpp check.h
	$(CC) -c index-number.cpp $(CFLAGS)

check:check.cpp check.h
	$(CC) -c check.cpp $(CFLAGS)

index-number: check.o index-number.o
	$(CC) -o index-number index-number.o check.o $(CFLAGS)
```

simplified version

```
CC=gcc
CFLAGS=-I.
DEPS = check.h
OBJ = index-number check

%.o: %.c $(DEPS)
	$(CC) -c -o $@ $< $(CFLAGS)

index-number: $(OBJ)
	$(CC) -o $@ $^ $(CFLAGS)
```