




This source describes Open Hardware and is licensed under the CERN-OHL-S v2.0.
You may redistribute and modify this documentation and make products using it under the terms of the CERN-OHL-S v2.0 (<https://cern.ch/ohl>).

Kebag Logic: kebag-logic.com

Sheet: /
File: pocketbeagle2_ethernet_cap.kicad_sch

Title: *Gigabit EthernetCap*


Size: A4

Date: 2026-04-19

Rev: **V0.1**

KiCad E.D.A. 10.0.6

Id: 1/8




This source describes Open Hardware and is licensed under the CERN-OHL-S v2.0. You may redistribute and modify this documentation and make products using it under the terms of the CERN-OHL-S v2.0 (<https://cern.ch/ohl>).

Kebag Logic: kebag-logic.com

Sheet: /network/
File: network.kicad_sch


Title: Network

Size: A4	Date: 2026-04-19	Rev:
KiCad E.D.A. 10.0.6		Id: 3/8




This source describes Open Hardware and is licensed under the CERN-OHL-S v2.0. You may redistribute and modify this documentation and make products using it under the terms of the CERN-OHL-S v2.0 (https://cern.ch/ohl).		
Kebag Logic: kebag-logic.com		
Sheet: /network/phy/ File: phy.kicad_sch		
Title: PHY		
Size: A4	Date: 2026-04-19	Rev: REV. A
KiCad E.D.A. 10.0.6	Id: 2/8	


J1 is mounted on B.Cu (bottom), so its pin row is mirrored.
MDI pairs are mapped A<->D, B<->C with P/N swapped ON PURPOSE:
the DP83867 RJ45 mirror mode (LED_0 strap mode 3, R31/R32 on the
PHY sheet; datasheet 7.4.6.6) undoes it inside the PHY.
Do not "fix" this mapping without removing the strap.





This source describes Open Hardware and is licensed under the CERN-OHL-S v2.0. You may redistribute and modify this documentation and make products using it under the terms of the CERN-OHL-S v2.0 (https://cern.ch/ohl).		
Kebag Logic: kebag-logic.com		
Sheet: /network/rj45_connector_port0/ File: rj45_connector_port0.kicad_sch		
Title: RJ45 Connector Port 0		
Size: A4	Date: 2026-04-19	Rev:
KiCad E.D.A. 10.0.6		Id: 7/8



This source describes Open Hardware and is licensed under the CERN-OHL-S v2.0. You may redistribute and modify this documentation and make products using it under the terms of the CERN-OHL-S v2.0 (https://cern.ch/ohl).		
Kebag Logic: kebag-logic.com		
Sheet: /network/oscillator/ File: oscillator.kicad_sch		
Title: Oscillator		
Size: A4	Date: 2026-04-19	Rev:
KiCad E.D.A. 10.0.6		Id: 8/8







This source describes Open Hardware and is licensed under the CERN-OHL-S v2.0. You may redistribute and modify this documentation and make products using it under the terms of the CERN-OHL-S v2.0 (https://cern.ch/ohl).		
Kebag Logic: kebag-logic.com		
Sheet: /ldo_2v5/ File: ldo_2v5.kicad_sch		
Title: LDO 2V5		
Size: A4	Date: 2026-04-19	Rev:
KiCad E.D.A. 10.0.6		Id: 6/8