Starting audit...

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:2: 'CLASS_DEF' should be separated from previous statement. [EmptyLineSeparator]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:3:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:4: 'member def modifier' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:4:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:4:21: Member name 'Id' must match pattern '^[a-z][a-z0-9][a-zA-Z0-9]*\$'. [MemberName]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:6:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:7: 'ctor def modifier' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:7:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:7:9: Missing a Javadoc comment. [JavadocMethod]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:8: 'ctor def' child have incorrect indentation level 16, expected level should be 4. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:8:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:8:22: WhitespaceAround: '=' is not preceded with whitespace. [WhitespaceAround]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:8:23: WhitespaceAround: '=' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:9: 'ctor def' child have incorrect indentation level 16, expected level should be 4. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:9:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:9:21: WhitespaceAround: '=' is not preceded with whitespace. [WhitespaceAround]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:9:22: WhitespaceAround: '=' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround]

```
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:10: 'ctor def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:10:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:11: 'ctor def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:11:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:11:24: WhitespaceAround: '=' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:11:25: WhitespaceAround: '=' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:12: 'ctor def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:12:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:13: 'ctor def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:13:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15: 'ctor def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15: Line is longer than 100 characters (found
146). [LineLength]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15:45: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15:46: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
```

with whitespace. [WhitespaceAround] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:15:52: WhitespaceAround: '+' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround]

company/baru/Kuda.java:15:51: WhitespaceAround: '+' is not preceded

part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/

```
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15:62: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15:63: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15:67: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15:68: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15:80: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15:81: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15:88: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15:89: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15:101: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15:102: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15:109: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15:110: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15:124: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15:125: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15:134: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15:135: WhitespaceAround: '+' is not followed
```

```
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15:142: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:15:143: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:16: 'ctor def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:16:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:17: 'ctor def rcurly' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:17:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:18: 'CTOR_DEF' should be separated from
previous statement. [EmptyLineSeparator]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:18: 'ctor def modifier' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:18:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:18:9: Missing a Javadoc comment.
[JavadocMethod]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:18:25: Parameter name '_PosisiX' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9]*\$'. [ParameterName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:18:38: Parameter name '_PosisiY' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9]*$'. [ParameterName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:18:52: Parameter name '_ArahGerak' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9]*$'. [ParameterName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:18:68: Parameter name '_Id' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9]*$'. [ParameterName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:18:72: WhitespaceAround: '{' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:19: 'ctor def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:19:1: Line contains a tab character.
```

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:19:22: WhitespaceAround: '=' is not preceded with whitespace. [WhitespaceAround]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:19:23: WhitespaceAround: '=' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:20: 'ctor def' child have incorrect indentation level 16, expected level should be 4. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:20:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:20:21: WhitespaceAround: '=' is not preceded with whitespace. [WhitespaceAround]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:20:22: WhitespaceAround: '=' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:21: 'ctor def' child have incorrect indentation level 16, expected level should be 4. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:21:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:22: 'ctor def' child have incorrect indentation level 16, expected level should be 4. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:22:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:23: 'ctor def' child have incorrect indentation level 16, expected level should be 4. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:23:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:24: 'ctor def' child have incorrect indentation level 16, expected level should be 4. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:24:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:26: 'ctor def' child have incorrect indentation level 16, expected level should be 4. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:26: Line is longer than 100 characters (found 146). [LineLength]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:26:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/

```
company/baru/Kuda.java:26:45: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:26:46: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:26:51: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:26:52: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:26:62: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:26:63: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:26:67: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:26:68: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:26:80: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:26:81: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:26:88: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:26:89: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:26:101: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:26:102: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:26:109: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:26:110: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
```

```
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:26:124: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:26:125: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:26:134: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:26:135: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:26:142: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:26:143: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:27: 'ctor def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:27:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:28: 'ctor def rcurly' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:28:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:30:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:31: 'method def modifier' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:31:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:31:20: Method name 'GetId' must match pattern
'^[a-z][a-z0-9][a-zA-Z0-9_]*$'. [MethodName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:31:27: WhitespaceAround: '{' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:32: 'method def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:32:1: Line contains a tab character.
```

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:33: 'method def rcurly' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:33:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:34: 'METHOD_DEF' should be separated from previous statement. [EmptyLineSeparator]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:34: 'method def modifier' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:34:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:34:20: Method name 'GetUsia' must match pattern '^[a-z][a-z0-9][a-zA-Z0-9_]*\$'. [MethodName] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:34:29: WhitespaceAround: '{' is not preceded with whitespace. [WhitespaceAround]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:35: 'method def' child have incorrect indentation level 16, expected level should be 4. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:35:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:36: 'method def rcurly' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:36:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:37: 'METHOD_DEF' should be separated from previous statement. [EmptyLineSeparator]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:37: 'method def modifier' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:37:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:37:20: Method name 'GetPosisiX' must match pattern '^[a-z][a-z0-9][a-zA-Z0-9_]*\$'. [MethodName] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:37:32: WhitespaceAround: '{' is not preceded with whitespace. [WhitespaceAround]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:38: 'method def' child have incorrect indentation level 16, expected level should be 4. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:38:1: Line contains a tab character.

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:39: 'method def rcurly' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:39:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:40: 'METHOD_DEF' should be separated from previous statement. [EmptyLineSeparator]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:40: 'method def modifier' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:40:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:40:20: Method name 'GetPosisiY' must match pattern '^[a-z][a-z0-9][a-zA-Z0-9_]*\$'. [MethodName] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:40:32: WhitespaceAround: '{' is not preceded with whitespace. [WhitespaceAround]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:41: 'method def' child have incorrect indentation level 16, expected level should be 4. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:41:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:42: 'method def rcurly' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:42:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:43: 'METHOD_DEF' should be separated from previous statement. [EmptyLineSeparator]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:43: 'method def modifier' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:43:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:43:20: Method name 'GetArahGerak' must match pattern '^[a-z][a-z0-9][a-zA-Z0-9_]*\$'. [MethodName]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:43:34: WhitespaceAround: '{' is not preceded with whitespace. [WhitespaceAround]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:44: 'method def' child have incorrect indentation level 16, expected level should be 4. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:44:1: Line contains a tab character.

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:45: 'method def rcurly' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:45:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:46: 'METHOD_DEF' should be separated from previous statement. [EmptyLineSeparator]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:46: 'method def modifier' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:46:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:46:20: Method name 'GetPower' must match pattern '^[a-z][a-z0-9][a-zA-Z0-9_]*\$'. [MethodName] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:46:30: WhitespaceAround: '{' is not preceded with whitespace. [WhitespaceAround]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:47: 'method def' child have incorrect indentation level 16, expected level should be 4. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:47:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:48: 'method def rcurly' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:48:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:50:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:51: 'method def modifier' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:51:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:51:21: Method name 'SetArahGerak' must match pattern '^[a-z][a-z0-9][a-zA-Z0-9_]*\$'. [MethodName] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:51:38: Parameter name '_ArahGerak' must match pattern '^[a-z][a-z0-9][a-zA-Z0-9]*\$'. [ParameterName] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:51:49: WhitespaceAround: '{' is not preceded with whitespace. [WhitespaceAround] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/

company/baru/Kuda.java:52: 'method def' child have incorrect

indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:52:1: Line contains a tab character.
[FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:52:26: WhitespaceAround: '=' is not preceded with whitespace. [WhitespaceAround]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:52:27: WhitespaceAround: '=' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:53: 'method def rcurly' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:53:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:54: 'METHOD_DEF' should be separated from previous statement. [EmptyLineSeparator]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:54: 'method def modifier' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:54:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:54:21: Method name 'SetPosisiX' must match pattern '^[a-z][a-z0-9][a-zA-Z0-9_]*\$'. [MethodName] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:54:36: Parameter name '_PosisiX' must match pattern '^[a-z][a-z0-9][a-zA-Z0-9]*\$'. [ParameterName] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:54:45: WhitespaceAround: '{' is not preceded with whitespace. [WhitespaceAround]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:55: 'method def' child have incorrect indentation level 16, expected level should be 4. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:55:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:56: 'method def rcurly' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:56:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:57: 'METHOD_DEF' should be separated from previous statement. [EmptyLineSeparator]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:57: 'method def modifier' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/

```
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:57:21: Method name 'SetPosisiY' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9]*$'. [MethodName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:57:36: Parameter name ' PosisiY' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9]*$'. [ParameterName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:57:45: WhitespaceAround: '{ i is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:58: 'method def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:58:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:58:24: WhitespaceAround: '=' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:59: 'method def rcurly' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:59:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:60: 'METHOD DEF' should be separated from
previous statement. [EmptyLineSeparator]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:60: 'method def modifier' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:60:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:60:21: Method name 'SetUsia' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9_]*$'. [MethodName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:60:33: Parameter name '_usia' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9]*\$'. [ParameterName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:60:39: WhitespaceAround: '{' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:61: 'method def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:61:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:62: 'method def rcurly' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
```

company/baru/Kuda.java:57:1: Line contains a tab character.

```
company/baru/Kuda.java:62:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:64:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:65: 'method def modifier' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:65:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:65:9: Missing a Javadoc comment.
[JavadocMethod]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:66: 'switch' have incorrect indentation level
16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:66: switch without "default" clause.
[MissingSwitchDefault]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:66:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:66:23: WhitespaceAround: 'switch' is not
followed by whitespace. Empty blocks may only be represented as {}
when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:66:34: WhitespaceAround: '{' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:67: 'case' child have incorrect indentation
level 24, expected level should be 6. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:67:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:68: 'block' child have incorrect indentation
level 32, expected level should be 8. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:68:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:68:50: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:68:51: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:69: 'block' child have incorrect indentation
level 32, expected level should be 8. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:69:1: Line contains a tab character.
```

[FileTabCharacter] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/ company/baru/Kuda.java:70: 'case' child have incorrect indentation level 24, expected level should be 6. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/ company/baru/Kuda.java:70:1: Line contains a tab character. [FileTabCharacter] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/ company/baru/Kuda.java:71: 'block' child have incorrect indentation level 32, expected level should be 8. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/ company/baru/Kuda.java:71:1: Line contains a tab character. [FileTabCharacter] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/ company/baru/Kuda.java:71:50: WhitespaceAround: '+' is not preceded with whitespace. [WhitespaceAround] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/ company/baru/Kuda.java:71:51: WhitespaceAround: '+' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/ company/baru/Kuda.java:72: 'block' child have incorrect indentation level 32, expected level should be 8. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/ company/baru/Kuda.java:72:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:73: 'case' child have incorrect indentation level 24, expected level should be 6. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:73:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:74: 'block' child have incorrect indentation level 32, expected level should be 8. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:74:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:74:50: WhitespaceAround: '+' is not preceded with whitespace. [WhitespaceAround]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:74:51: WhitespaceAround: '+' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:74:54: WhitespaceAround: '+' is not preceded with whitespace. [WhitespaceAround]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:74:55: WhitespaceAround: '+' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:75: 'block' child have incorrect indentation

```
level 32, expected level should be 8. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:75:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:76: 'case' child have incorrect indentation
level 24, expected level should be 6. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:76:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:77: 'block' child have incorrect indentation
level 32, expected level should be 8. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:77:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:77:50: WhitespaceAround: '-' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:77:51: WhitespaceAround: '-' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:77:54: WhitespaceAround: '-' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:77:55: WhitespaceAround: '-' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:78: 'block' child have incorrect indentation
level 32, expected level should be 8. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:78:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:79: 'case' child have incorrect indentation
level 24, expected level should be 6. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:79:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:80: 'block' child have incorrect indentation
level 32, expected level should be 8. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:80:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:80:50: WhitespaceAround: '-' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:80:51: WhitespaceAround: '-' is not followed
by whitespace. Empty blocks may only be represented as {} when not
```

```
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:81: 'block' child have incorrect indentation
level 32, expected level should be 8. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:81:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:82: 'case' child have incorrect indentation
level 24, expected level should be 6. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:82:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:83: 'block' child have incorrect indentation
level 32, expected level should be 8. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:83:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:83:50: WhitespaceAround: '-' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:83:51: WhitespaceAround: '-' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:84: 'block' child have incorrect indentation
level 32, expected level should be 8. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:84:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:85: 'case' child have incorrect indentation
level 24, expected level should be 6. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:85:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:86: 'block' child have incorrect indentation
level 32, expected level should be 8. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:86:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:86:50: WhitespaceAround: '-' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:86:51: WhitespaceAround: '-' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:86:54: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
```

```
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:86:55: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:87: 'block' child have incorrect indentation
level 32, expected level should be 8. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:87:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:88: 'case' child have incorrect indentation
level 24, expected level should be 6. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:88:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:89: 'block' child have incorrect indentation
level 32, expected level should be 8. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:89:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:89:50: WhitespaceAround: '+' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:89:51: WhitespaceAround: '+' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:89:54: WhitespaceAround: '-' is not preceded
with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:89:55: WhitespaceAround: '-' is not followed
by whitespace. Empty blocks may only be represented as {} when not
part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:90: 'block' child have incorrect indentation
level 32, expected level should be 8. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:90:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:91:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:92: 'switch rcurly' have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:92:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Kuda.java:93: 'method def rcurly' have incorrect
```

indentation level 8, expected level should be 2. [Indentation]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:93:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:94: 'METHOD_DEF' should be separated from previous statement. [EmptyLineSeparator]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:94: 'method def modifier' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:94:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:94:21: Method name 'Pass' must match pattern '^[a-z][a-z0-9][a-zA-Z0-9_]*\$'. [MethodName]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:95: 'method def' child have incorrect indentation level 16, expected level should be 4. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:95:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:96: 'method def rcurly' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:96:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:97: 'METHOD_DEF' should be separated from previous statement. [EmptyLineSeparator]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:97: 'method def modifier' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:97:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:98: 'method def' child have incorrect indentation level 16, expected level should be 4. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:98:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:99: 'method def rcurly' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:99:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:100: 'METHOD_DEF' should be separated from previous statement. [EmptyLineSeparator]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:100: 'method def modifier' have incorrect indentation level 8, expected level should be 2. [Indentation]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:100:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:101: 'method def' child have incorrect indentation level 16, expected level should be 4. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:101: Line is longer than 100 characters (found 107). [LineLength]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:101:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:102: 'method def rcurly' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:102:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:103: 'METHOD_DEF' should be separated from previous statement. [EmptyLineSeparator]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:103: 'method def modifier' have incorrect indentation level 8, expected level should be 2. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:103:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:103:9: Missing a Javadoc comment. [JavadocMethod]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:104:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:105: 'if' have incorrect indentation level 16, expected level should be 4. [Indentation]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:105:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:105:31: WhitespaceAround: '{' is not preceded with whitespace. [WhitespaceAround]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:106:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:107: 'if rcurly' have incorrect indentation level 16, expected level should be 4. [Indentation] [WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:107:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:108: 'method def rcurly' have incorrect indentation level 8, expected level should be 2. [Indentation]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:108:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:110:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:111:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:112:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:113:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:114:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Kuda.java:115:1: Line contains a tab character. [FileTabCharacter]
Audit done.