Starting audit...
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:3: First sentence of Javadoc is incomplete (period is missing) or not present. [SummaryJavadoc]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:8:1: Line contains a tab character. [FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:9: 'member def modifier' have incorrect indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:9:1: Line contains a tab character. [FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:9:21: Member name 'Id' must match pattern '^[a-z][a-z0-9][a-zA-Z0-9]*$'. [MemberName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:11:1: Line contains a tab character. [FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:12: 'ctor def modifier' have incorrect indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:12:1: Line contains a tab character. [FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:12:9: Missing a Javadoc comment. [JavadocMethod]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:13: 'ctor def' child have incorrect indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:13:1: Line contains a tab character. [FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:13:22: WhitespaceAround: '=' is not preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:13:23: WhitespaceAround: '=' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:14: 'ctor def' child have incorrect indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:14:1: Line contains a tab character. [FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:14:21: WhitespaceAround: '=' is not preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:14:22: WhitespaceAround: '=' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:15: 'ctor def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:15:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:16: 'ctor def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:16:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:16:24: WhitespaceAround: '=' is not
preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:16:25: WhitespaceAround: '=' is not
followed by whitespace. Empty blocks may only be represented as {}
when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:17:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:18: 'ctor def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:18:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:20: 'ctor def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:20: Line is longer than 100 characters
(found 120). [LineLength]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:20:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:20:45: WhitespaceAround: '+' is not
preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:20:46: WhitespaceAround: '+' is not
followed by whitespace. Empty blocks may only be represented as {}
when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:20:51: WhitespaceAround: '+' is not
preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:20:52: WhitespaceAround: '+' is not
followed by whitespace. Empty blocks may only be represented as {}
when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:20:62: WhitespaceAround: '+' is not
preceded with whitespace. [WhitespaceAround]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:20:63: WhitespaceAround: '+' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:20:67: WhitespaceAround: '+' is not preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:20:68: WhitespaceAround: '+' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:20:79: WhitespaceAround: '+' is not preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:20:80: WhitespaceAround: '+' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:20:87: WhitespaceAround: '+' is not preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:20:88: WhitespaceAround: '+' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:20:100: WhitespaceAround: '+' is not preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:20:101: WhitespaceAround: '+' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:20:108: WhitespaceAround: '+' is not preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:20:109: WhitespaceAround: '+' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:20:116: WhitespaceAround: '+' is not preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:20:117: WhitespaceAround: '+' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:21: 'ctor def' child have incorrect indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:21:1: Line contains a tab character. [FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:22: 'ctor def rcurly' have incorrect

indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:22:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:23: 'CTOR_DEF' should be separated from
previous statement. [EmptyLineSeparator]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:23: 'ctor def modifier' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:23:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:23:9: Missing a Javadoc comment.
[JavadocMethod]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:23:27: Parameter name '_PosisiX' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9]*$'. [ParameterName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:23:40: Parameter name '_PosisiY' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9]*$'. [ParameterName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:23:54: Parameter name '_Id' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9]*$'. [ParameterName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:23:58: WhitespaceAround: '{' is not
preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:24: 'ctor def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:24:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:24:22: WhitespaceAround: '=' is not
preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:24:23: WhitespaceAround: '=' is not
followed by whitespace. Empty blocks may only be represented as {}
when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:25: 'ctor def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:25:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:25:21: WhitespaceAround: '=' is not
preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:25:22: WhitespaceAround: '=' is not
followed by whitespace. Empty blocks may only be represented as {}
when not part of a multi-block statement (4.1.3) [WhitespaceAround]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:26: 'ctor def' child have incorrect indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:26:1: Line contains a tab character. [FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:27: 'ctor def' child have incorrect indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:27:1: Line contains a tab character. [FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:28:1: Line contains a tab character. [FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:29: 'ctor def' child have incorrect indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:29:1: Line contains a tab character. [FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:31: 'ctor def' child have incorrect indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:31: Line is longer than 100 characters (found 121). [LineLength]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:31:1: Line contains a tab character. [FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:31:45: WhitespaceAround: '+' is not preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:31:46: WhitespaceAround: '+' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:31:51: WhitespaceAround: '+' is not preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:31:52: WhitespaceAround: '+' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:31:62: WhitespaceAround: '+' is not preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:31:63: WhitespaceAround: '+' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:31:67: WhitespaceAround: '+' is not preceded with whitespace. [WhitespaceAround]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:31:68: WhitespaceAround: '+' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:31:79: WhitespaceAround: '+' is not preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:31:80: WhitespaceAround: '+' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:31:87: WhitespaceAround: '+' is not preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:31:88: WhitespaceAround: '+' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:31:100: WhitespaceAround: '+' is not preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:31:101: WhitespaceAround: '+' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:31:108: WhitespaceAround: '+' is not preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:31:109: WhitespaceAround: '+' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:31:117: WhitespaceAround: '+' is not preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:31:118: WhitespaceAround: '+' is not followed by whitespace. Empty blocks may only be represented as {} when not part of a multi-block statement (4.1.3) [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:32: 'ctor def' child have incorrect indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:32:1: Line contains a tab character. [FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:33: 'ctor def rcurly' have incorrect indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:33:1: Line contains a tab character. [FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/company/baru/Rumput.java:35:1: Line contains a tab character. [FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:36: 'method def modifier' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:36:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:36:20: Method name 'GetId' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9_]*$'. [MethodName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:36:27: WhitespaceAround: '{' is not
preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:37: 'method def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:37:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:38: 'method def rcurly' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:38:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:39: 'METHOD_DEF' should be separated from
previous statement. [EmptyLineSeparator]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:39: 'method def modifier' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:39:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:39:20: Method name 'GetUsia' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9_]*$'. [MethodName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:39:29: WhitespaceAround: '{' is not
preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:40: 'method def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:40:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:41: 'method def rcurly' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:41:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:42: 'METHOD_DEF' should be separated from
previous statement. [EmptyLineSeparator]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:42: 'method def modifier' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:42:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:42:20: Method name 'GetPosisiX' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9_]*$'. [MethodName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:42:32: WhitespaceAround: '{' is not
preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:43: 'method def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:43:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:44: 'method def rcurly' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:44:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:45: 'METHOD_DEF' should be separated from
previous statement. [EmptyLineSeparator]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:45: 'method def modifier' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:45:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:45:20: Method name 'GetPosisiY' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9_]*$'. [MethodName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:45:32: WhitespaceAround: '{' is not
preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:46: 'method def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:46:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:47: 'method def rcurly' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:47:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:48: 'METHOD_DEF' should be separated from
previous statement. [EmptyLineSeparator]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:48: 'method def modifier' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:48:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:48:20: Method name 'GetPower' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9_]*$'. [MethodName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:48:30: WhitespaceAround: '{' is not
preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:49: 'method def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:49:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:50: 'method def rcurly' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:50:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:52:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:53: 'method def modifier' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:53:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:53:21: Method name 'SetPosisiX' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9_]*$'. [MethodName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:53:36: Parameter name '_PosisiX' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9]*$'. [ParameterName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:53:45: WhitespaceAround: '{' is not
preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:54: 'method def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:54:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:55: 'method def rcurly' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:55:1: Line contains a tab character.
[FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:56: 'METHOD_DEF' should be separated from
previous statement. [EmptyLineSeparator]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:56: 'method def modifier' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:56:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:56:21: Method name 'SetPosisiY' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9_]*$'. [MethodName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:56:36: Parameter name '_PosisiY' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9]*$'. [ParameterName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:56:45: WhitespaceAround: '{' is not
preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:57: 'method def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:57:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:58: 'method def rcurly' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:58:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:59: 'METHOD_DEF' should be separated from
previous statement. [EmptyLineSeparator]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:59: 'method def modifier' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:59:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:59:21: Method name 'SetUsia' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9_]*$'. [MethodName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:59:33: Parameter name '_usia' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9]*$'. [ParameterName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:59:39: WhitespaceAround: '{' is not
preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:60: 'method def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:60:1: Line contains a tab character.
[FileTabCharacter]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:61: 'method def rcurly' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:61:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:63:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:64: 'method def modifier' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:64:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:64:21: Method name 'Seed' must match
pattern '^[a-z][a-z0-9][a-zA-Z0-9_]*$'. [MethodName]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:66: 'method def rcurly' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:66:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:67: 'METHOD_DEF' should be separated from
previous statement. [EmptyLineSeparator]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:67: 'method def modifier' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:67:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:68: 'method def' child have incorrect
indentation level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:68: Line is longer than 100 characters
(found 107). [LineLength]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:68:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:69: 'method def rcurly' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:69:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:70: 'METHOD_DEF' should be separated from
previous statement. [EmptyLineSeparator]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:70: 'method def modifier' have incorrect
indentation level 8, expected level should be 2. [Indentation]

[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:70:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:70:9: Missing a Javadoc comment.
[JavadocMethod]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:71:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:72: 'if' have incorrect indentation level
16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:72:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:72:31: WhitespaceAround: '{' is not
preceded with whitespace. [WhitespaceAround]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:73:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:74: 'if rcurly' have incorrect indentation
level 16, expected level should be 4. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:74:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:75: 'method def rcurly' have incorrect
indentation level 8, expected level should be 2. [Indentation]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:75:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:77:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:78:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:79:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:80:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:81:1: Line contains a tab character.
[FileTabCharacter]
[WARN] /Users/dimassaputra/Code/oop/2015-2/wildlings/src/com/
company/baru/Rumput.java:82:1: Line contains a tab character.
[FileTabCharacter]
Audit done.