

Created bucket

EC2

S3

CodeDeploy

CodePipeline

RDS

VPC

IAM

Amazon S3

Buckets

Access Grants

Access Points

Object Lambda Access Points

Multi-Region Access Points

Batch Operations

IAM Access Analyzer for S3

Block Public Access settings for this account

Storage Lens

Dashboards

Storage Lens groups

AWS Organizations settings

Feature spotlight 7

Amazon S3

Account snapshot - updated every 24 hours All AWS Regions

View Storage Lens dashboard

Storage lens provides visibility into storage usage and activity trends. [Learn more](#)

General purpose buckets

Directory buckets

General purpose buckets (1) Info All AWS Regions

Refresh

Copy ARN

Empty

Delete

Create bucket

Buckets are containers for data stored in S3.

Find buckets by name

< 1 > ⚙

	Name ▲	AWS Region ▼	IAM Access Analyzer	Creation date ▼
☐	www.kech	US East (N. Virginia) us-east-1	View analyzer for us-east-1	October 21, 2024, 12:29:13 (UTC+05:30)

Uploaded index.html file in bucket

[Amazon S3](#) > [Buckets](#) > [www.kech](#)

[www.kech](#) Info

[Objects](#) | [Properties](#) | [Permissions](#) | [Metrics](#) | [Management](#) | [Access Points](#)

Objects (1) Info

Copy S3 URI

Copy URL

Download

Open

Delete

Actions ▼

Create folder

Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

☐	Name ▲	Type ▼	Last modified ▼	Size ▼	Storage class ▼
☐	index.html	html	October 21, 2024, 13:11:56 (UTC+05:30)	112.0 B	Standard

Configured Static website hosting

Object Lock

Disabled

Requester pays

Edit

When enabled, the requester pays for requests and data transfer costs, and anonymous access to this bucket is disabled. [Learn more](#) 

Requester pays

Disabled

Static website hosting

Edit

Use this bucket to host a website or redirect requests. [Learn more](#) 

S3 static website hosting

Enabled

Hosting type


Bucket hosting

Bucket website endpoint

When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. [Learn more](#) 

 <http://www.kech.s3-website-us-east-1.amazonaws.com> 

Created distribution in amazon cloud front(CDN)



The screenshot displays the AWS CloudFront console interface. At the top, the AWS navigation bar includes the logo, a 'Services' menu, a search bar, and a keyboard shortcut '[Alt+S]'. Below this, a row of service icons for EC2, S3, CodeDeploy, CodePipeline, RDS, VPC, and IAM is visible. The main content area shows the 'CloudFront' breadcrumb and the 'Distributions' page title. A header section for 'Distributions (1)' includes an 'Info' link, a search bar, and action buttons: 'Refresh', 'Enable', 'Disable', 'Delete', and a prominent orange 'Create distribution' button. The distribution list below has columns for selection, ID, Description, Type, Domain name, Alternate domain, Origins, Status, and Last modified. One distribution is listed with ID 'E1TPVFLM6T7N8Z', Type 'Production', and Status 'Enabled'.

Distributions (1) [Info](#)

[Refresh](#) [Enable](#) [Disable](#) [Delete](#) [Create distribution](#)

< 1 > [Settings](#)

☐	ID	Description	Type	Domain name	Alternate do...	Origins	Status	Last modified
☐	E1TPVFLM6T7N8Z	-	Production	ddkat2gdc7wzi....	-	www.kech.s3.us-east-	Enabled	October 21, 202...

OUTPUT: Using Distribution domain name

This is kechiya

hello everyone, my CDN works