

Created security group for RDS

Inbound rules

Info

Type	Info	Protocol	Info	Port range	Info	Source	Info	Description - optional	Info
HTTP	▼	TCP		80		Anywh... ▼	Q 0.0.0.0/0 ✕		Delete
HTTPS	▼	TCP		443		Anywh... ▼	Q 0.0.0.0/0 ✕		Delete
MySQL/Aurora	▼	TCP		3306		Anywh... ▼	Q 0.0.0.0/0 ✕		Delete
SSH	▼	TCP		22		Anywh... ▼	Q 0.0.0.0/0 ✕		Delete

Add rule

Created an instance

Instances (1/1) [Info](#)

Last updated 1 minute ago

Connect

Instance state ▼

Actions ▼

Launch instances ▼

Find Instance by attribute or tag (case-sensitive)

All states ▼

Instance state = running X

Clear filters

< 1 >

⚙

☒	Name 🔗 ▼	Instance ID	Instance state ▼	Instance type ▼	Status check	Alarm status	Availability Zone ▼	Public
☒	my sql	i-0319c22b13b104a8b	✔ Running 🔍 🔍	t2.micro	🕒 Initializing	View alarms +	us-east-1b	ec2-3

i-0319c22b13b104a8b (my sql)

⚙ X

Details

Status and alarms

Monitoring

Security

Networking

Storage

Tags

▼ Instance summary [Info](#)

Instance ID

 i-0319c22b13b104a8b

IPv6 address

–

Hostname type

IP name is 172.31.70.101 ec2:internal

Public IPv4 address

 3.81.162.182 | [open address](#) 

Instance state

✔ Running

Private IP DNS name (IPv4 only)

 ip-172.31.70.101 ec2:internal

Private IPv4 addresses

 172.31.39.181

Public IPv4 DNS

 ec2-3-81-162-182.compute-1.amazonaws.com | [open address](#) 

Created subnet group

✔ Successfully created mysql-sg. [View subnet group](#)



[RDS](#) > Subnet groups

Subnet groups (1)



Edit

Delete

Create DB subnet group

🔍 Filter by subnet group

< 1 > ⚙️

☐	Name ▲	Description ▼	Status ▼	VPC ▼
☐	mysql-sg	mysql-sg	✔ Complete	vpc-02ca2daf68d136b4a

Created database server

[RDS](#) > Databases



Consider creating a Blue/Green Deployment to minimize downtime during upgrades

You may want to consider using Amazon RDS Blue/Green Deployments and minimize your downtime during upgrades. A Blue/Green Deployment provides a staging environment for changes to production databases. [RDS User Guide](#) [Aurora User Guide](#)



Databases (1)

☒ Group resources



Modify

Actions ▼

Restore from S3

Create database

Filter by databases

< 1 >

DB identifier	Status	Role	Engine	Region ...	Size	Recommendations
database-1	Creating	Instance	MySQL Co...	us-east-1b	db.t3.micro	

Installed mysql db engine in ec2 instance and integrated with RDS with endpoint using below command

```
“mysql -h database-1.c5asw8osmq07.us-east-1.rds.amazonaws.com -P 3306 -u admin -p”
```

```

login as: ec2-user
Authenticating with public key "imported-openssh-key"
Last login: Wed Oct 30 13:07:01 2024 from 110.224.93.213

#
#####
~\#####\ Amazon Linux 2
~\#####\
~\###| AL2 End of Life is 2025-06-30.
~\ \#/
~\ V~' '->
~\
~\~\
~\~\ Amazon Linux 2023, GA and supported until 2028-03-15.
~\~\ https://aws.amazon.com/linux/amazon-linux-2023/
~\~\

[ec2-user@ip-172-31-39-181 ~]$ sudo -i
[root@ip-172-31-39-181 ~]# mysql --version
mysql Ver 15.1 Distrib 5.5.68-MariaDB, for Linux (x86_64) using readline 5.1
[root@ip-172-31-39-181 ~]# mysql -h database-1.c5asw8osmq07.us-east-1.rds.amazonaws.com -P 3306 -u admin -p
Enter password:
Welcome to the MariaDB monitor. Commands end with ; or \g.
Your MySQL connection id is 15
Server version: 5.7.44-log Please upgrade to 8.0 or opt-in to the paid RDS Extended Support service before 5.7 reaches end of standard support on 29 February, 2024: https://a.co/hQqiIn0

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MySQL [(none)]>

```