

Before creating elastic ip

Elastic IP addresses



Actions ▼

Allocate Elastic IP address

Find resources by attribute or tag

< 1 >



Name



Allocated IPv4 addr...



Type



Allocation ID



Reverse DNS record



No Elastic IP addresses found in this Region



View IP address usage and recommendations to release unused IPs with [Public IP insights](#)



 Looking for CloudFormation Designer?

Infrastructure Composer in CloudFormation console mode is an improvement from CloudFormation Designer. Please provide your [feedback](#).

[Go to Designer](#)



 Canvas

 Template

 Arrange



[Validate](#)

[Create template](#)

Details

Group

Delete

Standard Component

EIP



EIP



Template for elastic ip



Canvas



Template

YAML



JSON

Validate

Create template

```
1 Resources:
2   EIP:
3     Type: AWS::EC2::EIP
4     Properties: {}
```

Elastic ip stacks created

CloudFormation > ... > apache-cft

Stacks (1)

Filter by stack name

Filter status

Active

View nested

< 1 >

Stacks

apache-cft

2024-11-04 12:06:30 UTC+0530

CREATE_COMPLETE

apache-cft

Delete Update Stack actions Create stack

Stack info Events Resources Outputs Parameters Template Change sets

Events (7)

Detect root cause

Search events

Timestamp	Logical ID	Status	Detailed status
2024-11-04 12:06:49 UTC+0530	apache-cft	CREATE_COMPLETE	-
2024-11-04 12:06:49 UTC+0530	EIP	CREATE_COMPLETE	-
2024-11-04 12:06:34 UTC+0530	apache-cft	CREATE_IN_PROGRESS	CONFIGURATION_COMPLETE
2024-11-04 12:06:34 UTC+0530	EIP	CREATE_IN_PROGRESS	CONFIGURATION_COMPLETE
2024-11-04 12:06:33	EIP	CREATE_IN_PROGRESS	-

With help of cft elastic ip automatically created

Elastic IP addresses (1)



Actions ▼

Allocate Elastic IP address

Find resources by attribute or tag



☐	Name ▼	Allocated IPv4 addr... ▼	Type ▼	Allocation ID ▼	Reverse DNS record ▼
☐	-	18.211.231.32	Public IP	eipalloc-05076d1602f038091	-



View IP address usage and recommendations to release unused IPs with [Public IP insights](#).



After i manually deleted the EIP, the stack indicated the drift detection

[CloudFormation](#) > [Stacks](#) > [apache-cft](#) > Drifts

Drifts



Detect stack drift

Stack drift status

Drift detection enables you to detect whether a stack's actual configuration differs, or has drifted, from its template configuration. [Learn more](#) 

Drift status

 DRIFTED

Last drift check time

2024-11-04 12:52:10 UTC+0530

 Only resources which currently support drift detection are displayed here. To view all of your stack resources, see your stack details page. [Learn more](#) 