

Created stacks

CloudFormation

Stacks

Stack details

Drifts

StackSets

Exports

Infrastructure Composer

laC generator

Hooks overview

Hooks

Registry

Public extensions

Activated extensions

Publisher

experience and capabilities

The Hooks' new console workflow simplifies how you author your Hooks by using [Lambda functions](#) or [Guard domain-specific language \(DSL\)](#). You can also [learn more](#) about the expanded evaluation targets.

View Hooks overview

Stacks (1)

Filter by stack name

Filter status

Active

View nested

Stacks

jenkins-stack

2024-12-07 15:53:45 UTC+0530

CREATE_COMPLETE

Events (10)

View root cause

Search events

Timestamp	Logical ID	Status	Detailed status
2024-12-07 15:54:09 UTC+0530	JenkinsInstance	CREATE_COMPLETE	-
2024-12-07 15:54:02 UTC+0530	JenkinsEIP	CREATE_IN_PROGRESS	-
2024-12-07 15:54:01 UTC+0530	JenkinsEIP	CREATE_IN_PROGRESS	-
2024-12-07 15:54:00 UTC+0530	JenkinsInstance	CREATE_IN_PROGRESS	CONFIGURATION_COMPLETE
2024-12-07 15:53:59 UTC+0530	JenkinsInstance	CREATE_IN_PROGRESS	-
2024-12-07 15:53:57 UTC+0530	JenkinsInstance	CREATE_IN_PROGRESS	-
2024-12-07 15:53:56 UTC+0530	JenkinsSecurityGroup	CREATE_COMPLETE	-
2024-12-07 15:53:50 UTC+0530	JenkinsInstance	CREATE_IN_PROGRESS	-

Instance automatically launched by stack

Instances (1/1) [Info](#)

Last updated
1 minute ago

[Connect](#)

[Instance state](#) ▼

[Actions](#) ▼

[Launch instances](#)

[All states](#) ▼

[Instance state = running](#) ✕

[Clear filters](#)

< 1 > ⚙

☒	Name ✎ ▼	Instance ID	Instance state ▼	Instance type ▼	Status check	Alarm status	Availability Zone ▼	Public
☒	jenkins	i-03006940b0ca912dc	Running 🔍 🔍	t2.micro	⌚ Initializing	View alarms +	us-east-1a	ec2-5

i-03006940b0ca912dc (jenkins)

⚙ ▼

Hostname type

IP name: ip-172-31-22-37.ec2.internal

Answer private resource DNS name

–

Auto-assigned IP address

–

IAM Role

–

Private IP DNS name (IPv4 only)

[🔍](#) ip-172-31-22-37.ec2.internal

Instance type

t2.micro

VPC ID

[🔍](#) vpc-02ca2daf68d136b4a [🔗](#)

Subnet ID

[🔍](#) subnet-0513701c7b98c38a2 [🔗](#)

[Open address](#) [🔗](#)

Elastic IP addresses

[🔍](#) 54.164.139.100 (jenkins-eip) [Public IP]

AWS Compute Optimizer finding

[🔍](#) Opt-in to AWS Compute Optimizer for recommendations.

[Learn more](#) [🔗](#)

Auto Scaling Group name

–

Elastic ip automatically created by cloud formation template and also attached to a instance

Elastic IP addresses (1/1)

[Actions](#)[Allocate Elastic IP address](#)

< 1 >

	Name	Allocated IPv4 addr...	Type	Allocation ID	Reverse DNS recon
☐	jenkins-eip	54.164.139.100	Public IP	eipalloc-0784a528bb233f0ee	-

Summary

Allocated IPv4 address

54.164.139.100

Association ID

eipassoc-0096840e12379f2ca

Network interface ID

[eni-09aabdd09d4f52d64](#)

Type

Public IP

Scope

VPC

Network interface owner account ID

600627341010

Allocation ID

eipalloc-0784a528bb233f0ee

Associated instance ID

[i-03006940b0ca912dc](#)

Public DNS

ec2-54-164-139-100.compute-1.amazonaws.com

Reverse DNS record

-

Private IP address

172.31.22.37

NAT Gateway ID

-

Jenkins is ready

Dashboard >

- + New Item
-  Build History
-  Manage Jenkins
-  My Views

Build Queue



No builds in the queue.

Build Executor Status

0/2 

 Add description

Welcome to Jenkins!

This page is where your Jenkins jobs will be displayed. To get started, you can set up distributed builds or start building a software project.

Start building your software project

Create a job



Set up a distributed build

Set up an agent



Configure a cloud



Learn more about distributed builds



Logged into jenkins and Checking whether java,maven,and jenkins are running

```
root@ip-172-31-22-37:~# java --version
openjdk 17.0.13 2024-10-15
OpenJDK Runtime Environment (build 17.0.13+11-Ubuntu-2ubuntu122.04)
OpenJDK 64-Bit Server VM (build 17.0.13+11-Ubuntu-2ubuntu122.04, mixed mode, sharing)
root@ip-172-31-22-37:~# mvn --version
Apache Maven 3.6.3
Maven home: /usr/share/maven
Java version: 17.0.13, vendor: Ubuntu, runtime: /usr/lib/jvm/java-17-openjdk-amd64
Default locale: en, platform encoding: UTF-8
OS name: "linux", version: "6.8.0-1015-aws", arch: "amd64", family: "unix"
root@ip-172-31-22-37:~# systemctl status jenkins
● jenkins.service - Jenkins Continuous Integration Server
   Loaded: loaded (/lib/systemd/system/jenkins.service; enabled; vendor preset: enabled)
   Active: active (running) since Sat 2024-12-07 10:26:13 UTC; 7min ago
     Main PID: 5195 (java)
        Tasks: 38 (limit: 1130)
       Memory: 284.6M
          CPU: 19.322s
      CGroup: /system.slice/jenkins.service
              └─5195 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/java/jenkins.war --webroot=/var/cache/jenkins/war --httpPor>
Dec 07 10:26:07 ip-172-31-22-37 jenkins[5195]: 85332df4eb4c440eafca09dff11f6b08
Dec 07 10:26:07 ip-172-31-22-37 jenkins[5195]: This may also be found at: /var/lib/jenkins/secrets/initialAdminPassword
Dec 07 10:26:07 ip-172-31-22-37 jenkins[5195]: *****
Dec 07 10:26:07 ip-172-31-22-37 jenkins[5195]: *****
Dec 07 10:26:07 ip-172-31-22-37 jenkins[5195]: *****
Dec 07 10:26:13 ip-172-31-22-37 jenkins[5195]: 2024-12-07 10:26:13.723+0000 [id=31] INFO jenkins.InitReactorRunner$1#onA>
Dec 07 10:26:13 ip-172-31-22-37 jenkins[5195]: 2024-12-07 10:26:13.754+0000 [id=23] INFO hudson.lifecycle.Lifecycle#onRe>
Dec 07 10:26:13 ip-172-31-22-37 systemd[1]: Started Jenkins Continuous Integration Server.
Dec 07 10:26:14 ip-172-31-22-37 jenkins[5195]: 2024-12-07 10:26:14.151+0000 [id=46] INFO h.m.DownloadService$Downloadabl>
Dec 07 10:26:14 ip-172-31-22-37 jenkins[5195]: 2024-12-07 10:26:14.152+0000 [id=46] INFO hudson.util.Retrier#start: Perf>
lines 1-20/20 (END)
```

Created “webhook-1” repository in github

 kechiyasunil / webhook-1

Q Type to search

+ ▾









<> Code

🕒 Issues

🔗 Pull requests

🔄 Actions

📁 Projects

📖 Wiki

🛡️ Security

📊 Insights

⚙️ Settings

 **webhook-1** Public

 Pin

 Unwatch 1 ▾

 Fork 0 ▾

 Star 0 ▾

 main ▾

 2 Branches

 0 Tags

Q Go to file

Add file ▾

<> Code ▾

 kechiyasunil Initial commit 8029450 · 1 hour ago 1 Commit

 README.md Initial commit 1 hour ago

 README 

webhook-1

About 

No description, website, or topics provided.

 README

 Activity

 0 stars

 1 watching

 0 forks

Releases

No releases published

[Create a new release](#)

Packages

No packages published

[Publish your first package](#)

 © 2024 GitHub, Inc. [Terms](#) [Privacy](#) [Security](#) [Status](#) [Docs](#) [Contact](#) [Manage cookies](#) [Do not share my personal information](#)

Created token

GitHub Apps

OAuth Apps

Personal access tokens

Fine-grained tokens

Preview

Tokens (classic)

Edit personal access token (classic)

If you've lost or forgotten this token, you can regenerate it, but be aware that any scripts or applications using this token will need to be updated.

Regenerate token

Note

pipeline-token

What's this token for?

Expiration

This token expires **on Mon, Jan 6 2025**. To set a new expiration date, you must [regenerate the token](#).

Select scopes

Scopes define the access for personal tokens. [Read more about OAuth scopes](#).

☒ repo	Full control of private repositories
☒ repo:status	Access commit status
☒ repo_deployment	Access deployment status
☒ public_repo	Access public repositories
☒ repo:invite	Access repository invitations
☒ security_events	Read and write security events
☒ workflow	Update GitHub Action workflows
☒ write:packages	Upload packages to GitHub Package Registry
☒ read:packages	Download packages from GitHub Package Registry
☐ delete:packages	Delete packages from GitHub Package Registry
☒ admin:org	Full control of orgs and teams, read and write org projects

Created Jenkinsfile in git and Pushing to github repository

```
root@ip-172-31-22-37:~/pipeline# git remote add origin https://github.com/kechiyasunil/pipeline.git
root@ip-172-31-22-37:~/pipeline# git push -u origin master
Username for 'https://github.com': kechiyasunil
Password for 'https://kechiyasunil@github.com':
remote: Support for password authentication was removed on August 13, 2021.
remote: Please see https://docs.github.com/get-started/getting-started-with-git/about-remote-repositories#cloning-with-https-urls for i
nformation on currently recommended modes of authentication.
fatal: Authentication failed for 'https://github.com/kechiyasunil/pipeline.git/'
root@ip-172-31-22-37:~/pipeline# git push -u origin master
Username for 'https://github.com': kechiyasunil
Password for 'https://kechiyasunil@github.com':
remote: Support for password authentication was removed on August 13, 2021.
remote: Please see https://docs.github.com/get-started/getting-started-with-git/about-remote-repositories#cloning-with-https-urls for i
nformation on currently recommended modes of authentication.
fatal: Authentication failed for 'https://github.com/kechiyasunil/pipeline.git/'
root@ip-172-31-22-37:~/pipeline# git push -u origin master
Username for 'https://github.com': kechiyasunil
Password for 'https://kechiyasunil@github.com':
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Compressing objects: 100% (2/2), done.
Writing objects: 100% (4/4), 1.03 KiB | 1.03 MiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/kechiyasunil/pipeline.git
 * [new branch]      master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.
root@ip-172-31-22-37:~/pipeline#
```


After pushing, we can see Jenkinsfile in webhook-1 repository

The screenshot shows the GitHub interface for the 'webhook-1' repository. The repository is public and has 2 branches and 0 tags. The current branch is 'master'. The repository is 5 commits ahead of and 1 commit behind the 'main' branch. The commit history shows three commits: 'webhook' (2 hours ago), 'Jenkinsfile' (1 hour ago), and 'README.md' (1 hour ago). The README file is open, showing the text 'hii... welcome webhook'. The right sidebar contains the 'About' section (no description), 'Releases' (no releases published), and 'Packages' (no packages published).

kechiyasunil / webhook-1

Search: Type / to search

<> Code Issues Pull requests Actions Projects Wiki Security Insights Settings

webhook-1 Public

Pin Unwatch 1 Fork 0 Star 0

master 2 Branches 0 Tags

Go to file Add file <> Code

This branch is 5 commits ahead of, 1 commit behind main . Contribute

kechiyasunil Update README.md f6deb6b · 1 hour ago 5 Commits

webhook	web-hook-push	2 hours ago
Jenkinsfile	Create Jenkinsfile	1 hour ago
README.md	Update README.md	1 hour ago

README

hii... welcome webhook

About

No description, website, or topics provided.

Readme Activity 0 stars 1 watching 0 forks

Releases

No releases published
[Create a new release](#)

Packages

No packages published
[Publish your first package](#)

Code

Blame

119 lines (117 loc) · 5.52 KB

 Code 55% faster with GitHub Copilot

Raw



```
1 pipeline {
2   agent any
3
4   stages {
5     stage('Stage 1: Initialization') {
6       steps {
7         echo "1. Initializing AWS DevOps pipeline..."
8       }
9     }
10    stage('Stage 2: Environment Setup') {
11      steps {
12        echo "1. Initializing AWS DevOps pipeline..."
13        echo "2. Setting up environment variables for AWS services..."
14      }
15    }
16    stage('Stage 3: Code Checkout') {
17      steps {
18        echo "1. Initializing AWS DevOps pipeline..."
19        echo "2. Setting up environment variables for AWS services..."
20        echo "3. Checking out source code from AWS CodeCommit..."
21      }
22    }
23    stage('Stage 4: Dependency Installation') {
24      steps {
25        echo "1. Initializing AWS DevOps pipeline..."
26        echo "2. Setting up environment variables for AWS services..."
27        echo "3. Checking out source code from AWS CodeCommit..."
28        echo "4. Installing application dependencies..."
29      }
30    }
31    stage('Stage 5: Static Analysis') {
32      steps {
33        echo "1. Initializing AWS DevOps pipeline..."
34        echo "2. Setting up environment variables for AWS services..."
35        echo "3. Checking out source code from AWS CodeCommit..."
36        echo "4. Installing application dependencies..."
37        echo "5. Running static code analysis with AWS tools..."
38      }
39    }
40    stage('Stage 6: Unit Testing') {
```

Creating webhook to trigger

General

Access

Collaborators

Moderation options

Code and automation

Branches

Tags

Rules

Actions

Webhooks

Environments

Codespaces

Pages

Security

Code security

Deploy keys

Secrets and variables

Integrations

GitHub Apps

Webhooks / Add webhook

We'll send a POST request to the URL below with details of any subscribed events. You can also specify which data format you'd like to receive (JSON, `x-www-form-urlencoded`, etc). More information can be found in [our developer documentation](#).

Payload URL *

http://3.210.57.192:8080/github/webhook

Content type *

application/x-www-form-urlencoded

Secret

SSL verification

By default, we verify SSL certificates when delivering payloads.

☒ Enable SSL verification ☐ Disable (not recommended)

Which events would you like to trigger this webhook?

☒ Just the push event.

☐ Send me **everything**.

☐ Let me select individual events.

Configuration of jenkins pipeline

Dashboard > webhook-pipeline > Configuration

Configure

-  General
-  Advanced Project Options
-  Pipeline

- ☐ Throttle builds ?
- ### Build Triggers
- ☐ Build after other projects are built ?
- ☐ Build periodically ?
- ☒ GitHub hook trigger for GITScm polling ?
- ☐ Poll SCM ?
- ☐ Quiet period ?
- ☐ Trigger builds remotely (e.g., from scripts) ?

Advanced Project Options

Advanced ▾

Pipeline

Definition

[Save](#) [Apply](#)

Configure

- General
- Advanced Project Options
- Pipeline

Repository URL ?

https://github.com/kechiyasunil/webhook-1.git

Credentials ?

- none -

+ Add

Advanced

Add Repository

Branches to build ?

Branch Specifier (blank for 'any') ?

*/master

Add Branch

output

Dashboard > webhook > #2

Status

Changes

Console Output

Edit Build Information

Delete build '#2'

Timings

Git Build Data

Pipeline Overview

Pipeline Console

Restart from Stage

Replay

Pipeline Steps

Workspaces

Previous Build



Console Output



Download



Copy

View as plain text

Started by user [kechiya_jenkins](#)

Obtained Jenkinsfile from git <https://github.com/kechiasunil/webhook-1.git>

[Pipeline] Start of Pipeline

[Pipeline] node

Running on [Jenkins](#) in /var/lib/jenkins/workspace/webhook

[Pipeline] {

[Pipeline] stage

[Pipeline] { (Declarative: Checkout SCM)

[Pipeline] checkout

Selected Git installation does not exist. Using Default

The recommended git tool is: NONE

No credentials specified

Cloning the remote Git repository

Cloning repository <https://github.com/kechiasunil/webhook-1.git>

> git init /var/lib/jenkins/workspace/webhook # timeout=10

Fetching upstream changes from <https://github.com/kechiasunil/webhook-1.git>

> git --version # timeout=10

> git --version # 'git version 2.34.1'

> git fetch --tags --force --progress -- <https://github.com/kechiasunil/webhook-1.git> +refs/heads/*:refs/remotes/origin/* # timeout=10

> git config remote.origin.url <https://github.com/kechiasunil/webhook-1.git> # timeout=10

> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10

Avoid second fetch

> git rev-parse refs/remotes/origin/master^{commit} # timeout=10

Giving some changes in README.md file

 kechiyasunil / webhook-1

Q Type  to search

+    

 Code  Issues  Pull requests  Actions  Projects  Wiki  Security  Insights  Settings

 webhook-1 / README.md in master

Cancel changes Commit changes...

Edit Preview  Code 55% faster with GitHub Copilot

Spaces 2 Soft wrap

```
1 hii...
2 welcome
3 webhook
4
```

Again triggered by webhook

Dashboard > webhook > #4

Status

Changes

Console Output

Edit Build Information

Delete build '#4'

Polling Log

Timings

Git Build Data

Pipeline Overview

Pipeline Console

Restart from Stage

Replay

Pipeline Steps

Workspaces

Previous Build

✓ Console Output

Download

Copy

View as plain text

```
Started by GitHub push by kechiyasunil
Obtained Jenkinsfile from git https://github.com/kechiyasunil/webhook-1.git
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in /var/lib/jenkins/workspace/webhook
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/webhook/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/kechiyasunil/webhook-1.git # timeout=10
Fetching upstream changes from https://github.com/kechiyasunil/webhook-1.git
> git --version # timeout=10
> git --version # 'git version 2.34.1'
> git fetch --tags --force --progress -- https://github.com/kechiyasunil/webhook-1.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision f6deb6bd8840febd241093271aa208440190ee81 (refs/remotes/origin/master)
> git config core.sparsecheckout # timeout=10
> git checkout -f f6deb6bd8840febd241093271aa208440190ee81 # timeout=10
```

Got a build success Email

