

Java-path setting

Dashboard > Manage Jenkins

+ New Item

Build History

Manage Jenkins

My Views

Build Queue

No builds in the queue.

Build Executor Status

0/2

Manage Jenkins

Search settings

Building on the built-in node can be a security issue. You should set up distributed builds. See [the documentation](#).

Set up agent

Set up cloud

Dismiss

System Configuration



System

Configure global settings and paths.



Tools

Configure tools, their locations and automatic installers.



Plugins

Add, remove, disable or enable plugins that can extend the functionality of Jenkins.



Nodes

Add, remove, control and monitor the various nodes that Jenkins runs jobs on.



Clouds

Add, remove, and configure cloud instances to provision agents on-demand.



Appearance

Configure the look and feel of Jenkins

Security



Security

Secure Jenkins; define who is allowed to access/use the system.



Credentials

Configure credentials



Credential Providers

Configure the credential providers and types

Add JDK

≡ **JDK**

Name

JAVA_HOME

JAVA_HOME

C:\Program Files\Java\jdk-21

☐

Install automatically ?

Add JDK

Configure



General



Source Code Management



Build Triggers



Build Environment



Build Steps



Post-build Actions

- ☐ Add timestamps to the Console Output
- ☐ Inspect build log for published build scans
- ☐ Terminate a build if it's stuck
- ☐ With Ant ?

Build Steps

≡ Execute Windows batch command ?

Command

See [the list of available environment variables](#)

```
java --version
```

Advanced ▾

Add build step ▾

Save

Apply



Status



Changes



Console Output



Edit Build Information



Delete build '#1'



Timings



Console Output

Started by user [kechiya_jenkins](#)

Running as SYSTEM

Building in workspace C:\ProgramData\Jenkins\.jenkins\workspace\java-path

[java-path] \$ cmd /c call C:\Windows\TEMP\jenkins16324621012803133689.bat

```
C:\ProgramData\Jenkins\.jenkins\workspace\java-path>java --version
```

```
java 21.0.5 2024-10-15 LTS
```

```
Java(TM) SE Runtime Environment (build 21.0.5+9-LTS-239)
```

```
Java HotSpot(TM) 64-Bit Server VM (build 21.0.5+9-LTS-239, mixed mode, sharing)
```

```
C:\ProgramData\Jenkins\.jenkins\workspace\java-path>exit 0
```

Finished: SUCCESS

Maven-path setting

Dashboard > Manage Jenkins

+ New Item

📁 Build History

⚙️ Manage Jenkins

📄 My Views

Build Queue

No builds in the queue.

Build Executor Status

0/2

Manage Jenkins

🔍 Search settings

Building on the built-in node can be a security issue. You should set up distributed builds. See [the documentation](#).

Set up agent

Set up cloud

Dismiss

System Configuration



System

Configure global settings and paths.



Tools

Configure tools, their locations and automatic installers.



3 Plugins

Add, remove, disable or enable plugins that can extend the functionality of Jenkins.



Nodes

Add, remove, control and monitor the various nodes that Jenkins runs jobs on.



Clouds

Add, remove, and configure cloud instances to provision agents on-demand.



Appearance

Configure the look and feel of Jenkins

Security



Security

Secure Jenkins; define who is allowed to access/use the system.



Credentials

Configure credentials



Credential Providers

Configure the credential providers and types



Command Prompt



Microsoft Windows [Version 10.0.22631.4460]
(c) Microsoft Corporation. All rights reserved.

C:\Users\kechiya>java --version

java 21.0.5 2024-10-15 LTS

Java(TM) SE Runtime Environment (build 21.0.5+9-LTS-239)

Java HotSpot(TM) 64-Bit Server VM (build 21.0.5+9-LTS-239, mixed mode, sharing)

C:\Users\kechiya>mvn --version

Apache Maven 3.9.9 (8e8579a9e76f7d015ee5ec7bfcdc97d260186937)

Maven home: C:\Program Files\Maven\apache-maven-3.9.9-bin\apache-maven-3.9.9

Java version: 21.0.5, vendor: Oracle Corporation, runtime: C:\Program Files\Java\jdk-21

Default locale: en_IN, platform encoding: UTF-8

OS name: "windows 11", version: "10.0", arch: "amd64", family: "windows"

C:\Users\kechiya>

Maven installations

Add Maven

☰ **Maven**



Name

MAVEN_HOME

MAVEN_HOME

C:\Program Files\Maven\apache-maven-3.9.9-bin\apache-maven-3.9.9

☐ Install automatically ?

Add Maven

Save

Apply

Plugins



Updates

3



Available plugins



Installed plugins



Advanced settings

Q maven



Install



Install	Name ↓	Released
☒	Maven Integration 3.24 Build Tools This plugin provides a deep integration between Jenkins and Maven. It adds support for automatic triggers between projects depending on SNAPSHOTS as well as the automated configuration of various Jenkins publishers such as Junit.	1 mo 2 days ago
☐	Config File Provider 980.v88956a_a_5d6a_d Groovy-related External Site/Tool Integrations Maven Ability to provide configuration files (e.g. settings.xml for maven, XML, groovy, custom files,...) loaded through the UI which will be copied to the job workspace.	1 mo 3 days ago
☐	Jira 3.13 External Site/Tool Integrations Maven jira This plugin integrates Jenkins to Atlassian Jira .	8 mo 15 days ago
☐	Pipeline Maven Integration 1457.vf7a_de13b_c0d4 pipeline Maven This plugin provides integration with Pipeline, configures maven environment to use within a pipeline job by calling sh mvn or bat mvn. The selected maven installation will be configured and prepended to the path.	1 mo 24 days ago
☐	Artifactory 4.0.8	



Plugins



Updates

3



Available plugins



Installed plugins



Advanced settings



Download progress

Download progress

Preparation

- Checking internet connectivity
- Checking update center connectivity
- Success

Javadoc



Success

JSch dependency



Success

Maven Integration



Success

Loading plugin extensions



Success

→ [Go back to the top page](#)

(you can start using the installed plugins right away)



Restart Jenkins when installation is complete and no jobs are running

Configure

- General
- Source Code Management
- Build Triggers
- Build Environment**
- Build Steps
- Post-build Actions

- ☐ Delete workspace before build starts
- ☐ Use secret text(s) or file(s) ?
- ☐ Add timestamps to the Console Output
- ☐ Inspect build log for published build scans
- ☐ Terminate a build if it's stuck
- ☐ With Ant ?

Build Steps

≡

Execute Windows batch command ?

×

Command

See [the list of available environment variables](#)

```
mvn --version
```

Advanced ▾

 Status

 Changes

 Console Output

 Edit Build Information

 Delete build '#1'

 Timings

Console Output

 Download

 Copy

[View as plain text](#)

Started by user [kechiya_jenkins](#)

Running as SYSTEM

Building in workspace C:\ProgramData\Jenkins\.jenkins\workspace\mvn

[mvn] \$ cmd /c call C:\Windows\TEMP\jenkins15857793171800067175.bat

C:\ProgramData\Jenkins\.jenkins\workspace\mvn>mvn --version

Apache Maven 3.9.9 (8e8579a9e76f7d015ee5ec7bfc9d260186937)

Maven home: C:\Program Files\Maven\apache-maven-3.9.9-bin\apache-maven-3.9.9

Java version: 21.0.5, vendor: Oracle Corporation, runtime: C:\Program Files\Java\jdk-21

Default locale: en_IN, platform encoding: UTF-8

OS name: "windows 11", version: "10.0", arch: "amd64", family: "windows"

Finished: SUCCESS