

## Connectivity Requirements

### INFO

A full list of domains that need to be whitelisted can be found [here](#)

### NOTE

**Destination** refers to an IP address that a participant must open up as a destination IP in firewall rules, whereas **Source** refers to an IP address that a participant must allow as a source IP to connect to your environment.

Environment	Description	Method	IP Address(es)
UAT	Phase-1 CI Hub (TCP/IP)	via MPLS	Destination IP: 10.226.21.29
		via Internet	Destination IP: 103.145.217.220
	Phase-2 CI Hub (TCP/IP)	via MPLS	Destination IP: 10.226.21.29
	Phase-2 CI Hub (API)	via MPLS	<b>PayNet Inbound</b> URL: <a href="https://p1ice.rpp.uat.mpls.paynet.my">https://p1ice.rpp.uat.mpls.paynet.my</a>

Environment	Description	Method	IP Address(es)
			Destination IP: 10.226.21.29 Port: 8443  <b>PayNet Outbound</b> Source IP: 10.226.21.29
		via Internet	<b>PayNet Inbound</b> URL: <a href="https://p1ice.rpp.uat.inet.paynet.my">https://p1ice.rpp.uat.inet.paynet.my</a> Port: 8443 Note: Public IP. Please refer this <a href="#">link</a> for full Cloudflare IP list  <b>PayNet Outbound</b> Source IP: 103.145.216.167
	Phase-1 API (Domestic/Crossborder QR)	via API Gateway	<b>PayNet Inbound</b> <a href="https://api.uat.inet.paynet.my">https://api.uat.inet.paynet.my</a> Port: 443  <b>PayNet Outbound</b> Source IP: 103.145.216.167
PROD	Phase-1 CI Hub (TCP/IP)	via MPLS	Destination IP: <ul style="list-style-type: none"> <li>10.236.20.31 (No. 1)</li> <li>10.236.20.32 (No. 3)</li> <li>10.236.20.34 (No. 5)</li> <li>10.226.20.31 (No. 2)</li> </ul>

Environment	Description	Method	IP Address(es)
			<ul style="list-style-type: none"> <li>10.226.20.32 (No. 4)</li> <li>10.226.20.34 (No. 6)</li> </ul>
		via Internet	Destination IP: <ul style="list-style-type: none"> <li>103.145.216.105 (No. 1)</li> <li>103.145.216.106 (No. 3)</li> <li>103.145.216.100 (No. 5)</li> <li>103.145.217.105 (No. 2)</li> <li>103.145.217.106 (No. 4)</li> <li>103.145.217.100 (No. 6)</li> </ul>
	Phase-2 CI Hub (TCP/IP)	via MPLS	Destination IP: <ul style="list-style-type: none"> <li>10.236.20.31 (No. 1)</li> <li>10.236.20.32 (No. 3)</li> <li>10.236.20.34 (No. 5)</li> <li>10.226.20.31 (No. 2)</li> <li>10.226.20.32 (No. 4)</li> <li>10.226.20.34 (No. 6)</li> </ul>
		via Internet	Destination IP: <ul style="list-style-type: none"> <li>103.145.216.105 (No. 1)</li> <li>103.145.216.106 (No. 3)</li> <li>103.145.216.100 (No. 5)</li> <li>103.145.217.105 (No. 2)</li> <li>103.145.217.106 (No. 4)</li> <li>103.145.217.100 (No. 6)</li> </ul>

Environment	Description	Method	IP Address(es)
	Phase-2 CI Hub (API)	via MPLS	<b>PayNet Inbound</b> URL: <a href="https://icep2.rpp.prod.mpls.paynet.my">https://icep2.rpp.prod.mpls.paynet.my</a> Destination IP: <ul style="list-style-type: none"> <li>10.236.20.30</li> <li>10.226.20.30</li> </ul> <b>PayNet Outbound</b> Source IP: <ul style="list-style-type: none"> <li>10.236.20.30</li> <li>10.226.20.30</li> </ul>
		via Internet	<b>PayNet Inbound</b> URL: <a href="https://ice.rpp.prod.inet.paynet.my">https://ice.rpp.prod.inet.paynet.my</a> Port: 8443 Note: Public IP. Please refer this <a href="#">link</a> for full Cloudflare IP list  <b>PayNet Outbound</b> Source IP: <ul style="list-style-type: none"> <li>103.145.217.163 (Primary)</li> <li>103.145.217.120 (Primary)</li> <li>103.145.216.163 (Secondary)</li> </ul>
	Phase-1 API (Domestic/Crossborder)	via API Gateway	<b>PayNet Inbound</b>

Environment	Description	Method	IP Address(es)
	QR)		<a href="https://api.prod.inet.paynet.my">https://api.prod.inet.paynet.my</a> Port: 443  <b>PayNet Outbound</b> Source IP: <ul style="list-style-type: none"><li>• 103.145.217.163 (Primary)</li><li>• 103.145.217.120 (Primary)</li><li>• 103.145.216.163 (Secondary)</li></ul>