



Initiate Payment Intent (One-Time Payment)

This API end point is to allow acquirer to facilitate one-time payment via DuitNow Online Banking/Wallets transaction with user authentication in their respective bank for debiting request.

Process Flow



Applicable for Redirect Corporate Flow



Step	Sender	Receiver	Process
1	Payer	Acquirer	Payer initiates a payment via DuitNow Pay.
2	Acquirer	API Gateway	Acquirer triggers payment request by parsing required information into API Gateway. For one-time payment, dataType shall be passed with the value of "01".
3	API Gateway	Acquirer	API Gateway validated the information and response back the redirectUrl with the sessionId to acquirer with the required information.
4	Acquirer	DuitNow Pay	Acquirer opens the redirectUrl to load DuitNow Pay.
5	DuitNow Pay	API Gateway	DuitNow Pay will request the payment details from API Gateway to display the payment information.
6	API Gateway	DuitNow Pay	API Gateway responded the payment information back to DuitNow Pay.

Step	Sender	Receiver	Process
7	DuitNow Pay	API Gateway	DuitNow Pay request API Gateway to pull the available banks and payment methods.
8	API Gateway	DuitNow Pay	The bank list and available payment methods will be parsing back to DuitNow Pay for user to select their preferred payment method.
9	Payer	DuitNow Pay	Payer will select their preferred Online Banking / Wallet (OBW) method and proceed to confirm checkout.
10	DuitNow Pay	API Gateway	DuitNow Pay will trigger internal checkout API which initiating OBW payment.
11	API Gateway	DuitNow Pay	API Gateway will be sending acknowledgement to DuitNow Pay with the redirect for the respective bank for authorization.
12	API Gateway	Acquirer	API Gateway will be sending the mapping of checkout details back to acquirer.
13	Acquirer	API Gateway	Acquirer shall provide an acknowledgement back to API Gateway.
14	Payer	Issuing Bank	Payer will login with the bank credentials to make payments.
15	Issuing Bank	Payer	Bank will provide the checkout details to the payer.

Step	Sender	Receiver	Process
16	Payer	Issuing Bank	For Redirect Retail flow, payer will authorize the transaction upon verifying the transaction details. For Redirect Corporate flow, payer will submit transaction request for authorizer approval.
17	API Gateway	Acquirer	Payment status will be parsed to acquirer as part of the webhook.
18	Acquirer	API Gateway	Acquirer shall provide an acknowledgement back to API Gateway.
19	Issuing Bank	Acquirer	Issuing Bank will redirect back to acquirer from the redirect URL that configured during the onboarding process.
20	Payer	Issuing Bank	Payer as authorizer will login into the corporate bank.
21	Payer	Issuing Bank	Payer will authorize the transaction upon verifying the transaction details.
22	API Gateway	Acquirer	Payment status will be parsed to acquirer as part of the webhook.
23	Acquirer	API Gateway	Acquirer shall provide an acknowledgement back to API Gateway.

Send the payment intent request

POST /v1/payment/intent

Request

dataType	String	Max length: 2	Required
<p>Service that a user would like to initiate:</p> <p>01 - Payment (redirect to checkout WebView) 02 - Save payment method (redirect to save payment method WebView)</p> <p><i>** Use 01 for for the intention of one-time payment via DuitNow Online Banking/Wallets.</i></p>			
transactionFlow	String	Max length: 2	Optional
<p>This decides which list of banks shall be listed, retail or corporate bank.</p> <p>01 - Redirect Retail Flow 02 - Redirect Corporate Flow</p> <p><i>** It will default to 01 if this field has not parsed.</i></p> <p><i>** Checker shall approve the payment within 5 days (starting from the time when it initiated).</i></p> <p><i>** This field is only applicable when the dataType=01.</i></p>			
checkoutId	String	Max length: 36	Required
<p>The unique external identifier (uuid v4) provided by the acquirer to PayNet when initiating a payment intent.</p>			

amount	String	Max length: 18	Conditional
Amount in MYR for the transaction in two decimals. Only required if dataType=01 . eg: 10.00			
merchantName	String	Max length: 100	Optional
Name of merchant. To be shown to the user in the checkout WebView page.			
merchantReferenceId	String	Max length: 140	Required
Payment reference to the recipient. To be shown to the user during authorization with their issuer.			
Merchant Object			
productId	String	Max length: 35	Required
Product identification assigned by PayNet during merchant registration in Developer Portal.			
End Merchant Object			
Customer Object			
name	String	Max length: 140	Required
Name of payer by initiating acquirer.			
identityValidation	String	Max length: 2	Required
Indicates if Debiting Bank should perform validation on payer information.			
00 - No Validation			

- 01 - Debtor Name Check
- 02 - Debtor Identification Check (NRIC, Passport or etc)
- 03 - Debtor Name and Identification Check

identificationType	String	Max length: 2	Optional
<p>When this field is sent, Debiting Bank to ensure the identification field match with their internal record before allowing to debit from the account.</p> <p>01 - New IC Number The Identification Type used is IC Number.</p> <p>02 - Army Number The Identification Type used is Army Number.</p> <p>03 - Passport Number The Identification Type used is Passport Number.</p> <p>04 - Registration Number The Identification Type used is Registration Number.</p> <p>05 - Mobile Number The Identification Type used is Mobile Phone.</p>			
identification	String	Max length: 140	Conditional
<p>This field is mandatory if identificationType above present. The value will based on the identificationType selected above.</p> <p>New IC Number - without hyphens. Eg: 840312145594</p> <p>Army Number - only numbers. Eg: 20248</p>			

Passport Number - Include country of issuance. Eg: E394029340VSGP

Registration Number - alphanumeric. Eg: JM1234567-Z

Mobile Number - include country or area code with full mobile number. Eg: +60103772812

End Customer Object

language

String

Max length: 2

Required

Select the preferred language to redirect into DuitNow Pay:

en - English

bm - Bahasa Malaysia

Sample Request:

```
{
  "dataType": "01",
  "transactionFlow": "01",
  "checkoutId": "a7e2ed2a-b088-4495-8cf4-88da08f644f2",
  "amount": "10.00",
  "merchantName": "Shop Name Sdn Bhd.",
  "merchantReferenceId": "ref12345678",
  "merchant": {
    "productId": "P00000201"
  },
  "customer": {
    "name": "Walter Mitty",
    "identityValidation": "00",
```



```
"identificationType": "05",
"identification": "+60123456789",
},
"language": "en"
}
```

Response

Data Object			
id	String	Max length: 100	Required
Session ID that is created by PayNet for the redirect URL.			
redirectUrl	String	Max length: 140	Required
Acquirer can use the redirect URL to open the page directly which will land on DuitNow Pay or Save Payment Method Webview depending on the dataType submitted in the request.			
End Data Object			
message	String	Max length: 1024	Required
Response with "OK" if successful. Otherwise, please refer to the reason codes in the appendix.			

Sample Response:

```
{
  "data": {
    "id": "4950369a-5ad4-403f-8d8a-675990011b56",
    "redirectUrl": "https://duitnow-pay.uat.inet.paynet.my:8443/?
sessionId=4950369a-5ad4-403f-8d8a-675990011b56"
  },
  "message": "OK"
}
```



Webhook: Update Checkout Details

This webhook maps the `endToEndId` to the `checkoutId`. This allows the acquirer to relate the `endToEndId` in the redirect URL back to the `checkoutId` when the issuer redirects with only the `endToEndId` in Step 19.

Request

Webhook endpoint will be provided by acquirer during onboarding.

checkoutId	String	Max length: 36	Required
The unique external identifier (uuid v4) provided by the acquirer to PayNet when initiating a payment intent.			
rtpEndToEndId	String	Max length: 35	Required

Unique message identification from RPP. This can be used to reconcile with RPP BackOffice or Reports.			
issuer	String	Max length: 100	Required
Name of payer's issuing bank / wallet.			
paymentMethod	String	Max length: 35	Required
Payer selected payment method: 01 - DuitNow Online Banking / Wallets			

Sample Request:

```
{
  "checkoutId": "a7e2ed2a-b088-4495-8cf4-88da08f644f2",
  "rtpEndToEndId": "20240325M00002018610BW00618197",
  "issuer": "Affin Bank",
  "paymentMethod": "01"
}
```



Webhook: Update Payment Status

This webhook is to update the acquirer on the status and details of a successful transaction. It will only trigger if the transfer is successful for checkout via WebView.

For corporate flows that have triggered (transactionFlow = “02”), please perform an **Enquire Payment Status** on the 5th day to confirm the final status of the transaction.

INFO

If acquirer does not receive this webhook, kindly perform **Retrieve Payment Status** API to enquire the status of transaction.

Request

Webhook endpoint will be provided by acquirer during onboarding.

checkoutId	String	Max length: 36	Required
The unique external identifier (uuid v4) provided by the acquirer to PayNet when initiating a payment intent.			
endToEndId	String	Max length: 35	Required
Unique message identification from RPP. This can be used to reconcile with RPP BackOffice or Reports.			
PaymentStatus Object			
payerName	String	Max length: 100	Required

Name of payer from the debiting bank.			
code	String	Max length: 4	Required
Please refer to the list of status codes .			
substate	String	Max length: 35	Required
<p>substate:</p> <p>RECEIVED – Pending CLEARED – Successful Credit REJECTED – Rejection from Debiting Agent PENDAUTH – Pending authorization from Debiting Agent</p>			
message	String	Max length: 1024	Required
Please refer to the list of reason codes .			
End PaymentStatus Object			
issuer	String	Max length: 100	Required
Name of payer's issuing bank / wallet.			
paymentMethod	String	Max length: 35	Required
<p>Payer selected payment method:</p> <p>01 - DuitNow Online Banking / Wallets</p>			

Sample Request:

```
{
  "checkoutId": "a7e2ed2a-b088-4495-8cf4-88da08f644f2",
  "endToEndId": "20240119M00002018610BW00000004",
  "paymentStatus": {
    "payerName": "DMMYKL3 Test",
    "code": "ACTC",
    "substate": "PENDAUTH",
    "message": "U002"
  },
  "issuer": "Affin Bank",
  "paymentMethod": "01"
}
```



Once the authorizer approved the payment request and the corporate issuing bank. It will then responded with another webhook of “Update Payment Status” and the substate shall be responding as “CLEARED”.

Sample Request:

```
{
  "checkoutId": "a7e2ed2a-b088-4495-8cf4-88da08f644f2",
  "endToEndId": "20240119M00002018610BW00000004",
  "paymentStatus": {
    "payerName": "DMMYKL3 Test",
```



```
    "code": "ACTC",
    "substate": "CLEARED",
    "message": "U002"
  },
  "issuer": "Affin Bank",
  "paymentMethod": "01"
}
```

Webhook: Update Payment Status (rejected)

This webhook is to update the acquirer if there is rejection during the authorization of a transaction. If the transaction successful, this webhook will not be triggered.

Request

Webhook endpoint will be provided by acquirer during onboarding.

checkoutId	String	Max length: 36	Required
The unique external identifier (uuid v4) provided by the acquirer to PayNet when initiating a payment intent.			
endToEndId	String	Max length: 35	Required
Unique message identification from RPP. This can be used to reconcile with RPP BackOffice or Reports.			
PaymentStatus Object			

code	String	Max length: 4	Required
Please refer to the list of status codes .			
substate	String	Max length: 35	Required
substate: RECEIVED – Pending CLEARED – Successful Credit REJECTED – Rejection from Debiting Agent PENDAUTH – Pending authorization from Debiting Agent			
message	String	Max length: 1024	Required
Please refer to the list of reason codes .			
End PaymentStatus Object			
issuer	String	Max length: 100	Required
Name of payer's issuing bank / wallet.			
paymentMethod	String	Max length: 35	Required
Payer selected payment method: 01 - DuitNow Online Banking / Wallets			

Sample Request:

```
{
  "checkoutId": "a7e2ed2a-b088-4495-8cf4-88da08f644f2",
  "endToEndId": "20240119M00002018610BW00000004",
  "paymentStatus": {
    "code": "ACSP",
    "substate": "REJECTED",
    "message": "U000"
  },
  "issuer": "Affin Bank",
  "paymentMethod": "01"
}
```



Guidance to Perform Payment Enquiry

Scenario example:

If there is missing [update checkout details](#) from the webhook, but the debiting agent is redirected and receives the [update payment status](#) from webhook, no further enquiry is needed, and the payment is confirmed as successful.

Please refer the table below to understand which suitable action that you may need to perform:

Webhook: Update Checkout Details	Debiting Agent Redirected	Webhook: Update Payment Status	Action
✗	✓	✓	No enquiry required, payment successful.
✓	✓	✗	Perform Enquire Payment Status.
✗	✓	✗	Perform Enquire Checkout Details. If it successful responded, please proceed to perform Enquire Payment Status.
✗	✗	✗	