Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Learning Calculus from the Masters How to Build on Elementary Ideas

A. De Morgan¹ T. McCormack²

¹Original Author

²First Maintainer

Aug 2025 / Free Learner's School Conversations

Outline

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Introduction

2 Ratio and Proportion of Two Magnitudes

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

WE LEARN FROM THE MASTERS.

Getting Started with Calculus

Augustus De Morgan, Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

WHY?

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- Masters May Seem Austere And Sound Cryptic, But They Have Two Essential Traits
 - Kindness
 - Dependable and Thorough Knowledge of Something
- They Want You to Know What They Do (Know)
- They Understand Your Difficulties and Sympathize with You
- They Are Gentle, But *Don't* Dumb Down The Subject Matter

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

• Masters May Seem Austere And Sound Cryptic, But

They Have Two Essential Traits

- Kindness
- Dependable and Thorough Knowledge of Something
- They Want You to Know What They Do (Know)
- They Understand Your Difficulties and Sympathize with You
- They Are Gentle, But *Don't* Dumb Down The Subject Matter

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- Masters May Seem Austere And Sound Cryptic, But They Have Two Essential Traits
 - Kindness
 - Dependable and Thorough Knowledge of Something
- They Want You to Know What They Do (Know)
- They Understand Your Difficulties and Sympathize with You
- They Are Gentle, But *Don't* Dumb Down The Subject Matter

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- Masters May Seem Austere And Sound Cryptic, But They Have Two Essential Traits
 - Kindness
 - Dependable and Thorough Knowledge of Something
- They Want You to Know What They Do (Know)
- They Understand Your Difficulties and Sympathize with You
- They Are Gentle, But *Don't* Dumb Down The Subject Matter

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- Masters May Seem Austere And Sound Cryptic, But They Have Two Essential Traits
 - Kindness
 - Dependable and Thorough Knowledge of Something
- They Want You to Know What They Do (Know)
- They Understand Your Difficulties and Sympathize with You
- They Are Gentle, But *Don't* Dumb Down The Subject Matter

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- Masters May Seem Austere And Sound Cryptic, But They Have Two Essential Traits
 - Kindness
 - Dependable and Thorough Knowledge of Something
- They Want You to Know What They Do (Know)
- They Understand Your Difficulties and Sympathize with You
- They Are Gentle, But Don't Dumb Down The Subject Matter

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- Masters May Seem Austere And Sound Cryptic, But They Have Two Essential Traits
 - Kindness
 - Dependable and Thorough Knowledge of Something
- They Want You to Know What They Do (Know)
- They Understand Your Difficulties and Sympathize with You
- They Are Gentle, But *Don't* Dumb Down The Subject Matter

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

THAT'S WHY.

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes



Figure: Augustus De Morgan Was A Master

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

He Was A Great Mathematician Interested in Math Education, And He Wrote Several Books to Help Students Learn Math on Their Own! Here Is a Tiny Story about Him:

Someone asked De Morgan, who lived in the 1800s, "Dear Mr. De Morgan, in which year were you born?"

De Morgan replied, "I was x years old in the year x^2 . In which year was I born?"

Which Year? :-)

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

He Was A Great Mathematician Interested in Math Education, And He Wrote Several Books to Help Students Learn Math on Their Own!

Here Is a Tiny Story about Him:

Someone asked De Morgan, who lived in the 1800s, "Dear Mr. De Morgan, in which year were you born?"

De Morgan replied, "I was x years old in the year x^2 . In which year was I born?"

Which Year? :-)

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

He Was A Great Mathematician Interested in Math Education, And He Wrote Several Books to Help Students Learn Math on Their Own!

Here Is a Tiny Story about Him:

Someone asked De Morgan, who lived in the 1800s, "Dear Mr. De Morgan, in which year were you born?"

De Morgan replied, "I was x years old in the year x^2 . In which year was I born?"

Which Year? :-)

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

DON'T WE WANT TO LEARN FROM SUCH A MASTER?

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- Reminder: In Mathematics, As in Everyday Speech, Words are Important. We Must Understand Them Precisely in The Given Context.
- Problem: Mathematics Uses Common Words and Gives Them Meanings That May Be Confusing at First.

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introductio:

Ratio and Proportion of Two Magnitudes

- Reminder: In Mathematics, As in Everyday Speech, Words are Important. We Must Understand Them Precisely in The Given Context.
- Problem: Mathematics Uses Common Words and Gives Them Meanings That May Be Confusing at First.

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- Some Words of Mathematics are "Definitions".
- Be Patient.
- Ask Sincere Questions Till They Are Clear.

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- Some Words of Mathematics are "Definitions".
- Be Patient.
- Ask Sincere Questions Till They Are Clear.

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- Some Words of Mathematics are "Definitions".
- Be Patient.
- Ask Sincere Questions Till They Are Clear.

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

 $_{
m Summar}$

Here Is A Definition!

Definition (Commensurable)

Two Magnitudes or Lengths or Measures Are Commensurable If They Can Be Expressed in Whole Numbers of Some Common Unit.

To Recap [25] To Modern Language [30]

Note: The Common Unit Can Be Made As Small or As Big

Note: Mensurable Means Measurable

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Here Is A Definition!

Definition (Commensurable)

Two Magnitudes or Lengths or Measures Are Commensurable If They Can Be Expressed in Whole Numbers of Some Common Unit.

To Recap [25] To Modern Language [30]

Note: The Common Unit Can Be Made As Small or As Big As We Please.

Note: Mensurable Means Measurable

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Here Is A Definition!

Definition (Commensurable)

Two Magnitudes or Lengths or Measures Are Commensurable If They Can Be Expressed in Whole Numbers of Some Common Unit.

To Recap [25] To Modern Language [30]

Note: The Common Unit Can Be Made As Small or As Big As We Please.

Note: Mensurable Means Measurable

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Here Is A Definition!

Definition (Commensurable)

Two Magnitudes or Lengths or Measures Are Commensurable If They Can Be Expressed in Whole Numbers of Some Common Unit.

To Recap [25] To Modern Language [30]

Note: The Common Unit Can Be Made As Small or As Big As We Please.

Note: Mensurable Means Measurable.

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

That Is a Mouthful,

And Sounds Complicated!
But We Can Deconstruct it Slowly ...

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

That Is a Mouthful, And Sounds Complicated!

But We Can Deconstruct it Slowly . . .

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

That Is a Mouthful, And Sounds Complicated! But We Can Deconstruct it Slowly . . .

Getting Started with Calculus

Augustus De Morgar Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Consider An Example!

Example

- 1 Foot is **Commensurable** with 1 Yard.
- 1 Foot = 12 Inches and 1 Yard = 36 Inches
 - If the "Common Unit" is 3 (Inches), then 1 Foot Is 4 Common Units and 1 Yard Is 12 Common Units. Both 4 and 12 are Whole Numbers.
 - If the "Common Unit" is 6 (Inches), then 1 Foot Is 2 Common Units and 1 Yard = 6 Common Units. Both 2 and 6 are Whole Numbers.
 - If the "Common Unit" is 1 (Inch), then 1 Foot Is 12 Common Units and 1 Yard Is 36 Common Units. Both 12 and 36 are Whole Numbers.

Getting Started with Calculus

Augustus De Morgar Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Consider An Example!

Example

- 1 Foot is **Commensurable** with 1 Yard.
- 1 Foot = 12 Inches and 1 Yard = 36 Inches
 - If the "Common Unit" is 3 (Inches), then 1 Foot Is 4 Common Units and 1 Yard Is 12 Common Units. Both 4 and 12 are Whole Numbers.
 - If the "Common Unit" is 6 (Inches), then 1 Foot Is 2 Common Units and 1 Yard = 6 Common Units. Both 2 and 6 are Whole Numbers.
 - If the "Common Unit" is 1 (Inch), then 1 Foot Is 12 Common Units and 1 Yard Is 36 Common Units. Both 12 and 36 are Whole Numbers.

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Consider An Example!

Example

- 1 Foot is **Commensurable** with 1 Yard.
- 1 Foot = 12 Inches and 1 Yard = 36 Inches
 - If the "Common Unit" is 3 (Inches), then 1 Foot Is 4 Common Units and 1 Yard Is 12 Common Units. Both 4 and 12 are Whole Numbers.
 - If the "Common Unit" is 6 (Inches), then 1 Foot Is 2 Common Units and 1 Yard = 6 Common Units. Both 2 and 6 are Whole Numbers.
 - If the "Common Unit" is 1 (Inch), then 1 Foot Is 12 Common Units and 1 Yard Is 36 Common Units. Both 12 and 36 are Whole Numbers.

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Consider An Example!

Example

- 1 Foot is **Commensurable** with 1 Yard.
- 1 Foot = 12 Inches and 1 Yard = 36 Inches
 - If the "Common Unit" is 3 (Inches), then 1 Foot Is 4 Common Units and 1 Yard Is 12 Common Units. Both 4 and 12 are Whole Numbers.
 - If the "Common Unit" is 6 (Inches), then 1 Foot Is 2 Common Units and 1 Yard = 6 Common Units. Both 2 and 6 are Whole Numbers.
 - If the "Common Unit" is 1 (Inch), then 1 Foot Is 12 Common Units and 1 Yard Is 36 Common Units. Both 12 and 36 are Whole Numbers.

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Consider An Example!

Example

'Foot' and 'Yard' Are Units of Length.

1 Foot is **Commensurable** with 1 Yard.

1 Foot = 12 Inches and 1 Yard = 36 Inches

- If the "Common Unit" is 3 (Inches), then 1 Foot Is 4 Common Units and 1 Yard Is **12** Common Units. Both 4 and 12 are Whole Numbers.
- If the "Common Unit" is 6 (Inches), then 1 Foot Is 2 Common Units and 1 Yard = 6 Common Units. Both 2 and 6 are Whole Numbers.
- If the "Common Unit" is 1 (Inch), then 1 Foot Is 12 Common Units and 1 Yard Is 36 Common Units. Both 12 and 36 are Whole Numbers.

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Consider An Example!

Example

'Foot' and 'Yard' Are Units of Length.

1 Foot is **Commensurable** with 1 Yard.

1 Foot = 12 Inches and 1 Yard = 36 Inches

- If the "Common Unit" is 3 (Inches), then 1 Foot Is 4 Common Units and 1 Yard Is 12 Common Units. Both 4 and 12 are Whole Numbers.
- If the "Common Unit" is 6 (Inches), then 1 Foot Is 2 Common Units and 1 Yard = 6 Common Units. Both 2 and 6 are Whole Numbers.
- If the "Common Unit" is 1 (Inch), then 1 Foot Is **12** Common Units and 1 Yard Is **36** Common Units. Both 12 and 36 are Whole Numbers.

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Consider An Example!

Example

'Foot' and 'Yard' Are Units of Length.

1 Foot is **Commensurable** with 1 Yard.

1 Foot = 12 Inches and 1 Yard = 36 Inches

- If the "Common Unit" is 3 (Inches), then 1 Foot Is 4 Common Units and 1 Yard Is 12 Common Units. Both 4 and 12 are Whole Numbers.
- If the "Common Unit" is 6 (Inches), then 1 Foot Is 2 Common Units and 1 Yard = 6 Common Units. Both 2 and 6 are Whole Numbers.
- If the "Common Unit" is 1 (Inch), then 1 Foot Is **12** Common Units and 1 Yard Is **36** Common Units. Both 12 and 36 are Whole Numbers.

Getting Started with Calculus

Augustus De Morgar Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

We Showed That, with A Choice of 3 Common Units ¹,

¹Although the Definition Requires Just One

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

We Showed That, with A Choice of 3 Common Units ¹, (The Lengths) 1 Foot and 1 Yard Are Commensurable.

¹Although the Definition Requires Just One

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Consider Another Example!

Example

SFO \rightarrow NYC is a 6-Hour Flight.

SFO \rightarrow DTW is a $5\frac{1}{2}$ -Hour Flight.

Are These Two Periods, or Lengths of Time:

$$T_1 = 6, T_2 = 5\frac{1}{2}$$
, Commensurable?

- What is Your Common Unit?
- How Many Whole Numbers of That Common Unit Area T_1, T_2 ?

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Consider Another Example!

Example

SFO \rightarrow NYC is a 6-Hour Flight.

SFO \rightarrow DTW is a $5\frac{1}{2}$ -Hour Flight.

Are These Two Periods, or Lengths of Time:

$$T_1 = 6, T_2 = 5\frac{1}{2}$$
, Commensurable?

- What is Your Common Unit?
- How Many Whole Numbers of That Common Unit Are T_1, T_2 ?

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Consider Another Example!

Example

SFO \rightarrow NYC is a 6-Hour Flight.

SFO \rightarrow DTW is a $5\frac{1}{2}$ -Hour Flight.

Are These Two Periods, or Lengths of Time:

$$T_1 = 6, T_2 = 5\frac{1}{2}$$
, Commensurable?

- What is Your Common Unit?
- How Many Whole Numbers of That Common Unit Are T_1, T_2 ?

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Very Well Then!

To Show That Two Lengths Are Commensurable, We Find A Common Unit and Demonstrate That Each Length Equals Some Whole Number Times It.

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introductio

Ratio and Proportion of Two Magnitudes

Summary

Very Well Then!
To Show That Two Lengths Are Commensurable, We Find A Common Unit and Demonstrate That Each Length Equals Some Whole Number Times It.

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

You Are Convinced That $T_1 = 6, T_2 = 5\frac{1}{2}$ Are Commensurable, Right?

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

We Say 'Lengths' Because Humanity Measured Things Since Antiquity.

We Also Say 'Magnitudes'.

Like In Everyday Language, We Use 'Length' and 'Magnitude', Symonymously

Geometry Played A Big Role in Our Understanding o

Mathematics ...

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

We Say 'Lengths' Because Humanity Measured Things Since Antiquity.

We Also Say 'Magnitudes'.

Like In Everyday Language, We Use 'Length' and 'Magnitude' Synonymously.

Geometry Played A Big Role in Our Understanding of Mathematics . . .

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

We Say 'Lengths' Because Humanity Measured Things Since Antiquity.

We Also Say 'Magnitudes'.

Like In Everyday Language, We Use 'Length' and 'Magnitude' Synonymously.

Geometry Played A Big Role in Our Understanding of

Ratio and Proportion of Two Magnitudes

We Say 'Lengths' Because Humanity Measured Things Since Antiquity.

We Also Say 'Magnitudes'.

Like In Everyday Language, We Use 'Length' and 'Magnitude' Synonymously.

Geometry Played A Big Role in Our Understanding of

Mathematics . . .

Examples And Counterexamples

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

We Saw 2 'Examples' of Commensurable Magnitudes. Sometimes, However, Counterexamples Are Helpful Too.

Are There Lengths That Are Not Commensurable?

Examples And Counterexamples

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

We Saw 2 'Examples' of Commensurable Magnitudes. Sometimes, However, Counterexamples Are Helpful Too. Are There Lengths That Are Not Commensurable?

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary



Figure: A Unit Square

In the Unit Square ABCD, Are Its Side (e.g. AB) and Its Diagonal (e.g. BD) Commensurable?

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

2.......



Figure: A Unit Square

In the Unit Square ABCD, Are Its Side (e.g. AB) and Its Diagonal (e.g. BD)

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary




Figure: A Unit Square

In the Unit Square ABCD,
Are Its Side (e.g. AB) and Its Diagonal (e.g. BD)

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary




Figure: A Unit Square

In the Unit Square ABCD, Are Its Side (e.g. AB) and Its Diagonal (e.g. BD) Commensurable?

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

In The Square ABCD [2],

$$l(AB) = 1, l(BD) = \sqrt{1^2 + 1^2} = \sqrt{2}$$

(From The Pythagorean Theorem).

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

In The Square ABCD [2],

$$l(AB) = 1, l(BD) = \sqrt{1^2 + 1^2} = \sqrt{2}$$

(From The Pythagorean Theorem)

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

In The Square ABCD [2],

$$l(AB) = 1, l(BD) = \sqrt{1^2 + 1^2} = \sqrt{2}$$

(From The Pythagorean Theorem).

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- It Turns out That 1 and $\sqrt{2}$ Are Not Commensurable!
- There's No Common Unit, However Small, Of Which 1 and $\sqrt{2}$ Are Both Whole Numbers!

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- It Turns out That 1 and $\sqrt{2}$ Are Not Commensurable!
- There's No Common Unit, However Small, Of Which 1 and $\sqrt{2}$ Are Both Whole Numbers!

Getting Started with Calculus

De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

• We Repeat, To Show That Commensurable Lengths

(e.g. 2.1, 17.8) Are Indeed So . . .

- We Creatively Find A Common Unit (e.g. 0.1), And
- Demonstrate That The Lengths Are Its Whole Numbers (e.g. 21 ∈ Z and 178 ∈ Z respectively).
- Will That Approach Work To Show That Incommensurable Lengths (e.g. $\sqrt[3]{3}$, $\sqrt[4]{5}$) Are Indeed So?
 - That Will Be An Unending Task! You See Why, Right?
 - And This Is Where We Need Proofs!

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- We Repeat, To Show That Commensurable Lengths (e.g. 2.1, 17.8) Are Indeed So
 - We Creatively Find A Common Unit (e.g. 0.1), And
 - Demonstrate That The Lengths Are Its Whole Numbers (e.g. 21 ∈ Z and 178 ∈ Z respectively).
- Will That Approach Work To Show That Incommensurable Lengths (e.g. $\sqrt[3]{3}$, $\sqrt[4]{5}$) Are Indeed So?
 - That Will Be An Unending Task! You See Why, Right?
 - And This Is Where We Need Proofs!

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- We Repeat, To Show That Commensurable Lengths (e.g. 2.1, 17.8) Are Indeed So ...
 - We Creatively Find A Common Unit (e.g. 0.1), And
 - Demonstrate That The Lengths Are Its Whole Numbers (e.g. 21 ∈ Z and 178 ∈ Z respectively).
- Will That Approach Work To Show That Incommensurable Lengths (e.g. $\sqrt[3]{3}, \sqrt[4]{5}$) Are Indeed So Section 1.
 - That Will Be An Unending Task! You See Why, Right?
 - And This Is Where We Need Proofs!

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- We Repeat, To Show That Commensurable Lengths (e.g. 2.1, 17.8) Are Indeed So ...
 - We Creatively Find A Common Unit (e.g. 0.1), And
 - Demonstrate That The Lengths Are Its Whole Number (e.g. 21 ∈ Z and 178 ∈ Z respectively).
- Will That Approach Work To Show That Incommensurable Lengths (e.g. $\sqrt[3]{3}, \sqrt[4]{5}$) Are Indeed So Section 1.
 - That Will Be An Unending Task! You See Why, Right?
 - And This Is Where We Need Proofs!

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- We Repeat, To Show That Commensurable Lengths (e.g. 2.1, 17.8) Are Indeed So ...
 - We Creatively Find A Common Unit (e.g. 0.1), And
 - Demonstrate That The Lengths Are Its Whole Numbers (e.g. 21 ∈ Z and 178 ∈ Z respectively).
- Will That Approach Work To Show That Incommensurable Lengths (e.g. $\sqrt[3]{3}, \sqrt[4]{5}$) Are Indeed So Section 1.
 - That Will Be An Unending Task! You See Why, Right?
 - And This Is Where We Need Proofs!

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- We Repeat, To Show That Commensurable Lengths (e.g. 2.1, 17.8) Are Indeed So ...
 - We Creatively Find A Common Unit (e.g. 0.1), And
 - Demonstrate That The Lengths Are Its Whole Numbers
 (e.g. 21 ∈ Z and 178 ∈ Z respectively).
- Will That Approach Work To Show That Incommensurable Lengths (e.g. $\sqrt[3]{3}$, $\sqrt[4]{5}$) Are Indeed So. 2.
 - That Will Be An Unending Task! You See Why, Right?
 - And This Is Where We Need Proofs!

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- We Repeat, To Show That Commensurable Lengths (e.g. 2.1, 17.8) Are Indeed So ...
 - We Creatively Find A Common Unit (e.g. 0.1), And
 - Demonstrate That The Lengths Are Its Whole Numbers (e.g. $21 \in \mathbb{Z}$ and $178 \in \mathbb{Z}$ respectively).
- Will That Approach Work To Show That Incommensurable Lengths (e.g. $\sqrt[3]{3}$, $\sqrt[4]{5}$) Are Indeed So?
 - That Will Be An Unending Task! You See Why, Right?
 - And This Is Where We Need Proofs!

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- We Repeat, To Show That Commensurable Lengths (e.g. 2.1, 17.8) Are Indeed So ...
 - We Creatively Find A Common Unit (e.g. 0.1), And
 - Demonstrate That The Lengths Are Its Whole Numbers (e.g. $21 \in \mathbb{Z}$ and $178 \in \mathbb{Z}$ respectively).
- Will That Approach Work To Show That Incommensurable Lengths (e.g. Vis Are Indeed So?)
 - That Will Be An Unending Task! You See Why, Right?
 - And This Is Where We Need Proofs!

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- We Repeat, To Show That Commensurable Lengths (e.g. 2.1, 17.8) Are Indeed So ...
 - We Creatively Find A Common Unit (e.g. 0.1), And
 - Demonstrate That The Lengths Are Its Whole Numbers (e.g. $21 \in \mathbb{Z}$ and $178 \in \mathbb{Z}$ respectively).
- Will That Approach Work To Show That Incommensurable Lengths (e.g. ³√3, ⁴√5) Are Indeed So?
 - That Will Be An Unending Task! You See Why, Right?
 - And This Is Where We Need Proofs!

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- We Repeat, To Show That Commensurable Lengths (e.g. 2.1, 17.8) Are Indeed So ...
 - We Creatively Find A Common Unit (e.g. 0.1), And
 - Demonstrate That The Lengths Are Its Whole Numbers (e.g. $21 \in \mathbb{Z}$ and $178 \in \mathbb{Z}$ respectively).
- Will That Approach Work To Show That Incommensurable Lengths (e.g. ³√3, ⁴√5) Are Indeed So?
 - That Will Be An Unending Task! You See Why, Right?
 - And This Is Where We Need Proofs!

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- We Repeat, To Show That Commensurable Lengths (e.g. 2.1, 17.8) Are Indeed So ...
 - We Creatively Find A Common Unit (e.g. 0.1), And
 - Demonstrate That The Lengths Are Its Whole Numbers (e.g. $21 \in \mathbb{Z}$ and $178 \in \mathbb{Z}$ respectively).
- Will That Approach Work To Show That Incommensurable Lengths (e.g. ³√3, ⁴√5) Are Indeed So?
 - That Will Be An Unending Task! You See Why, Right?
 - And This Is Where We Need Proofs!

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- We Repeat, To Show That Commensurable Lengths (e.g. 2.1, 17.8) Are Indeed So ...
 - We Creatively Find A Common Unit (e.g. 0.1), And
 - Demonstrate That The Lengths Are Its Whole Numbers (e.g. $21 \in \mathbb{Z}$ and $178 \in \mathbb{Z}$ respectively).
- Will That Approach Work To Show That Incommensurable Lengths (e.g. ³√3, ⁴√5) Are Indeed So?
 - That Will Be An Unending Task! You See Why, Right?
 - And This Is Where We Need Proofs!

Commensurable Recap

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Let's Recap!

Reread the Definition: Commensurable [1].

- 12 and 36 Are Commensurable. So Are 6 and $5\frac{1}{2}$. So Are Countless Other Pairs of Numbers.
- 1 and $\sqrt{2}$ Are Not Commensurable. So Are Not 2 and $\sqrt{5}$. So Are Countless Other Pairs of Numbers.
- Not Commensurable (Incommensurable) Pairs Are Far Far More Than Commensurable Pairs!
- When We Discovered Incommensurable Magnitudes Back in ~ 500 BC, A Few Decades Passed in A Confusion . . .

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Let's Recap!

- 12 and 36 Are Commensurable. So Are 6 and $5\frac{1}{2}$. So Are Countless Other Pairs of Numbers.
- 1 and $\sqrt{2}$ Are Not Commensurable. So Are Not 2 and $\sqrt{5}$. So Are Countless Other Pairs of Numbers.
- Not Commensurable (Incommensurable) Pairs Are Far Far More Than Commensurable Pairs!
- When We Discovered Incommensurable Magnitudes Back in ~ 500 BC, A Few Decades Passed in A Confusion . . .

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Let's Recap!

- 12 and 36 Are Commensurable. So Are 6 and $5\frac{1}{2}$. So Are Countless Other Pairs of Numbers.
- 1 and $\sqrt{2}$ Are Not Commensurable. So Are Not 2 and $\sqrt{5}$. So Are Countless Other Pairs of Numbers.
- Not Commensurable (Incommensurable) Pairs Are Far Far More Than Commensurable Pairs!
- When We Discovered Incommensurable Magnitudes Back in ~ 500 BC, A Few Decades Passed in A Confusion . . .

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Let's Recap!

- 12 and 36 Are Commensurable. So Are 6 and $5\frac{1}{2}$. So Are Countless Other Pairs of Numbers.
- 1 and $\sqrt{2}$ Are Not Commensurable. So Are Not 2 and $\sqrt{5}$. So Are Countless Other Pairs of Numbers.
- Not Commensurable (Incommensurable) Pairs Are Far Far More Than Commensurable Pairs!
- When We Discovered Incommensurable Magnitudes Back in ~ 500 BC, A Few Decades Passed in A Confusion . . .

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Let's Recap!

- 12 and 36 Are Commensurable. So Are 6 and $5\frac{1}{2}$. So Are Countless Other Pairs of Numbers.
- 1 and $\sqrt{2}$ Are Not Commensurable. So Are Not 2 and $\sqrt{5}$. So Are Countless Other Pairs of Numbers.
- Not Commensurable (Incommensurable) Pairs Are Far Far More Than Commensurable Pairs!
- When We Discovered Incommensurable Magnitudes Back in ~ 500 BC, A Few Decades Passed in A Confusion . . .

Getting Started with Calculus

Augustus De Morgar Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary




Figure: Diagonals of A 1x1 Square And A 2x2 Square

- If Not, Why Not?
- If Yes, What Are The Common Unit And Whole Numbers for A. B?

Getting Started with Calculus

Augustus
De Morgan
Thomas
McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary




Figure: Diagonals of A 1x1 Square And A 2x2 Square

- If Not, Why Not?
- If Yes, What Are The Common Unit And Whole Numbers for A. B?

Getting Started with Calculus

Augustus De Morgar Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary



Figure: Diagonals of A 1x1 Square And A 2x2 Square

- If Not, Why Not?
- If Yes, What Are The Common Unit And Whole Numbers for A. B?

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary




Figure: Diagonals of A 1x1 Square And A 2x2 Square

- If Not, Why Not?
- If Yes, What Are The Common Unit And Whole Numbers for A, B?

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary




Figure: Circumferences of Circles of Radii 1 and 2

- If Not, Why Not?
- If Yes, What Are The Common Unit And Whole Numbers for A, B?

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary




Figure: Circumferences of Circles of Radii 1 and 2

- If Not, Why Not?
- If Yes, What Are The Common Unit And Whole Numbers for A, B?

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary




Figure: Circumferences of Circles of Radii 1 and 2

- If Not, Why Not?
- If Yes, What Are The Common Unit And Whole Numbers for A, B?

Getting Started with Calculus

Augustus
De Morgan
Thomas
McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary




Figure: Circumferences of Circles of Radii 1 and 2

- If Not, Why Not?
- If Yes, What Are The Common Unit And Whole Numbers for A, B?

Integers

They Are Special

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Integers Are Natural

God Made The Integers; All Else Is The Work of Man^a .

- Do You Realize That Any Two Integers A, B Are Commensurable?
 - What Is the Common Unit?
 - What Are the Whole Numbers of A, B?

Integers

They Are Special

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Integers Are Natural

God Made The Integers; All Else Is The Work of Man^a .

- Do You Realize That Any Two Integers A, B Are Commensurable?
 - What Is the Common Unit?
 - What Are the Whole Numbers of A, B?

Integers They Are Special

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Integers Are Natural

God Made The Integers; All Else Is The Work of Man^a.

- Do You Realize That Any Two Integers A, B Are Commensurable?
 - What Is the Common Unit?
 - What Are the Whole Numbers of A, B?

Integers

They Are Special

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Integers Are Natural

God Made The Integers; All Else Is The Work of Man^a .

- Do You Realize That Any Two Integers A, B Are Commensurable?
 - What Is the Common Unit?
 - What Are the Whole Numbers of A, B?

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

- For Incommensurable Magnitudes, A, B, There Exists. No Common Unit!
- That Means, When Expressed as A Ratio, There's Nothing Common in Them.
- For Example, $\sqrt{2}$ Has No Exact Representation $\frac{A}{B}$, Where A, B Are Integers.
 - Otherwise, as We've Seen, 1 Would Be A Common Unit
- That Means They Can Only Be Approximated as A Ratio of Two Integers: $\sqrt{2} \approx \frac{1414}{1000}$ Or $\sqrt{2} \approx \frac{14142}{10000}$.
 - That Funky Symbol ≈ Means Approximately Equals

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

- For Incommensurable Magnitudes, A, B, There Exists No Common Unit!
- That Means, When Expressed as A Ratio, There's Nothing Common in Them.
- For Example, $\sqrt{2}$ Has No Exact Representation $\frac{A}{B}$, Where A, B Are Integers.
 - Otherwise, as We've Seen, 1 Would Be A Common Univ
- That Means They Can Only Be Approximated as A Ratio of Two Integers: $\sqrt{2} \approx \frac{1414}{1000}$ Or $\sqrt{2} \approx \frac{14142}{10000}$.
 - That Funky Symbol ≈ Means Approximately Equals

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

- For Incommensurable Magnitudes, A, B, There Exists No Common Unit!
- That Means, When Expressed as A Ratio, There's Nothing Common in Them.
- For Example, $\sqrt{2}$ Has No Exact Representation $\frac{A}{B}$. Where A, B Are Integers.
 - Otherwise, as We've Seen, 1 Would Be A Common Uni
- That Means They Can Only Be Approximated as A Ratio of Two Integers: $\sqrt{2} \approx \frac{1414}{1000}$ Or $\sqrt{2} \approx \frac{14142}{10000}$.
 - That Funky Symbol ≈ Means Approximately Equals

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

- For Incommensurable Magnitudes, A, B, There Exists No Common Unit!
- That Means, When Expressed as A Ratio, There's Nothing Common in Them.
- For Example, $\sqrt{2}$ Has No Exact Representation $\frac{A}{B}$, Where A, B Are Integers.
 - Otherwise, as We've Seen, 1 Would Be A Common Unit
- That Means They Can Only Be Approximated as A Ratio of Two Integers: $\sqrt{2} \approx \frac{1414}{1000}$ Or $\sqrt{2} \approx \frac{14142}{10000}$.
 - That Funky Symbol ≈ Means Approximately Equals

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

- For Incommensurable Magnitudes, A, B, There Exists No Common Unit!
- That Means, When Expressed as A Ratio, There's Nothing Common in Them.
- For Example, $\sqrt{2}$ Has No Exact Representation $\frac{A}{B}$, Where A, B Are Integers.
 - Otherwise, as We've Seen, 1 Would Be A Common Unit.
 - That Means They Can Only Be Approximated as A Ratio of Two Integers: $\sqrt{2} \approx \frac{1414}{1000}$ Or $\sqrt{2} \approx \frac{14142}{10000}$.
 - That Funky Symbol ≈ Means Approximately Equals Provided Health Symbol That Funky Symbol That Funky

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Incommensurable Magnitudes Are Also Special

- For Incommensurable Magnitudes, A, B, There Exists No Common Unit!
- That Means, When Expressed as A Ratio, There's Nothing Common in Them.
- For Example, $\sqrt{2}$ Has No Exact Representation $\frac{A}{B}$, Where A, B Are Integers.
 - Otherwise, as We've Seen, 1 Would Be A Common Unit.
- That Means They Can Only Be Approximated as A Ratio of Two Integers: $\sqrt{2} \approx \frac{1414}{1000}$ Or $\sqrt{2} \approx \frac{14142}{10000}$.

■ That Funlar Symbol ~ Manna

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

- For Incommensurable Magnitudes, A, B, There Exists No Common Unit!
- That Means, When Expressed as A Ratio, There's Nothing Common in Them.
- For Example, $\sqrt{2}$ Has No Exact Representation $\frac{A}{B}$, Where A, B Are Integers.
 - Otherwise, as We've Seen, 1 Would Be A Common Unit.
- That Means They Can Only Be Approximated as A Ratio of Two Integers: $\sqrt{2} \approx \frac{1414}{1000}$ Or $\sqrt{2} \approx \frac{14142}{10000}$.
 - That Funky Symbol ≈ Means Approximately Equals

We Build Our Math Vocabulary Using Previous Definitions

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Definition: Commensurable [1]

Definition (Rational Number)

If Magnitudes A, B Are Commensurable, Then The Ratio $\frac{A}{E}$ Is Called A Rational Number.

Definition (Irrational Number

If A Number is Not Rational, Then It Is Irrational.

Note: This Is a Negative Definition. We Specify What Irrational Number Is Not

We Build Our Math Vocabulary Using Previous Definitions

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introductio:

Ratio and Proportion of Two Magnitudes

Summary

Definition: Commensurable [1]

Definition (Rational Number)

If Magnitudes A, B Are Commensurable, Then The Ratio $\frac{A}{B}$ Is Called A Rational Number.

Definition (Irrational Number)

If A Number is Not Rational, Then It Is Irrational.

Note: This Is a Negative Definition. We Specify What Irrational Number Is Not

We Build Our Math Vocabulary Using Previous Definitions

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introductio

Ratio and Proportion of Two Magnitudes

Summary

Definition: Commensurable [1]

Definition (Rational Number)

If Magnitudes A, B Are Commensurable, Then The Ratio $\frac{A}{B}$ Is Called A Rational Number.

Definition (Irrational Number)

If A Number is Not Rational, Then It Is *Irrational*.

We Build Our Math Vocabulary Using Previous Definitions

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introductio

Ratio and Proportion of Two Magnitudes

Summary

Definition: Commensurable [1]

Definition (Rational Number)

If Magnitudes A, B Are Commensurable, Then The Ratio $\frac{A}{B}$ Is Called A Rational Number.

Definition (Irrational Number)

If A Number is Not Rational, Then It Is *Irrational*.

Note: This Is a Negative Definition. We Specify What Irrational Number Is Not.

A Growing List of New Words And Symbols

Getting Started with Calculus

Augustus De Morgar Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summa

- Commensurable.
- Incommensurable.
- Rational Number.
- Irrational Number.
- Integer.
- Ratio
- Fraction, Numerator, Denominator²
- $\bullet \approx$: Approximately Equals

A Growing List of New Words And Symbols

Getting Started with Calculus

Augustus De Morgar Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summai

• Commensurable.

- Incommensurable
- Rational Number.
- Irrational Number.
- Integer
- Ratio
- Fraction, Numerator, Denominator²
- ≈: Approximately Equals

A Growing List of New Words And Symbols

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summai

- Commensurable.
- Incommensurable.
- Rational Number.
- Irrational Number.
- Integer
- Ratio.
- Fraction, Numerator, Denominator²
- ≈: Approximately Equals

A Growing List of New Words And Symbols

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summai

- Commensurable.
- Incommensurable.
- Rational Number.
- Irrational Number.
- Integer.
- Ratio.
- Fraction, Numerator, Denominator²
- ≈: Approximately Equals

²We Didn't Learn These Here, But Assumed That You Know These Words

A Growing List of New Words And Symbols

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

- Commensurable.
- Incommensurable.
- Rational Number.
- Irrational Number.
- Integer.
- Ratio.
- Fraction, Numerator, Denominator²
- $\bullet \approx$: Approximately Equals.

A Growing List of New Words And Symbols

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

- Commensurable.
- Incommensurable.
- Rational Number.
- Irrational Number.
- Integer.
- Ratio.
- Fraction, Numerator, Denominator²
- ≈: Approximately Equals

A Growing List of New Words And Symbols

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

- Commensurable.
- Incommensurable.
- Rational Number.
- Irrational Number.
- Integer.
- Ratio.
- Fraction, Numerator, Denominator²
- $\bullet \approx$: Approximately Equals.

A Growing List of New Words And Symbols

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summai

- Commensurable.
- Incommensurable.
- Rational Number.
- Irrational Number.
- Integer.
- Ratio.
- Fraction, Numerator, Denominator².
- \approx : Approximately Equals.

²We Didn't Learn These Here, But Assumed That You Know These Words . . .

A Growing List of New Words And Symbols

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summa

- Commensurable.
- Incommensurable.
- Rational Number.
- Irrational Number.
- Integer.
- Ratio.
- Fraction, Numerator, Denominator².
- \approx : Approximately Equals.

²We Didn't Learn These Here, But Assumed That You Know These Words . . .

Commensurable Recap

Getting Started with Calculus

Augustus De Morgar Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Was That Fun?

ls the Meaning of 'Commensurable' Clearer Now?

Commensurable Recap

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Was That Fun? Is the Meaning of 'Commensurable' Clearer Now?

There Are Definitions, Theorems, Proofs, Problems. Period.

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

It's A Matter of Perspective

Perhaps None of This Matters.

Commensurable Magnitudes, Irrational Numbers, \dots Are All Meaningless Without The Fun.

Having Fun Matters.

Let's Play Mindfully

This Playful Introduction Is Meant to Be ... Well, Play!

Slowly, We Understand More, And Play More!

There Are Definitions, Theorems, Proofs, Problems. Period.

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

It's A Matter of Perspective

Perhaps None of This Matters.

Commensurable Magnitudes, Irrational Numbers, . . . Are All Meaningless Without The Fun.

Having Fun Matters.

Let's Play Mindfully

This Playful Introduction Is Meant to Be ...

Well, Play!

Slowly. We Understand More. And Play More!

There Are Definitions, Theorems, Proofs, Problems. Period.

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

It's A Matter of Perspective

Perhaps None of This Matters.

Commensurable Magnitudes, Irrational Numbers, ... Are All Meaningless Without The Fun.

Having Fun Matters.

Let's Play Mindfully

This Playful Introduction Is Meant to Be ... Well, Play!

Slowly We Understand More And Play Morel

There Are Definitions, Theorems, Proofs, Problems. Period.

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

It's A Matter of Perspective

Perhaps None of This Matters.

Commensurable Magnitudes, Irrational Numbers, \dots Are All Meaningless Without The Fun.

Having Fun Matters.

Let's Play Mindfully

This Playful Introduction Is Meant to Be ...

Well, Play!

Slowly, We Understand More, And Play Morel

There Are Definitions, Theorems, Proofs, Problems. Period.

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

It's A Matter of Perspective

Perhaps None of This Matters.

Commensurable Magnitudes, Irrational Numbers, \dots Are All Meaningless Without The Fun.

Having Fun Matters.

Let's Play Mindfully

This Playful Introduction Is Meant to Be ...

Well, Play!

Slowly, We Understand More, And Play More!

Things Change And That Changes Everything in Turn!

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- The Ever-Changing Universe Fascinates Us.
- The Study of Changing, Rather Than Fixed, Magnitudes Fascinates Us.
- Change Implies An Increase Or A Decrease.
- Let's Start with The Ratio of Magnitudes That Are Capable of Changing . . .

Things Change And That Changes Everything in Turn!

Getting Started with Calculus

Augustus De Morgar Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- The Ever-Changing Universe Fascinates Us.
- The Study of Changing, Rather Than Fixed, Magnitudes Fascinates Us.
- Change Implies An Increase Or A Decrease.
- Let's Start with The Ratio of Magnitudes That Are Capable of Changing . . .

Things Change And That Changes Everything in Turn!

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- The Ever-Changing Universe Fascinates Us.
- The Study of Changing, Rather Than Fixed, Magnitudes Fascinates Us.
- Change Implies An Increase Or A Decrease.
- Let's Start with The Ratio of Magnitudes That Are Capable of Changing . . .

Things Change And That Changes Everything in Turn!

Getting Started with Calculus

Augustus De Morgar Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- The Ever-Changing Universe Fascinates Us.
- The Study of Changing, Rather Than Fixed, Magnitudes Fascinates Us.
- Change Implies An Increase Or A Decrease.
- Let's Start with The Ratio of Magnitudes That Are Capable of Changing . . .

Ratio $r = \frac{A}{B}$ Both A and B Can Change ...

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summa

- Let's Play with Money! Let A Represent Your Dollars and B Mine.
- Let's Say You Have A = \$1 And I B = \$2.
- $B A = \$1, r = \frac{A}{B} = \frac{1}{2}.$
- Which Is Right?
 - I Have Much More Money Than You.
 - I Have Almost as Much Money as You.
- Let's Say We Both Got \$98 (Things Changed!). You Now Have \$99 and I \$100.
- $B-A=\$1, r=\frac{A}{B}=\frac{99}{100}$.
- Now Which Is Right?
 - I Have Much More Money Than You.
 - I Have Almost as Much Money as You

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summai

- Let's Play with Money! Let A Represent Your Dollars and B Mine.
- Let's Say You Have A = \$1 And I B = \$2.
 - $B A = \$1, r = \frac{A}{B} = \frac{1}{2}.$
- Which Is Right?
 - I Have Much More Money Than You.
 - I Have Almost as Much Money as You
- Let's Say We Both Got \$98 (Things Changed!). You Now Have \$99 and I \$100.
- $B-A=\$1, r=\frac{A}{B}=\frac{99}{100}$.
- Now Which Is Right?
 - I Have Much More Money Than You.
 - I Have Almost as Much Money as You

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- Let's Play with Money! Let A Represent Your Dollars and B Mine.
- Let's Say You Have A = \$1 And I B = \$2.
- $B A = \$1, r = \frac{A}{B} = \frac{1}{2}.$
- Which Is Right?
 - I Have Much More Money Than You.
 - I Have Almost as Much Money as You
- Let's Say We Both Got \$98 (Things Changed!). You Now Have \$99 and I \$100.
- $B A = \$1, r = \frac{A}{B} = \frac{99}{100}$
- Now Which Is Right?
 - I Have Much More Money Than You.
 - I Have Almost as Much Money as You

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- Let's Play with Money! Let A Represent Your Dollars and B Mine.
- Let's Say You Have A = \$1 And I B = \$2.
- $B A = \$1, r = \frac{A}{B} = \frac{1}{2}.$
- Which Is Right?
 - I Have Much More Money Than You.
 - I Have Almost as Much Money as You.
- Let's Say We Both Got \$98 (Things Changed!). You Now Have \$99 and I \$100.
- $B A = \$1, r = \frac{A}{B} = \frac{99}{100}$
- Now Which Is Right?
 - I Have Much More Money Than You.
 - I Have Almost as Much Money as You

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summai

- Let's Play with Money! Let A Represent Your Dollars and B Mine.
- Let's Say You Have A = \$1 And I B = \$2.
- $B A = \$1, r = \frac{A}{B} = \frac{1}{2}.$
- Which Is Right?
 - I Have Much More Money Than You.
 - I Have Almost as Much Money as You.
- Let's Say We Both Got \$98 (Things Changed!). You Now Have \$99 and I \$100.
- $B A = \$1, r = \frac{A}{B} = \frac{99}{100}.$
- Now Which Is Right?
 - I Have Much More Money Than You.
 - I Have Almost as Much Money as You

Augustus De Morgan Thomas McCormack, KM

Introductio:

Ratio and Proportion of Two Magnitudes

Summa

- Let's Play with Money! Let A Represent Your Dollars and B Mine.
- Let's Say You Have A = \$1 And I B = \$2.
- $B A = \$1, r = \frac{A}{B} = \frac{1}{2}.$
- Which Is Right?
 - I Have Much More Money Than You.
 - I Have Almost as Much Money as You.
- Let's Say We Both Got \$98 (Things Changed!). You Now Have \$99 and I \$100.
- $B A = \$1, r = \frac{A}{B} = \frac{99}{100}.$
- Now Which Is Right?
 - I Have Much More Money Than You.
 - I Have Almost as Much Money as You

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summa

- Let's Play with Money! Let A Represent Your Dollars and B Mine.
- Let's Say You Have A = \$1 And I B = \$2.
- $B A = \$1, r = \frac{A}{B} = \frac{1}{2}.$
- Which Is Right?
 - I Have Much More Money Than You.
 - I Have Almost as Much Money as You.
- Let's Say We Both Got \$98 (Things Changed!). You Now Have \$99 and I \$100.
- $B A = \$1, r = \frac{A}{B} = \frac{99}{100}.$
- Now Which Is Right?
 - I Have Much More Money Than You.
 - I Have Almost as Much Money as You.

Their Difference Or Ratio?

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- Although in Both The Cases . . .
- The Difference B A = \$1 Is The Same ...
- It's More Appropriate To Say
- You And I Have Almost The Same Money In the Second Case.
- It's More Appropriate To Say . . .
- You And I Have Almost The Same Money When Their Ratio is Closer to 1.
- Therefore,
- The Ratio, Not The Difference Indicates The Equality of Changing Quantities.
 - Do You Agree?

Their Difference Or Ratio?

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- Although in Both The Cases . . .
- The Difference B A = \$1 Is The Same ...
- It's More Appropriate To Say ...
- You And I Have *Almost* The Same Money In the Second Case.
- It's More Appropriate To Say . . .
- You And I Have Almost The Same Money When Their Ratio is Closer to 1.
- Therefore,
- The Ratio, Not The Difference Indicates The Equality of Changing Quantities.
- Do You Agree?

Their Difference Or Ratio?

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introductio:

Ratio and Proportion of Two Magnitudes

- Although in Both The Cases . . .
- The Difference B A = \$1 Is The Same ...
- It's More Appropriate To Say ...
- You And I Have *Almost* The Same Money In the Second Case.
- It's More Appropriate To Say . . .
- You And I Have *Almost* The Same Money When Their Ratio is Closer to 1.
 - Therefore,
- The Ratio, Not The Difference Indicates The Equality of Changing Quantities.
- Do You Agree?

Their Difference Or Ratio?

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introductio

Ratio and Proportion of Two Magnitudes

- Although in Both The Cases . . .
- The Difference B A = \$1 Is The Same ...
- It's More Appropriate To Say . . .
- You And I Have *Almost* The Same Money In the Second Case.
- It's More Appropriate To Say . . .
- You And I Have *Almost* The Same Money When Their Ratio is Closer to 1.
- Therefore,
- The Ratio, Not The Difference Indicates The Equality of Changing Quantities.
 - Do You Agree?

Their Difference Or Ratio?

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introductio

Ratio and Proportion of Two Magnitudes

- Although in Both The Cases . . .
- The Difference B A = \$1 Is The Same ...
- It's More Appropriate To Say . . .
- You And I Have *Almost* The Same Money In the Second Case.
- It's More Appropriate To Say . . .
- You And I Have *Almost* The Same Money When Their Ratio is Closer to 1.
- Therefore,
- The Ratio, Not The Difference Indicates The Equality of Changing Quantities.
- Do You Agree?

Hypothesis, Thinking and Experimentation, Generalization . . .

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

• Let's Recap!

- We Observe That
 - Two Quantities³, Both Capable of Changing, Approach Each Other . . .
 - When Their Ratio Approaches 1 Regardless of Their Initial Difference.
- Is Our Observation Reliable Or Illusory?
 - After All, We Only Tried One Case: Increasing A and B by 98.
- In Other Words, Does Our Observation Hold In General?

Hypothesis, Thinking and Experimentation, Generalization . . .

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- Let's Recap!
- We Observe That
 - Two Quantities³, Both Capable of Changing, Approach Each Other . . .
 - When Their Ratio Approaches 1 Regardless of Their Initial Difference.
- Is Our Observation Reliable Or Illusory?
 - After All, We Only Tried One Case: Increasing A and E by 98.
- In Other Words, Does Our Observation Hold In General?

Hypothesis, Thinking and Experimentation, Generalization . . .

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- Let's Recap!
- We Observe That
 - Two Quantities³, Both Capable of Changing, Approach Each Other . . .
 - When Their Ratio Approaches 1 Regardless of Their Initial Difference.
- Is Our Observation Reliable Or Illusory?
 - After All, We Only Tried One Case: Increasing A and B by 98.
- In Other Words, Does Our Observation Hold In General?

Hypothesis, Thinking and Experimentation, Generalization . . .

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- Let's Recap!
- We Observe That
 - Two Quantities³, Both Capable of Changing, Approach Each Other . . .
 - When Their Ratio Approaches 1 Regardless of Their Initial Difference.
- Is Our Observation Reliable Or Illusory?
 - After All, We Only Tried One Case: Increasing A and B by 98.
- In Other Words, Does Our Observation Hold *In General?*

Hypothesis, Thinking and Experimentation, Generalization . . .

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introductio

Ratio and Proportion of Two Magnitudes

- Let's Recap!
- We Observe That
 - Two Quantities³, Both Capable of Changing, Approach
 Each Other . . .
 - When Their Ratio Approaches 1 Regardless of Their Initial Difference.
- Is Our Observation Reliable Or Illusory?
 - After All, We Only Tried One Case: Increasing A and B by 98.
- In Other Words, Does Our Observation Hold In General?

³Or Numbers, Magnitudes, Lengths, ... □ → ← □ → ← □ → ← □ → □ → へ ○ ○

Hypothesis, Thinking and Experimentation, Generalization . . .

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summa

- Let's Recap!
- We Observe That
 - Two Quantities³, Both Capable of Changing, Approach
 Each Other ...
 - When Their Ratio Approaches 1 Regardless of Their Initial Difference.
- Is Our Observation Reliable Or Illusory?
 - After All, We Only Tried One Case: Increasing A and B by 98.
- In Other Words, Does Our Observation Hold *In General*?

Equality of Changing Quantities: Ratio or Difference? Everyday Language → Language of Math

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

Informally ...

- We Need to Be Precise
- But We Have Got to Start Somewhere and Proceed Logically.
- We Use Symbols Or Notation for This Purpose.

Equality of Changing Quantities: Ratio or Difference? Everyday Language → Language of Math

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

Informally ...

- We Need to Be Precise.
- But We Have Got to Start Somewhere and Proceed Logically.
- We Use Symbols Or Notation for This Purpose.

Equality of Changing Quantities: Ratio or Difference?

Everyday Language \rightarrow Language of Math

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introductio:

Ratio and Proportion of Two Magnitudes

Summar

Informally ...

- We Need to Be Precise.
- But We Have Got to Start Somewhere and Proceed Logically.
- We Use Symbols Or Notation for This Purpose.

Equality of Changing Quantities: Ratio or Difference?

Everyday Language \rightarrow Language of Math

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

Informally ...

- We Need to Be Precise.
- But We Have Got to Start Somewhere and Proceed Logically.
- We Use Symbols Or Notation for This Purpose.

Equality of Changing Quantities: Ratio or Difference? Everyday Language → Language of Math

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

Helpful Symbols?

- Let A, B Stand for Initial Values of The Magnitudes.
- Let A < B. In Other Words, A Stands for The Lesser of The Two Magnitudes.
- Let d Stand for The Difference between A, B.

$$B = A + d \tag{1}$$

• Let r Stand for The Ratio of A, B.

$$r = \frac{A}{B} : r = \frac{A}{A+d} \tag{2}$$

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

Helpful Symbols?

- Let A, B Stand for Initial Values of The Magnitudes.
- Let A < B. In Other Words, A Stands for The Lesser of The Two Magnitudes.
- Let d Stand for The Difference between A, B.

$$B = A + d \tag{1}$$

• Let r Stand for The Ratio of A, B.

$$r = \frac{A}{B} : r = \frac{A}{A+d} \tag{2}$$

Everyday Language \rightarrow Language of Math

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Helpful Symbols?

- Let A, B Stand for Initial Values of The Magnitudes.
- Let A < B. In Other Words, A Stands for The Lesser of The Two Magnitudes.
- Let d Stand for The Difference between A, B.

$$B = A + d \tag{1}$$

• Let r Stand for The Ratio of A, B.

$$r = \frac{A}{B} : r = \frac{A}{A+d} \tag{2}$$

Everyday Language \rightarrow Language of Math

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Helpful Symbols?

- Let A, B Stand for Initial Values of The Magnitudes.
- Let A < B. In Other Words, A Stands for The Lesser of The Two Magnitudes.
- Let d Stand for The Difference between A, B.

$$B = A + d \tag{1}$$

$$r = \frac{A}{B} : r = \frac{A}{A+d} \tag{2}$$

Everyday Language → Language of Math

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Helpful Symbols?

- Let A, B Stand for Initial Values of The Magnitudes.
- Let A < B. In Other Words, A Stands for The Lesser of The Two Magnitudes.
- Let d Stand for The Difference between A, B.

$$B = A + d \tag{1}$$

$$r = \frac{A}{B} : r = \frac{A}{A+d} \tag{2}$$

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

Helpful Symbols?

Everyday Language \rightarrow Language of Math

- Let A, B Stand for Initial Values of The Magnitudes.
- Let A < B. In Other Words, A Stands for The Lesser of The Two Magnitudes.
- Let d Stand for The Difference between A, B.

$$B = A + d \tag{1}$$

$$r = \frac{A}{B} : r = \frac{A}{A+d} \tag{2}$$

Everyday Language \rightarrow Language of Math

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Helpful Symbols?

- Let A, B Stand for Initial Values of The Magnitudes.
- Let A < B. In Other Words, A Stands for The Lesser of The Two Magnitudes.
- Let d Stand for The Difference between A, B.

$$B = A + d \tag{1}$$

$$r = \frac{A}{B} : r = \frac{A}{A+d} \tag{2}$$

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

Helpful Symbols?

- Let A, B Stand for Initial Values of The Magnitudes.
- Let A < B. In Other Words, A Stands for The Lesser of The Two Magnitudes.
- Let d Stand for The Difference between A, B.

$$B = A + d \tag{1}$$

$$r = \frac{A}{B} : r = \frac{A}{A+d} \tag{2}$$

Everyday Language \rightarrow Language of Math

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

- If The Magnitudes Increase Preserving Their Difference, d, Then
 - $A \to A + m, B \to B + m$ (Right?)
- Where, m Stands for The Increase in Their Amount.
- What Does r Now Become?

$$r \to \frac{A_{new}}{B_{new}} = \frac{A+m}{A+m+d} \tag{3}$$

- What Is The Question Now?
- Right, is $\frac{1}{A+m+d}$ Closer to 1 Than $\frac{1}{A+d}$?

 Given: m Is A Positive Number (Because? Right, We're Increasing Magnitudes)

Everyday Language \rightarrow Language of Math

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

- If The Magnitudes Increase Preserving Their Difference, d, Then
- $A \to A + m, B \to B + m$ (Right?)
- Where, m Stands for The Increase in Their Amount.
- What Does r Now Become?

$$r \to \frac{A_{new}}{B_{new}} = \frac{A+m}{A+m+d} \tag{3}$$

- What Is The Question Now?
- Right, Is $\frac{A+m}{A+m+d}$ Closer to 1 Than $\frac{A+d}{A+d}$?
 Given: m Is A Positive Number (Because? Right, We're Increasing Magnitudes).

Everyday Language \rightarrow Language of Math

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

- If The Magnitudes Increase Preserving Their Difference, d, Then
- $A \to A + m, B \to B + m$ (Right?)
- Where, m Stands for The Increase in Their Amount.
- What Does r Now Become?

$$r \to \frac{A_{new}}{B_{new}} = \frac{A+m}{A+m+d} \tag{3}$$

- What Is The Question Now?
- Right, Is $\frac{A+m}{A+m+d}$ Closer to 1 Than $\frac{A}{A+d}$?
 Given: m Is A Positive Number (Because? Right, We're Increasing Magnitudes).

Everyday Language \rightarrow Language of Math

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

- If The Magnitudes Increase Preserving Their Difference, d, Then
- $A \to A + m, B \to B + m$ (Right?)
- Where, m Stands for The Increase in Their Amount.
- What Does r Now Become?

$$r \to \frac{A_{new}}{B_{new}} = \frac{A+m}{A+m+d} \tag{3}$$

- What Is The Question Now?
- Right, Is $\frac{A+m}{A+m+d}$ Closer to 1 Than $\frac{A}{A+d}$?
 Given: m Is A Positive Number (Because? Right, We're Increasing Magnitudes).

Everyday Language \rightarrow Language of Math

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

- If The Magnitudes Increase Preserving Their Difference, d, Then
- $A \to A + m, B \to B + m$ (Right?)
- Where, m Stands for The Increase in Their Amount.
- What Does r Now Become?

$$r \to \frac{A_{new}}{B_{new}} = \frac{A+m}{A+m+d} \tag{3}$$

- What Is The Question Now?
- Right, is $\frac{A+m}{A+m+d}$ Closer to 1 Than $\frac{A+d}{A+d}$?
 Given: m Is A Positive Number (Because? Right, We're Increasing Magnitudes).

Getting Started with

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

- \bullet If The Magnitudes Increase Preserving Their Difference, d, Then
- $A \to A + m, B \to B + m$ (Right?)
- Where, m Stands for The Increase in Their Amount.
- What Does r Now Become?

$$r \to \frac{A_{new}}{B_{new}} = \frac{A+m}{A+m+d} \tag{3}$$

- What Is The Question Now?
- Right, Is $\frac{A+m}{A+m+d}$ Closer to 1 Than $\frac{A+d}{A+d}$? Given: m Is A Positive Number (Because? Right, We're Increasing Magnitudes).

Everyday $\overline{\text{Language}} \rightarrow \overline{\text{Language}}$ of Math

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introductio:

Ratio and Proportion of Two Magnitudes

Summary

Helpful Symbols? ...

- \bullet If The Magnitudes Increase Preserving Their Difference, d, Then
- $A \to A + m, B \to B + m$ (Right?)
- Where, m Stands for The Increase in Their Amount.
- What Does r Now Become?

$$r \to \frac{A_{new}}{B_{new}} = \frac{A+m}{A+m+d} \tag{3}$$

- What Is The Question Now?
- Right, Is $\frac{A+m}{A+m+d}$ Closer to 1 Than $\frac{A}{A+d}$?

Given: m Is A Positive Number (Because? Right, We're Increasing Magnitudes).

Everyday Language \rightarrow Language of Math

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

Helpful Symbols? ...

- If The Magnitudes Increase Preserving Their Difference, d, Then
- $A \to A + m, B \to B + m$ (Right?)
- Where, m Stands for The Increase in Their Amount.
- What Does r Now Become?

$$r \to \frac{A_{new}}{B_{new}} = \frac{A+m}{A+m+d} \tag{3}$$

- What Is The Question Now?
- Right, Is $\frac{A+m}{A+m+d}$ Closer to 1 Than $\frac{A}{A+d}$? Given: m Is A Positive Number (Because? Right, Webs)

Increasing Magnitudes).



Everyday Language \rightarrow Language of Math

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introductio:

Ratio and Proportion of Two Magnitudes

Summar

- If The Magnitudes Increase Preserving Their Difference, d, Then
- $A \to A + m, B \to B + m$ (Right?)
- Where, m Stands for The Increase in Their Amount.
- What Does r Now Become?

$$r \to \frac{A_{new}}{B_{new}} = \frac{A+m}{A+m+d} \tag{3}$$

- What Is The Question Now?
- Right, Is $\frac{A+m}{A+m+d}$ Closer to 1 Than $\frac{A}{A+d}$? Given: m Is A Positive Number (Because? Right, We're Increasing Magnitudes).

Speaking Math with Symbols . . .

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summai

Translating between The Two *Lingos*:

Informally

Two Different Magnitudes Approach Equality When Both Are Increased While Preserving The Difference.

Mathematically

Which Ratio Is Closer to 1? $r = \frac{A+m}{A+m+d} \text{ (Eq. [3]) Or}$ $r = \frac{A}{A+d} \text{ (Eq. [2])?}$ Given: A < B, m > 0

- Notice That The Translation Isn't Exact.
- "Mathematically Speaking," We Clearly Specified Our Assumptions (e.g., A < B).
- Without Clarifying Assumptions, The Translation Fails!
- Correct Translation Is An Art. Fortunately, Practice Makes Us Better!

Speaking Math with Symbols . . .

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summa

Translating between The Two *Lingos*:

Informally

Two Different Magnitudes Approach Equality When Both Are Increased While Preserving The Difference.

Mathematically

Which Ratio Is Closer to 1?

$$r = \frac{A+m}{A+m+d}$$
 (Eq. [3]) Or $r = \frac{A}{A+d}$ (Eq. [2])?
Given: $A < B, m > 0$

- Notice That The Translation Isn't Exact
- "Mathematically Speaking," We Clearly Specified Our Assumptions (e.g., A < B).
- Without Clarifying Assumptions, The Translation Fails!
- Correct Translation Is An Art. Fortunately, Practice Makes Us Better!

Speaking Math with Symbols . . .

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

Translating between The Two *Lingos*:

Informally

Two Different Magnitudes Approach Equality When Both Are Increased While Preserving The Difference.

Mathematically

Which Ratio Is Closer to 1?

$$r = \frac{A+m}{A+m+d} \text{ (Eq. [3]) Or}$$

$$r = \frac{A}{A+d} \text{ (Eq. [2])?}$$

Given: A < B, m > 0

- Notice That The Translation Isn't Exact.
- "Mathematically Speaking," We Clearly Specified Our Assumptions (e.g., A < B).
- Without Clarifying Assumptions, The Translation Fails!
- Correct Translation Is An Art. Fortunately, Practice Makes Us Better!

Speaking Math with Symbols ...

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summa:

Translating between The Two *Lingos*:

Informally

Two Different Magnitudes Approach Equality When Both Are Increased While Preserving The Difference.

Mathematically

Which Ratio Is Closer to 1? $r = \frac{A+m}{r}$ (Eq. [3]) Or

$$r = \frac{A+m}{A+m+d}$$
 (Eq. [3]) Or $r = \frac{A}{A+d}$ (Eq. [2])?
Given: $A < B, m > 0$

- Notice That The Translation Isn't Exact.
- "Mathematically Speaking," We Clearly Specified Our Assumptions (e.g., A < B).
- Without Clarifying Assumptions, The Translation Fails!
- Correct Translation Is An Art. Fortunately, Practice Makes Us Better!

Speaking Math with Symbols ...

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summa

Translating between The Two *Lingos*:

Informally

Two Different Magnitudes Approach Equality When Both Are Increased While Preserving The Difference.

Mathematically

Which Ratio Is Closer to 1? $r = \frac{A+m}{A+m+d}$ (Eq. [3]) Or $r = \frac{A}{A+d}$ (Eq. [2])?

$$r = \frac{A}{A+d}$$
 (Eq. [2])?
Given: $A < B, m > 0$

- Notice That The Translation Isn't Exact.
- "Mathematically Speaking," We Clearly Specified Our Assumptions (e.g., A < B).
- Without Clarifying Assumptions, The Translation Fails!
- Correct Translation Is An Art. Fortunately, Practice Makes Us Better!

Speaking Math with Symbols ...

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summa

Translating between The Two *Lingos*:

Informally

Two Different Magnitudes Approach Equality When Both Are Increased While Preserving The Difference.

Mathematically

Which Ratio Is Closer to 1?

$$r = \frac{A+m}{A+m+d} \text{ (Eq. [3]) Or}$$

$$r = \frac{A}{A+d} \text{ (Eq. [2])?}$$

$$Circle A \in \mathbb{R} \text{ and } 0$$

Given:
$$A < B, m > 0$$

- Notice That The Translation Isn't Exact.
- "Mathematically Speaking," We Clearly Specified Our Assumptions (e.g., A < B).
- Without Clarifying Assumptions, The Translation Fails!
- Correct Translation Is An Art. Fortunately, Practice Makes Us Better!

How Will You Tell?

Getting Started with Calculus

Augustus
De Morgan
Thomas
McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Will You Analyze This Question Then?

Mathematically

Which Ratio Is Closer to 1?

 $r = \frac{A+m}{A+m+d}$ (Eq. [3]) Or

 $r = \frac{A}{A+d}$ (Eq. [2])?

Given: A < B, m > 0

The Result of Your Analysis Will Be a Proof. I Trust You to Prove That $\frac{A+m}{A+m+d}$ is Closer to 1

How Will You Tell?

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

Will You Analyze This Question Then?

Mathematically

Which Ratio Is Closer to 1?

$$r = \frac{A+m}{A+m+d}$$
 (Eq. [3]) Or

$$r = \frac{A}{A+d}$$
 (Eq. [2])?

Given: A < B, m > 0

The Result of Your Analysis Will Be a Proof. I Trust You to Prove That $\frac{A+m}{A+m+d}$ is Closer to 1

How Will You Tell?

Getting Started with Calculus

Augustus De Morgan, Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

Will You Analyze This Question Then?

Mathematically

Which Ratio Is Closer to 1?

$$r = \frac{A+m}{A+m+d}$$
 (Eq. [3]) Or

$$r = \frac{A}{A+d}$$
 (Eq. [2])?

Given: A < B, m > 0

The Result of Your Analysis Will Be a Proof.

I Trust You to Prove That $\frac{A+m}{A+m+d}$ is Closer to 11

How Will You Tell?

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summar

Will You Analyze This Question Then?

Mathematically

Which Ratio Is Closer to 1?

$$r = \frac{A+m}{A+m+d}$$
 (Eq. [3]) Or

$$r = \frac{A}{A+d}$$
 (Eq. [2])?

Given:
$$A < B, m > 0$$

The Result of Your Analysis Will Be a Proof. I Trust You to Prove That $\frac{A+m}{A+m+d}$ is Closer to 1.

Mathematically Speaking And Proving

Getting Started with Calculus

Augustus De Morgar Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

- Proofs Are The Way of Mathematics to Settle Questions Once And for All.
- Once You Provide That Proof, The Truth Will Be Established (Under The Given Assumptions) Forever!

Mathematically Speaking And Proving

Getting Started with Calculus

Augustus De Morgar Thomas McCormack, KM

Introductio

Ratio and Proportion of Two Magnitudes

- Proofs Are The Way of Mathematics to Settle Questions Once And for All.
- Once You Provide That Proof, The Truth Will Be Established (Under The Given Assumptions) Forever

Mathematically Speaking And Proving

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introductio

Ratio and Proportion of Two Magnitudes

- Proofs Are The Way of Mathematics to Settle Questions Once And for All.
- Once You Provide That Proof, The Truth Will Be Established (Under The Given Assumptions) Forever!

About Ratio of Changing Magnitudes

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

- Commensurable Magnitudes (e.g. 2.5, 3.7) Can Be Expressed As Exact Ratios (e.g. $Exactly \frac{25}{37}$).
- Incommensurable Magnitudes (e.g. $\sqrt{3}$, 2) Can Only Be Approximated (e.g. Approximately $\frac{866}{1000}$, or $\frac{86602}{100000}$).
- Changing Magnitudes (Commensurable Or Incommensurable) $A, B \ (A < B)$ Approach Equality When Increased While Keeping Their Initial Difference

About Ratio of Changing Magnitudes

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

- Commensurable Magnitudes (e.g. 2.5, 3.7) Can Be Expressed As Exact Ratios (e.g. $Exactly \frac{25}{37}$).
- Incommensurable Magnitudes (e.g. $\sqrt{3}$, 2) Can Only Be Approximated (e.g. Approximately $\frac{866}{1000}$, or $\frac{86602}{100000}$).
- Changing Magnitudes (Commensurable Or Incommensurable) $A, B \ (A < B)$ Approach Equality When Increased While Keeping Their Initial Difference

About Ratio of Changing Magnitudes

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

- Commensurable Magnitudes (e.g. 2.5, 3.7) Can Be Expressed As Exact Ratios (e.g. Exactly $\frac{25}{37}$).
- Incommensurable Magnitudes (e.g. $\sqrt{3}$, 2) Can Only Be Approximated (e.g. Approximately $\frac{866}{1000}$, or $\frac{86602}{100000}$).
- Changing Magnitudes (Commensurable Or Incommensurable) $A, B \ (A < B)$ Approach Equality When Increased While Keeping Their Initial Difference

About Ratio of Changing Magnitudes

Getting Started with Calculus

Augustus De Morgan Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes

Summary

- Commensurable Magnitudes (e.g. 2.5, 3.7) Can Be Expressed As Exact Ratios (e.g. Exactly $\frac{25}{37}$).
- Incommensurable Magnitudes (e.g. $\sqrt{3}$, 2) Can Only Be Approximated (e.g. Approximately $\frac{866}{1000}$, or $\frac{86602}{100000}$).
- Changing Magnitudes (Commensurable Or Incommensurable) $A, B \ (A < B)$ Approach Equality When Increased While Keeping Their Initial Difference.

Frame Title Frame Subtitle

Getting Started with Calculus

Augustus De Morgan, Thomas McCormack, KM

Introduction

Ratio and Proportion of Two Magnitudes