

Feedback – Week 3 Quiz

[Help](#)

You submitted this quiz on **Sat 26 Jul 2014 12:43 PM PDT**. You got a score of **5.00 out of 5.00**.

Question 1

Take a look at the 'iris' dataset that comes with R. The data can be loaded with the code:

```
library(datasets)  
data(iris)
```

A description of the dataset can be found by running

```
?iris
```

There will be an object called 'iris' in your workspace. In this dataset, what is the mean of 'Sepal.Length' for the species *virginica*? (Please only enter the numeric result and nothing else.)

You entered:

6.588

Your Answer	Score	Explanation
-------------	-------	-------------

6.588	✓	1.00 To get the answer here, you can use 'tapply' to calculate the mean of 'Sepal.Length' within each species.
-------	---	----------------------------------------------------------------------------------------------------------------

Total	1.00 / 1.00
-------	----------------

Question 2

Continuing with the 'iris' dataset from the previous Question, what R code returns a vector of the means of the variables 'Sepal.Length', 'Sepal.Width', 'Petal.Length', and 'Petal.Width'?

Your Answer	Score	Explanation
<input type="radio"/> apply(iris[, 1:4], 1, mean)		
<input type="radio"/> apply(iris, 1, mean)		
<input type="radio"/> rowMeans(iris[, 1:4])		
<input checked="" type="radio"/> apply(iris[, 1:4], 2, mean)	✓ 1.00	
Total	1.00 / 1.00	

Question 3

Load the 'mtcars' dataset in R with the following code

```
library(datasets)  
data(mtcars)
```

There will be an object names 'mtcars' in your workspace. You can find some information about the dataset by running

```
?mtcars
```

How can one calculate the average miles per gallon (mpg) by number of cylinders in the car (cyl)?

Your Answer	Score	Explanation
<input checked="" type="radio"/> with(mtcars, tapply(mpg, cyl, mean))	✓ 1.00	
<input type="radio"/> lapply(mtcars, mean)		

`sapply(mtcars, cyl, mean)` `split(mtcars, mtcars$cyl)`

Total

1.00 / 1.00

Question 4

Continuing with the 'mtcars' dataset from the previous Question, what is the absolute difference between the average horsepower of 4-cylinder cars and the average horsepower of 8-cylinder cars?

You entered:

126.5779

Your Answer

126.5779

**Score**

1.00

Explanation

Total

1.00 / 1.00

Question 5

If you run

`debug(ls)`

what happens when you next call the 'ls' function?

Your Answer**Score****Explanation**

- Execution of 'ls' will suspend at the beginning of the function and you will be in the browser.  1.00
-
- You will be prompted to specify at which line of the function you would like to suspend execution and enter the browser.
-
- The 'ls' function will execute as usual.
-
- The 'ls' function will return an error.

Total 1.00 /
1.00