

```
addEmployee.jsp x AddEmployee.java viewEmp.jsp
1 <%@ page language="java" contentType="text/html; charset=UTF-8"
2   pageEncoding="UTF-8"%>
3 <!DOCTYPE html>
4 <html>
5 <head>
6 <meta charset="UTF-8">
7 <title>Employee Database Management</title>
8
9 <style>
10 body{
11     font-family: Arial, sans-serif;
12     background-color: #f4f6f9;
13     text-align: center;
14 }
15 a{
16     color: #007bff;
17 }
18 footer{
19     margin-top: 30px;
20     font-size: 14px;
21     color: black;
22 }
23 </style>
24 </head>
25 <body>
26 <form method="post" action="emp">
27 <h3>Add Employee Details</h3>
28 Name:<input type="text" name="nm"/><br><br>
29 E-mail:<input type="text" name="email"/><br><br>
30 Dept:<input type="text" name="dept"/><br><br>
31 <input type="submit" value="Add Employee"><br><br>
32 </form>
33
34 <a href="viewEmp.jsp">View Employee Details</a>
35 <footer>Designed by: MCA Student Zaid Shaikh</footer>
36 </body>
37 </html>
```

```
# addEmployee.jsp | AddEmployee.java X | viewEmp.jsp
1 package mca.fsd.assignments;
2
3 import jakarta.servlet.ServletException;
4 import jakarta.servlet.annotation.WebServlet;
5 import jakarta.servlet.http.HttpServlet;
6 import jakarta.servlet.http.HttpServletRequest;
7 import jakarta.servlet.http.HttpServletResponse;
8 import java.io.IOException;
9 import java.sql.*;
10
11
12 @WebServlet("/emp")
13 public class AddEmployee extends HttpServlet {
14     private static final long serialVersionUID = 1L;
15     protected void doPost(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException {
16         String name=request.getParameter("nm");
17         String email=request.getParameter("email");
18         String dept=request.getParameter("dept");
19         try {
20             Class.forName("com.mysql.cj.jdbc.Driver");
21             Connection conn=DriverManager.getConnection("jdbc:mysql://localhost:3306/Employee","root","1234");
22             String query="INSERT INTO Emp (name,email,department)values(?,?,?)";
23             PreparedStatement ps=conn.prepareStatement(query);
24             ps.setString(1,name);
25             ps.setString(2,email);
26             ps.setString(3,dept);
27             ps.executeUpdate();
28             conn.close();
29             response.sendRedirect("viewEmp.jsp");
30         }
31         catch(Exception e) {
32             response.setContentType("text/html");
33             response.getWriter().print(e);
34         }
35     }
36 }
37 }
38
```

Writable

Smart Insert

32 : 50 : 1201

MCA65 - MCA_Assignments_65/src/main/webapp/viewEmp.jsp - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

addEmployee.jsp AddEmployee.java viewEmp.jsp X

```
1 <%@ page language="java" contentType="text/html; charset=UTF-8"
2   pageEncoding="UTF-8"%>
3 <%@ page import="java.sql.*"%>
4 <!DOCTYPE html>
5 <html>
6 <head>
7   <meta charset="UTF-8">
8   <title>Employee Database Management System</title>
9
10 <style>
11   body{
12     font-family: Arial;
13     background-color: #f2f2f2;
14     text-align: center;
15   }
16
17   h1{
18     color: #333;
19   }
20
21   table{
22     margin: auto;
23     background-color: white;
24   }
25
26   table, th, td{
27     border: 1px solid black;
28     padding: 8px;
29   }
30
31   a{
32     color: blue;
33     font-weight: bold;
34   }
35 </style>
36
37 </head>
38 <body>
39   <h1>Employee Details are:</h1>
40
41   <table>
```

Writable Smart Insert 22:18:392

33°C Partly sunny Search 16:37 24-02-2026 ENG US

```
addEmployee.jsp  AddEmployee.java  viewEmp.jsp X
19 }
20
21 table{
22     margin: auto;
23     background-color: white;
24 }
25
26 table, th, td{
27     border: 1px solid black;
28     padding: 8px;
29 }
30
31 a{
32     color: blue;
33     font-weight: bold;
34 }
35 </style>
36
37 </head>
38 <body>
39     <h1>Employee Details are:</h1>
40
41     <table>
42     <tr>
43         <td><b>ID</b></td>
44         <td><b>Name</b></td>
45         <td><b>Email</b></td>
46         <td><b>Department</b></td>
47     </tr>
48
49 <%
50 try {
51     String sqquery="select * from Emp";
52     Class.forName("com.mysql.cj.jdbc.Driver");
53     Connection conn=DriverManager.getConnection("jdbc:mysql://localhost:3306/Employee","root","1234");
54     Statement st=conn.createStatement();
55     ResultSet res=st.executeQuery(sqquery);
56     while(res.next()){
57 %>
58
59
```


MCA65 - MCA_Assignments_65/src/main/webapp/viewEmp.jsp - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

```
addEmployee.jsp AddEmployee.java viewEmp.jsp X
39 <!--Employee details are-->
40
41 <table>
42 <tr>
43 <td><b>ID</b></td>
44 <td><b>Name</b></td>
45 <td><b>Email</b></td>
46 <td><b>Department</b></td>
47 </tr>
48
49 <%
50 try {
51 String query="select * from Emp";
52 Class.forName("com.mysql.cj.jdbc.Driver");
53 Connection conn=DriverManager.getConnection("jdbc:mysql://localhost:3306/Employee","root","1234");
54 Statement st=conn.createStatement();
55 ResultSet res=st.executeQuery(query);
56 while(res.next()){
57 %>
58
59 <tr>
60 <td><%=res.getInt("id") %></td>
61 <td><%=res.getString("name")%></td>
62 <td><%=res.getString("email")%></td>
63 <td><%=res.getString("department")%></td>
64 </tr>
65
66 <%
67 }
68 conn.close();
69 }catch(Exception e){
70 out.println(e);
71 }
72 %>
73
74 </table>
75 <br>
76 <a href="addEmployee.jsp">Add New Employee</a>
77
78 </body>
79 </html>
```

Writable Smart Insert 22:18:392

Hot weather Now

Search

ENG US 16:41 24-02-2026

Employee Details are:

ID	Name	Email	Department
1	allen	allen@gmail.com	MCA
2	mathew	mathew@gmail.com	BCA
3	Arfaat	Arfaat@gmail.com	MCA
4	zaid	zaid@gmail.com	MCA

[Add New Employee](#)

Add Employee Details

Name:

E-mail:

Dept:

[View Employee Details](#)

Designed by: MCA Student Zaid Shaikh

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

db

employee

Tables

emp

Columns

Indexes

Foreign Keys

Triggers

Views

Stored Procedures

Functions

namokar30

sakila

sys

world

zomato_db

Query 1

emp emp emp

Limit to 1000 rows

1 • SELECT * FROM employee.emp;

Result Grid

	id	name	email	department
1	allen	allen@gmail.com	MCA	
2	mathew	mathew@gmail.c...	BCA	
3	Arfaat	Arfaat@gmail.com	MCA	
4	zaid	zaid@gmail.com	MCA	

Form Editor

Field Types

Query State

Execution Plan

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

Information

Table: emp

Columns:

id int AI PK

name varchar(40)

email varchar(40)

department varchar(40)

emp 1 x

Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	15:21:23	use Employee	0 row(s) affected	0.000 sec
2	15:23:47	create table Emp(id INT auto_increment primary key, name varchar(40), email varchar(40), department varchar(40))	0 row(s) affected	0.031 sec
3	15:38:32	SELECT * FROM employee.emp LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
4	15:39:29	SELECT * FROM employee.emp LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
5	16:07:38	SELECT * FROM employee.emp LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
6	16:09:44	SELECT * FROM employee.emp LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

33°C Partly sunny

Search

ENG US

16:44 24-02-2026