

File Edit Source Navigate Search Project Run Window Help

LoginServletFilter.java index.jsp profile.jsp loginstud.jsp AuthFilter.java ShopCart.html × CartServlet.java viewCart.jsp

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <meta charset="UTF-8">
5 <title>Shopping Cart</title>
6 </head>
7 <body>
8 <form action="Cart" method="post">
9 <h2>Add Item in Cart</h2>
10 Item name:<input type="text" name="item"><br><br>
11 <input type="submit" value="Add to Cart"/>
12 </form>
13 <a href="viewCart.jsp">View Cart</a>
14 </body>
15 </html>
```

File Edit Source Refactor Navigate Search Project Run Window Help

LoginServletFilter.java index.jsp profile.jsp loginstud.jsp AuthFilter.java ShopCart.html *CartServlet.java x viewCart.jsp

```
2
3 import jakarta.servlet.ServletException;
4 import jakarta.servlet.annotation.WebServlet;
5 import jakarta.servlet.http.HttpServlet;
6 import jakarta.servlet.http.HttpServletRequest;
7 import jakarta.servlet.http.HttpServletResponse;
8 import jakarta.servlet.http.HttpSession;
9
10 import java.io.IOException;
11 import java.util.*;
12
13 @WebServlet("/Cart")
14 public class CartServlet extends HttpServlet {
15     private static final long serialVersionUID = 1L;
16     protected void doPost(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException {
17         String item=request.getParameter("item");
18         HttpSession hs=request.getSession();
19         List<String> cartList=(List<String>) hs.getAttribute("cart");
20         if (cartList==null) {
21             cartList=new ArrayList<String>();
22         }
23         cartList.add(item);
24         hs.setAttribute("cart",cartList);
25         response.sendRedirect("viewCart.jsp");
26     }
27
28 }
29
```

File Edit Source Refactor Navigate Search Project Run Window Help



LoginServletFilter.java index.jsp profile.jsp loginstud.jsp AuthFilter.java ShopCart.html *CartServlet.java viewCart.jsp X

```
1 <%@ page language="java" contentType="text/html; charset=UTF-8"
2   pageEncoding="UTF-8"%>
3 <%@ page import="java.util.*" %>
4 <!DOCTYPE html>
5 <html>
6 <head>
7   <meta charset="UTF-8">
8   <title>Insert title here</title>
9 </head>
10 <body>
11   <h2>Cart with items</h2>
12   <%
13     List<String> cartList=(List<String>)session.getAttribute("cart");
14     if(cartList!=null){
15       for(String item:cartList){
16         %>
17           <%=item%><br><br>
18         <%
19           }
20       }else{
21         %>
22           no item list
23         <%
24           }
25         %>
26       <a href="ShopCart.html">Add more cart</a>
27     }
28 </body>
```

html/body/#text

Writable

Smart Insert

22 : 25 : 450

Add Item in Cart

Item name:

[View Cart](#)

Cart with items

thsirt

thsirt

pant

kurta

[Add more cart](#)