Counter Application

-2

Increment Decrement Reset

EXPLORER   JS App.js M ✕   JS Counter.js U

∨ COUNTER-...   src > JS App.js > ⊘ default
  > node_modules   1
  > public   2   import React from "react";
  ∨ src   3   import Counter from "./Counter";
    # App.css   4
    JS App.js   M   5   function App() {
    JS App.test.js   6   return (
    JS Counter.js   U   7   <div>
    # index.css   8   <Counter />
    JS index.js   9   </div>
    🖼 logo.svg   10   );
    JS reportWebVitals.js   11   }
    JS setupTests.js   12
    ◆ .gitignore   13   export default App;
    {} package-lock.json
    {} package.json
    ⓘ README.md

```
Microsoft Windows [Version 10.0.26200.7623]
(c) Microsoft Corporation. All rights reserved.

C:\Users\KEERTHANA>npx create-react-app counter-app
Need to install the following packages:
create-react-app@5.1.0
Ok to proceed? (y) y

Creating a new React app in C:\Users\KEERTHANA\counter-app.

Installing packages. This might take a couple of minutes.
Installing react, react-dom, and react-scripts with cra-template...


added 1302 packages in 2m

267 packages are looking for funding
  run `npm fund` for details

Initialized a git repository.

Installing template dependencies using npm...

added 17 packages, removed 1 package, and changed 1 package in 5s

266 packages are looking for funding
  run `npm fund` for details
Removing template package using npm...


removed 1 package, and audited 1318 packages in 28s

266 packages are looking for funding
  run `npm fund` for details

21 vulnerabilities (15 moderate, 6 high)

To address issues that do not require attention, run:
  npm audit fix

To address all issues (including breaking changes), run:
  npm audit fix --force

Run `npm audit` for details.

Created git commit.

Success! Created counter-app at C:\Users\KEERTHANA\counter-app
Inside that directory, you can run several commands:

  npm start
    Starts the development server.

  npm run build
    Bundles the app into static files for production.

  npm test
    Starts the test runner.

  npm run eject
    Removes this tool and copies build dependencies, configuration files
    and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:
```

```
npm start

Happy hacking!

C:\Users\KEERTHANA>cd counter-app

C:\Users\KEERTHANA\counter-app>npm start

> counter-app@0.1.0 start
> react-scripts start

(node:18800) [DEP_WEBPACK_DEV_SERVER_ON_AFTER_SETUP_MIDDLEWARE] DeprecationWarning: 'onAfterSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.
(Use `node --trace-deprecation ...` to show where the warning was created)
(node:18800) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE] DeprecationWarning: 'onBeforeSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.
Starting the development server...
Compiled successfully!

You can now view counter-app in the browser.

  Local:            http://localhost:3000
  On Your Network:  http://10.3.6.47:3000

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully
Compiling...
Failed to compile.

SyntaxError: C:\Users\KEERTHANA\counter-app\src\App.js: `import` can only be used in `import()` or `import.meta`. (4:0)
  2 | -----------
  3 |
> 4 | import React from "react";
  |   ^
  5 | import Counter from "./Counter";
  6 |
  7 | function App() {
    at parser.next (<anonymous>)
    at normalizeFile.next (<anonymous>)
    at run.next (<anonymous>)
    at transform.next (<anonymous>)
ERROR in ./src/App.js
Module build failed (from ./node_modules/babel-loader/lib/index.js):
SyntaxError: C:\Users\KEERTHANA\counter-app\src\App.js: `import` can only be used in `import()` or `import.meta`. (4:0)

  2 | -----------
  3 |
> 4 | import React from "react";
  |   ^
  5 | import Counter from "./Counter";
  6 |
```

```
webpack compiled with 1 error
Compiling...
Compiled successfully!

You can now view counter-app in the browser.

  Local:            http://localhost:3000
  On Your Network:  http://10.3.6.47:3000

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully
Compiling...
Compiled successfully!

You can now view counter-app in the browser.

  Local:            http://localhost:3000
  On Your Network:  http://10.3.6.47:3000

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully
```

Counter Application

10

🎉 Congratulations! You reached 10

Increment   Decrement

Reset

Counter Application

0

Increment Decrement

Reset