

## ASSIGNMENT 3

### A simple RESTFUL API using React.js, DataBase Creation, and Creating Index

**Name:** Chukka Keerthana


**Email id:** [chukkakeerthana1@gmail.com](mailto:chukkakeerthana1@gmail.com)

**Phone No:** 9390208023

**Roll No:** 20NN1A0570

**College Name:** Vignan's Nirula Institute Of Technology and Science For women

### RestFul API code



The screenshot shows the VS Code editor with the following components:


- EXPLORER:** The file tree on the left shows the project structure. The file `route.js` is selected under the `api` directory.
- EDITOR:** The main editor area displays the content of `route.js`. The code is as follows:

```
1 import { NextResponse } from "next/server";
2
3 export async function POST(request)
4 {
5   const data=await request.json()
6   console.log(data)
7   return NextResponse.json({
8     data: "Hello....Have a great life ahead."
9   })
10 }
11 }
```
- TERMINAL:** The terminal at the bottom shows the output of the application. It indicates that the code was compiled successfully and the API endpoint is running. The output is as follows:

```
✓ Compiled / in 3.6s (466 modules)
✓ Compiled in 679ms (227 modules)
✓ Compiled /favicon.ico in 472ms (267 modules)
○ Compiling /api ...
✓ Compiled /api in 731ms (285 modules)
{ username: 'anu', password: '123' }
```

# Rest Output on ThunderClient

This is the output when we create an API using REST.




## DataBase Creation

1<sup>st</sup> we created a database named test


In that test we created a collection named Students

And finally by using ADD DATA , we added data of the students like rno, name, age.



# Indexing Creation

As rno is the unique attribute through which we identify a student uniquely. So, here I created an index based on Rno. And assigned unique key to it.



# Indexing usage

As we gave Rno as unique, If we try to insert a duplicate document that is existed it shows an error like..duplicate collection.

