

Codsoft

Task2:Job board

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Job Board</title>
  <link href="https://fonts.googleapis.com/css2?family=Roboto:wght@400;700&display=swap"
rel="stylesheet">
  <style>
    * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
      font-family: 'Roboto', sans-serif;
    }body {
      background: #f4f4f4;
      color: #333;
    }
  </style>
</head>
```

```
.hero {
  background: #5a1cb0;
  color: white;
  padding: 60px 20px;
  text-align: center;
}
```

```
.hero h1 {
  font-size: 36px;
  margin-bottom: 10px;
}
```

```
.hero p {
  font-size: 18px;
  margin-bottom: 20px;
}
```

```
.btn {
  padding: 10px 20px;
  background-color: #28a745;
  color: white;
  border: none;
  border-radius: 5px;
  cursor: pointer;
  font-size: 16px;
}
```

```
nav {
  background: white;
  display: flex;
  justify-content: space-between;
  align-items: center;
  padding: 10px 20px;
  box-shadow: 0 2px 4px rgba(0, 0, 0, 0.1);
}
```

```
nav a {
```

```

margin: 0 10px;
color: #333;
text-decoration: none;
font-weight: 500;
}

```

```

.search-box {
margin: 40px 20px;
display: flex;
justify-content: center;
gap: 10px;
}

```

```

.search-box input, .search-box select {
padding: 10px;
border: 1px solid #ccc;
border-radius: 5px;
width: 200px;
}

```

```

.search-box button {
background-color: #28a745;
color: white;
padding: 10px 20px;
border: none;
border-radius: 5px;
cursor: pointer;
}
</style>

```

```

</head><body>
<nav>
<div><strong>Job Board</strong></div>
<div>
<a href="#">Home</a>
<a href="#">Browse Job</a>
<a href="#">Pages</a>
<a href="#">Blog</a>
<a href="#">Contact</a>
</div>
<div>
<a href="#">Log In</a>
<button class="btn">Post A Job</button>
</div>
</nav><div class="hero">
<p>6375+ Jobs listed</p>
<h1>Find your Dream Job</h1>
<p>We provide online instant cash loans with quick approval that suit your term length</p>
<button class="btn">Upload Your Resume</button>
</div>

```

```

<div class="search-box">
<input type="text" placeholder="Search keyword">
<input type="text" placeholder="Location">
<select>
<option>Category</option>
<option>IT</option>
<option>Finance</option>
<option>Healthcare</option>
</select>
<button>Find Job</button>

```

```
</div>
```

```
</body></html>
```

Task2:online quiz maker

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Quiz</title>
  <style>
    body {
      margin: 0;
      font-family: 'Segoe UI', sans-serif;
      background: linear-gradient(to bottom right, #e0f7fa, #b2ebf2);
      display: flex;
      align-items: center;
      justify-content: center;
      height: 100vh;
    }

    .quiz-container {
      background-color: white;
      border-radius: 15px;
      box-shadow: 0 8px 20px rgba(0, 0, 0, 0.1);
      padding: 30px;
      width: 90%;
      max-width: 500px;
    }
  </style>
```

```
    .question {
      font-size: 18px;
      font-weight: 600;
      margin-bottom: 20px;
    }
```

```
    .option {
      background-color: #f0f8ff;
      padding: 15px 20px;
      border: 2px solid transparent;
      border-radius: 10px;
      margin-bottom: 15px;
      cursor: pointer;
      transition: all 0.3s;
    }
```

```
    .option:hover {
      border-color: #4dd0e1;
      background-color: #e0f7fa;
    }
```

```
    .option.selected {
      background-color: #4dd0e1;
      color: white;
    }
  </style>
</head>
<body>
  <div class="quiz-container">
    <div class="question">
```

```
    How often do you take breaks for physical activity in a week?
  </div>
  <div class="option" onclick="selectOption(this)">A. Daily</div>
  <div class="option" onclick="selectOption(this)">B. 2-3 times</div>
  <div class="option" onclick="selectOption(this)">C. Rarely</div>
  <div class="option" onclick="selectOption(this)">D. Never</div>
</div>
```

```
<script>
  function selectOption(selected) {
    const options = document.querySelectorAll('.option');
    options.forEach(opt => opt.classList.remove('selected'));
    selected.classList.add('selected');
  }
</script>
</body>
</html>
```