6. Project Development Phase:

What you'll learn

1. Hands-on, real-time Salesforce project implementation
2. Designing custom objects and the relationships between them
3. Creating page layouts and record types
4. Writing validation rules
5. Building automation with flows
6. Developing reports and dashboards
7. Configuring security through profiles, permission sets, and sharing
8. End-to-end application testing

Milestone 1: Salesforce Account

Introduction:

New to Salesforce and not sure where to begin? Wondering how real business applications, such as loan processing and payment tracking, are built on the platform? You are in the right place. Welcome to the Loan Management System project!

Salesforce provides powerful tools that automate processes, improve accuracy, and simplify customer operations. In this project you will see how Salesforce can streamline lending workflows, from borrower onboarding to loan approval, EMI tracking, and document verification.


What Is Salesforce ?

Salesforce is a customer success platform that helps you sell, serve, market, analyze, and stay connected with your customers. It offers everything needed to run a business from anywhere. With its standard products and features, you can manage relationships with prospects and customers, collaborate with employees and partners, and keep your data secure in the cloud.

Activity 1: Creating Developer Account

Create a developer org in Salesforce.

1. Open https://developer.salesforce.com/signup.
2. On the sign-up form, fill in the following details:
3. First name and last name
4. Email address




1. First name and last name
2. Email address
3. Job Title: Developer
4. Company: College Name
5. Country: India

Click **Sign me up** once the form is complete.


Activity 2: Account Activation

1. Open the verification email (it can take 10– 30 minutes, sometimes up to 2 hours).



2. Click **Verify Account**.
3. Set a password, answer a security question, and click **Change Password**.

4. You will land on your Salesforce Setup page.



Milestone 2- Object:

What is an object?

Salesforce objects are database tables used to store data specific to an organization. Each object is made up of fields (columns) and records (rows).

Custom Objects Created:

1. **Customer__c** – holds customers' personal and contact details
2. **Shipment__c** – manages parcel details, source, destination, and tracking information
3. **Delivery_Agent__c** – keeps delivery agent profiles and branch details
4. **Branch__c** – represents the courier branch offices
5. **Delivery_Update__c** – stores the status updates recorded for each shipment
6. **Invoice__c** – handles billing details for delivered shipments


Relationships:

Customer →Shipment (Lookup)
Shipment →Delivery_Agent (Lookup)
Delivery_Agent →Branch (Lookup)
Delivery_Update →Shipment (Master-Detail)
Invoice →Shipment (Lookup)


Steps to Implement :

Activity 1: Create Customer Object

1. Go to Setup → Object Manager → Create → Custom Object.




2. Provide the following details:
   - Label: Customer
   - Plural Label: Customers
   - Record Name: Customer Name (Text)
3. Under Optional Features:




- Enable **Allow Reports**
- Enable **Track Field History**
- Under Search Status, select **Allow Search**
- Under Object Creation Options, select **Add Notes and Attachments related list to default page layout**

4. Click **Save**.




Activity 2: Create Shipment Object

Setup → Object Manager → Create → Custom Object. Label: Shipment; Plural Label: Shipments; Record Name: Tracking Number (Auto Number), display format SHP-{00000}, starting number 0. Enable **Allow Reports** and **Track Field History**, then **Save**.




Activity 3: Create Delivery_Agent Object




Same steps. Label: Delivery Agent; Plural Label: Delivery Agents; Record Name: Agent Name (Text). Enable **Allow Reports** and **Track Field History**, then **Save**.

Activity 4: Create Branch Object




Same steps. Label: Branch; Plural Label: Branches; Record Name: Branch Name (Text). Enable **Allow Reports**, then **Save**.

Activity 5: Create Delivery_Update Object



Same steps. Label: Delivery Update; Plural Label: Delivery Updates; Record Name: Update Number (Auto Number), format UPD-{0000}, starting number 0. Enable **Allow Reports** and **Track Field History**, then **Save**.

Activity 6: Create Invoice Object



Same steps. Label: Invoice; Plural Label: Invoices; Record Name: Invoice Number (Auto Number), format INV-{0000}, starting number 0. Enable **Allow Reports** and **Track Field History**, then **Save**.


Milestone 3 - Tabs

Tab:


Tabs in Salesforce let users see information at a glance. They display the data of objects as well as other web content within the application.

Activity 1: Creating a Tab for Customer Object

1. Click **Home**, type Tabs in Quick Find, and select **Tabs**.
2. Under Custom Object Tabs, click **New**.



3. For Object, choose **Customer**.
4. For Tab Style, pick any icon.



5. Leave all other settings at their defaults.
6. Click **Next**, **Next**, and **Save**.

Activity 2: Creating a Tab for Shipment Object

Repeat the Activity 1 steps, choosing **Shipment** as the Object.

Activity 3: Creating a Tab for Delivery Agent Object

Repeat the Activity 1 steps, choosing **Delivery Agent** as the Object.

Activity 4: Creating a Tab for Branch Object


Repeat the Activity 1 steps, choosing **Branch** as the Object.

Activity 5: Creating a Tab for Delivery Update Object

Repeat the Activity 1 steps, choosing **Delivery Update** as the Object.

Activity 6: Creating a Tab for Invoice Object

Repeat the Activity 1 steps, choosing **Invoice** as the Object.



Milestone 4: Fields & Relationships

What are fields ?

Fields in Salesforce correspond to the columns of a relational database table. They hold the data values an object needs to store within each record.


Activity 1: Creation of fields for the Customer Object

Field Name	API Name	Data Type	Required	Description
Customer Name	Name	Text	Yes	Full name of the customer
Email	Email__c	Email	Yes	Customer's email address
Phone	Phone__c	Phone	Yes	Customer's contact number
Address	Address__c	Text Area	Yes	Customer's postal address
Customer Type	Customer_Type__c	Picklist	Yes	Regular or Business
City	City__c	Text	No	City where the customer lives
State	State__c	Text	No	State where the customer lives
Pincode	Pincode__c	Text	No	Postal code
Is Active	Is_Active__c	Checkbox	No	Shows whether the customer is active

1. Email (Email Field)

- Go to Setup → Object Manager → Customer__c

- Click Fields & Relationships → New
- Select Email → Next
- Field Label: Email



- Tick the **Required** checkbox
- Click Next → Next → Save

2. Phone (Phone Field)

- Go to Setup → Object Manager → Customer__c
- Click Fields & Relationships → New
- Select Phone → Next
- Field Label: Phone
- Tick **Required**
- Click Next → Next → Save

3. Address (Text Area)

- Go to Setup → Object Manager → Customer__c
- Click Fields & Relationships → New
- Select Text Area → Next
- Field Label: Address
- Tick **Required**
- Click Save

4. Customer Type (Picklist)

- Go to Setup → Customer__c → Fields → New
- Select Picklist → Next
- Field Label: Customer Type
- Enter the values:
  - Regular

    - Business
- Tick **Required**
- Click Save

5. City (Text)

- Go to Setup → Customer__c → Fields → New
- Select Text → Next
- Field Label: City
- Click Save

6. State (Text)

- Go to Setup → Customer__c → Fields → New
- Select Text → Next
- Field Label: State
- Click Save

7. Pincode (Text)

- Go to Setup → Customer__c → Fields → New
- Select Text → Next
- Field Label: Pincode
- Click Save

8. Is Active (Checkbox)

- Go to Setup → Customer__c → Fields → New
- Select Checkbox → Next
- Field Label: Is Active
- Click Save

Activity 2: Creation of fields for the Shipment Object

Field Name	API Name	Data Type	Required	Description
Tracking Number	Name	Auto Number	Yes	Unique identifier
Customer	Customer__c	Lookup(Customer)	Yes	Linked customer
Source Address	Source_Address__c	Text Area	Yes	Pickup location
Destination Address	Destination_Address__c	Text Area	Yes	Delivery location
Weight	Weight__c	Number	Yes	Weight of the parcel
Price	Price__c	Currency	Yes	Shipping charge
Status	Status__c	Picklist	Yes	Current shipment status

Expected Date	Expected_Date__c	Date	Yes	Estimated delivery date
Assigned Agent	Assigned_Agent__c	Lookup(Delivery_Agent)	No	Delivery agent handling the shipment
Shipment Type	Shipment_Type__c	Picklist	Yes	Domestic or International

For each field: Setup → Shipment__c → Fields → New → select the data type → enter the label → mark **Required** → **Save**.

- Source Address, Destination Address: Text Area
- Weight: Number; Price: Currency; Expected Date: Date
- Status (Picklist): Booked, In Transit, Out for Delivery, Delivered, Cancelled
- Shipment Type (Picklist): Domestic, International

Activity 3: Creation of fields for Delivery_Agent Object

Field Name	API Name	Data Type	Required
Agent Name	Name	Text	Yes
Email	Email__c	Email	Yes
Phone	Phone__c	Phone	Yes
Branch	Branch__c	Lookup	Yes
Status	Status__c	Picklist	Yes
Joining Date	Joining_Date__c	Date	No

For each field: Setup → Delivery_Agent__c → Fields → New → select the data type → enter the label → mark **Required** (all except Joining Date) → **Save**. Status picklist values: Active, Inactive, On Leave.

Activity 4: Creation of fields for Branch Object

Field Name	API Name	Data Type	Required
Branch Name	Name	Text	Yes
Branch Code	Branch_Code__c	Text	Yes
City	City__c	Text	Yes
State	State__c	Text	Yes
Manager Name	Manager_Name__c	Text	No

For each field: Setup → Branch__c → Fields → New → matching data type → label → **Save**.

Activity 5: Creation of fields for Delivery_Update Object

Field Name	API Name	Data Type	Required
Update Number	Name	Auto Number	Yes
Shipment	Shipment__c	Master-Detail	Yes
Status	Status__c	Picklist	Yes
Update Date	Update_Date__c	DateTime	Yes
Remarks	Remarks__c	Text	No

Status picklist values: In Transit, Out for Delivery, Delivered, Delayed. Mark it **Required** → **Save**.

Activity 6: Creation of fields for Invoice Object

Field Name	API Name	Data Type	Required
Invoice Number	Name	Auto Number	Yes
Shipment	Shipment__c	Lookup	Yes
Amount	Amount__c	Currency	Yes
Invoice Date	Invoice_Date__c	Date	Yes
Payment Status	Payment_Status__c	Picklist	Yes

Payment Status values: Paid, Unpaid, Pending. Mark it **Required** → **Save**.

Relationships :

Child Object	Field	Parent Object	Type
Shipment	Customer__c	Customer	Lookup
Shipment	Assigned_Agent__c	Delivery_Agent	Lookup
Delivery_Agent	Branch__c	Branch	Lookup
Delivery_Update	Shipment__c	Shipment	Master-Detail
Invoice	Shipment__c	Shipment	Lookup


Relationship Creation Steps :

For each relationship: Setup → child object → Fields → New → choose the relationship type → select the Related Object → enter the Field Label → **Save**.

- Shipment → Customer: Lookup, Related Object Customer__c, label "Customer"
- Shipment → Delivery Agent: Lookup, Related Object Delivery_Agent__c, label "Assigned Agent"
- Delivery Agent → Branch: Lookup, Related Object Branch__c, label "Branch"
- Delivery Update → Shipment: Master-Detail, Related Object Shipment__c
- Invoice → Shipment: Lookup, Related Object Shipment__c

Milestone 5-Validation Rules :

Validation rules run when a user tries to save a record and check whether the data meets the defined criteria. If the criteria are not satisfied, the rule displays an error message and blocks the save until the problem is corrected.



Activity 1: Create Validation Rules on Customer__c

1. Validation Rule: Email Must Not Be Blank

- Click the gear icon → Setup
- Open Object Manager
- Search for and select Customer__c
- Click Validation Rules in the left menu
- Click New
- Rule Name: Email_Required
- Tick **Active**
- Enter the following in the Error Condition Formula:

```
ISBLANK(Email__c)
```

- Click **Check Syntax**
- Error Message: Email is required.
- Error Location: Field → Email
- Click **Save**

2. Validation Rule: Phone Must Be 10 Digits

- Go to Setup → Object Manager → Customer__c
- Click Validation Rules → New
- Rule Name: Validate_Phone_Number
- Tick **Active**
- Enter the following in the Error Condition Formula:

```
LEN(Phone__c) <> 10
```

- Click **Check Syntax**
- Error Message: Phone number must be 10 digits.
- Error Location: Field → Phone
- Click **Save**


3. Validation Rule: Pincode Must Be 6 Digits

- Go to Setup → Object Manager → Customer__c
- Click Validation Rules → New
- Rule Name: Validate_Pincode
- Tick **Active**
- Enter the following in the Error Condition Formula:

```
LEN(Pincode__c) <> 6
```

- Click **Check Syntax**
- Error Message: Pincode must be 6 digits.
- Error Location: Field → Pincode
- Click **Save**

Activity 2: Create Validation Rules on Shipment__c



For each rule: Setup → Object Manager → Shipment__c → Validation Rules → New → enter the Rule Name → tick **Active** → enter the formula → **Check Syntax** → set Error Message and Error Location → **Save**.

Rule Name	Error Condition Formula	Error Message	Location
Validate_Weight	Weight__c <= 0	Weight must be greater than zero.	Weight
Validate_Price	Price__c <= 0	Price must be greater than	Price

		zero.	
Validate_Expected_Date	Expected_Date__c < TODAY()	Expected delivery date cannot be in the past.	Expected Date

Activity 3: Create Validation Rules on Delivery_Agent__c

Same steps on Delivery_Agent__c (rule: email must be valid).

Rule Name	Error Condition Formula	Error Message	Location
Validate_Agent_Email	NOT(CONTAINS(Email__c, "@"))	Enter a valid email address.	Email

Activity 4: Create Validation Rules on Branch__c

Same steps on Branch__c (rule: Branch Code must not be blank).

Rule Name	Error Condition Formula	Error Message	Location
Branch_Code_Required	ISBLANK(Branch_Code__c)	Branch Code is mandatory.	Branch Code

Activity 5: Create Validation Rules on Delivery_Update__c

Same steps on Delivery_Update__c (rule: remarks required if status is Delayed).


Rule Name	Error Message	Location
Remarks_Required_For_Delay	Remarks are required when status is Delayed.	Remarks

Error Condition Formula:

```
AND(
 ISPICKVAL(Status__c, "Delayed"),
 ISBLANK(Remarks__c)
)
```

Milestone 6 - Page Layouts :

Page layouts in Salesforce control what users see on a record page and how the information is organized. They arrange fields, sections, buttons, related lists, and other components in a clean, user-friendly way. By customizing page layouts, we make sure users can easily enter, update, and view the data they need.



Activity 1: Edit Page Layout for Customer__c

Steps:

- Go to Setup → Object Manager → Customer__c
- Click Page Layouts
- Open the default layout (usually Customer Layout)

Sections to Add & Arrange:

- With the default layout open, click **Section** in the top palette
- Drag the Section and drop it anywhere on the layout

A pop-up appears. Fill in the details:

- Section Name: "Customer Information"
- Layout: 1-Column or 2-Column (2-Column recommended)
- Tab-Key Order: Top-Down
- Click **OK**

The new section appears on the layout. Drop fields into the section (it highlights when ready) and repeat for every field.

Section 1: Customer Information

- Customer Name
- Customer Type
- Email
- Phone
- Is Active

Section 2: Address Details

- Address
- City

- State
- Pincode

Adjust the layout as needed, then click **Save**.

Activity 2: Edit Page Layout for Shipment__c

Setup → Object Manager → Shipment__c → Page Layouts → open the default Shipment Layout. Arrange the fields, then click **Save**.

- **Section 1: Shipment Details:** Tracking Number, Customer, Shipment Type, Weight, Price, Status
- **Section 2: Address Information:** Source Address, Destination Address
- **Section 3: Delivery Information:** Expected Date, Assigned Agent

Activity 3: Edit Page Layout for Delivery_Agent__c

Setup → Object Manager → Delivery_Agent__c → Page Layouts → open the default Delivery Agent Layout. Arrange the fields, then click **Save**.

- **Agent Details:** Agent Name, Email, Phone, Branch, Status, Joining Date
- **Additional Information:** Related Shipments, Related Delivery Updates

Activity 4: Edit Page Layout for Branch__c

Setup → Object Manager → Branch__c → Page Layouts → open the default Branch Layout. Arrange the fields, then click **Save**.

- **Branch Information:** Branch Name, Branch Code, City, State, Manager Name

Activity 5: Edit Page Layout for Delivery_Update__c

Setup → Object Manager → Delivery_Update__c → Page Layouts → open the default Delivery Update Layout. Arrange the fields, then click **Save**.

- **Update Information:** Update Number, Shipment, Status, Update Date, Remarks


Activity 6: Edit Page Layout for Invoice__c

Setup → Object Manager → Invoice__c → Page Layouts → open the default Invoice Layout. Arrange the fields, then click **Save**.

- **Invoice Details:** Invoice Number, Shipment, Amount, Invoice Date, Payment Status

Milestone 7 - Flows

A flow in Salesforce is a powerful tool for automating business processes, collecting and updating data, and guiding users through a series of screens or steps. Flows are built in a visual interface and can be created without any coding knowledge.



Activity 1: Auto-Update Shipment Status When Delivery Update is Created

Scenario:

Whenever a Delivery_Update__c record is created, the Status of the related Shipment__c record is automatically updated with the latest status from the Delivery Update.


Part 1: Create the Record-Triggered Flow

Step 1: Open Flow Builder

- Click the gear icon → Setup
- Type Flows in the Quick Find box (left side)
- Click **Flows**
- Click the **New Flow** button



- Select **Record-Triggered Flow**
- Click **Create**



Step 2: Configure the Start (Trigger)

In the Start panel on the right:

- Object: select Delivery_Update__c
- Trigger the flow when: select **A record is created**
- Condition Requirements: choose **None (Always Run the Flow)**
- Optimize the Flow For: select **Actions and Related Records**
- Click **Done**

Part 2: Update Related Shipment Record

Step 3: Add the "Update Records" Element

- Click the + icon beneath the Start element
- Select **Update Records**

Configure the Update Records element:

- Label: Update_Shipment_Status
- How to Find Records to Update: select **Specify conditions to identify records**

Set the filter conditions:

- Object: Shipment__c
- Field: Id
- Operator: Equals
- Value: {!$Record.Shipment__c}

(This updates the Shipment that is linked to the Delivery Update.)

Set the field values to update by adding this field mapping:

Shipment Field	**Value Source**
Status__c	{!$Record.Status__c}

(This copies the status from the Delivery Update to the Shipment.)

- Click **Done**

Part 3: Save and Activate


Step 4: Save the Flow

- Click **Save** (top right)
- Flow Label: Auto_Update_Shipment_Status
- The API Name fills in automatically
- Click **Save**

Step 5: Activate the Flow

- Click **Activate**
- The flow status should read **Active**


Final Flow Layout:



Milestone 8 - The Lightning App :

What is an App ?


Apps in Salesforce are collections of tabs that work together as a single unit. An app has a name, a logo, and a specific set of tabs. The simplest app usually has just two tabs.



Activity 1: Create a Lightning App

Create the Courier Management System App


1. From Setup, type App Manager in Quick Find and select **App Manager**.
2. Click **New Lightning App** and enter Courier Management System as the App Name.
3. Upload an image or icon for the app, then click **Next**.



4. Under App Options, keep the default selections and click **Next**.
5. Under Utility Items, leave everything as it is and click **Next**.
6. From Available Items, choose the following and move them to Selected Items:
   - Customer
   - Shipment
   - Delivery Agent

- Branch
- Delivery Update
- Invoice
- Reports
- Dashboards

7. Click **Next**.
8. From Available Profiles, select System Administrator and move it to Selected Profiles.
9. Click **Save & Finish**.



Milestone 9- Profile:


What is a profile?

A profile is a collection of settings and permissions that defines what a user can do in Salesforce. A profile controls object permissions, field permissions, user permissions, tab settings, app settings, Apex class access, Visualforce page access, page layouts, record types, login hours, and login IP ranges. A profile can be assigned to many users, but each user can have only one profile at a time.


Activity 1: Create a Custom Profile – Courier Admin

Create a Custom Profile:

1. From Setup, type Profiles in the Quick Find box.
2. Click **Profiles**.
3. Click **New Profile**.



4. Set Existing Profile to System Administrator.
5. Enter the Profile Name: Courier Admin.
6. Click **Save**.



Why use System Administrator as Base?

It already includes:

- Modify All Data
- Customize Application
- Full CRUD access on all objects

By cloning it, the **Courier Admin** profile automatically inherits full access. Permissions can be restricted later if required.


Activity 2: Create a Custom Profile – Branch Manager

Setup → Profiles → **New Profile**. Existing Profile: Standard Platform User; Profile Name: Branch Manager; **Save**, then click **Edit**.

- **App & tabs:** set the default app to Courier Management System; make Customers, Shipments, Delivery Agents, Branches, Delivery Updates, Invoices, Reports, and Dashboards Default On / Visible.
- **Session & password:** session timeout 2 hours; passwords never expire; minimum length 8. Click **Save**.

Custom Object Permissions:

Object	Permissions to Grant
Customer__c	Create, Read, Edit
Shipment__c	Create, Read, Edit
Delivery_Agent__c	Read, Edit
Branch__c	Read, Edit
Delivery_Update__c	Create, Read, Edit
Invoice__c	Read



Activity 3: Create a Custom Profile – Delivery Agent

Setup → Profiles → **New Profile**. Existing Profile: Standard Platform User; Profile Name: Delivery Agent; **Save**. Default app: Courier Management System; visible tabs: Shipments, Delivery Updates.

Object	Permissions
Shipment__c	Read, Edit

Delivery_Update__c	Create, Read, Edit
Customer__c	Read
Invoice__c	Read

Restrictions: no access to edit branches, no delete permissions, limited access to reports. Click **Save**.

Activity 4: Create a Custom Profile – Customer Support

Setup → Profiles → **New Profile**. Base Profile: Standard User; Profile Name: Customer Support Access Configuration. Visible tabs: Customers, Shipments, Delivery Updates.

Object	**Access**
Customer__c	Read, Edit
Shipment__c	Read, Edit
Delivery_Update__c	Read
Invoice__c	Read

Session timeout: 2 hours; password length: 8. Click **Save**.

Final Profiles Created in Project :

Profile Name	**Purpose**
Courier Admin	Complete control of the system
Branch Manager	Manages shipments and delivery agents
Delivery Agent	Updates delivery status
Customer Support	Handles customer queries and shipment tracking

Milestone 10- Role:

In Salesforce, roles determine which users can access particular data and functions in the system. They also define the reporting hierarchy of an organization. Users in higher roles get broader access to data and more control over the system.


Activity 1: Creation of Courier Admin Role

Creation of Role:

1. In the Quick Find box, search for Roles and click **Roles**.
2. Select **Set Up Roles**.



3. Click **Expand All**, then click **Add Role** under CEO.



4. Enter the label "Courier Admin". The Role Name fills in automatically.
5. Click **Save**.

Activity 2: Creating Branch Manager Role Under Courier Admin Role

Click **Add Role** below Courier Admin, enter the label "Branch Manager", and click **Save**.

Activity 3: Creating Delivery Agent Role Under Branch Manager Role

Click **Add Role** below Branch Manager, enter the label "Delivery Agent", and click **Save**.

Activity 4: Creating Customer Support Role Under Branch Manager

Click **Add Role** under Branch Manager, enter the label "Customer Support", and click **Save**.

Purpose of This Hierarchy :

- **Courier Admin** – top-level access to all data
- **Branch Manager** – manages branch-level operations
- **Delivery Agent** – sees only the shipments assigned to them
- **Customer Support** – limited access to customer and shipment tracking information

This hierarchy ensures appropriate data sharing and security across the Courier Management System.

Milestone 11- User :

What is a user?


A user is anyone who logs in to Salesforce. Users are employees of the company, such as sales reps, managers, and IT specialists, who need access to company records. Every user has a user account, which identifies the user and whose settings determine the features and records that user can access.

NOTE: In a Developer Org, a Salesforce license can be used by only 2 users at a time. If no Salesforce license is available, deactivate a user who holds one, or change the license type from Salesforce to another.

Activity 1: To Create a User

Steps:

1. From Setup, type Users in the Quick Find box and select **Users**.
2. Click **New User**.



Fill in the Fields:

Field Name	Value

First Name	Enter the first name (for example, Ravi)
Last Name	Enter the last name (for example, Kumar)
Alias	Provide an alias
Email ID	Enter your personal email address
Username	Must follow the format text@text.text and be unique
Nickname	Provide a nickname
Role	Select Courier Admin
User License	Salesforce
Profile	Courier Admin

3. Click **Save**.

Activity 2: Creating Other Users

Repeat the Activity 1 steps with these details:

User Type	Role	User License	Profile
Branch Manager	Branch Manager	Salesforce	Branch Manager
Delivery Agent	Delivery Agent	Salesforce Platform	Delivery Agent
Customer Support	Customer Support	Salesforce Platform	Customer Support

Example (Branch Manager): First Name Arjun, Last Name Reddy, Email arjun@gmail.com, Username arjun.manager@cms.com, Role and Profile Branch Manager.

Important Points

- Every user needs a unique username, a valid email address, a role, and a profile.
- Profiles control permissions.
- Roles control data visibility.


Milestone 15 : Reports & Dashboards

Reports and dashboards help analyze business data and monitor courier operations efficiently.

Activity 1: Create Report Types

Step 1: Open Report Types

1. Click the gear icon → select **Setup**.
2. Search for Report Types in Quick Find.
3. Click **New Custom Report Type**.



Step 2: Create Shipment Report Type

- Primary Object: Shipment__c
- Label: Shipment Tracking Report
- Category: Reports
- Deployment Status: Deployed
- Click Next → Save

Step 3: Create Customer Report Type

- Primary Object: Customer__c
- Label: Customer Summary Report
- Category: Reports
- Deployment Status: Deployed
- Click Next → Save

Step 4: Create Agent Performance Report Type

- Primary Object: Delivery_Agent__c
- Label: Agent Performance Report
- Category: Reports
- Deployment Status: Deployed
- Click Next → Save

Activity 2: Create Reports

Report 1: Shipment Status Summary Report

- App Launcher → Reports → **New Report** → choose Shipment Tracking Report → **Continue**.
- Columns: Tracking Number, Customer, Status, Expected Date, Assigned Agent.
- Filters: Show Me All Shipments; Date Filter This Month; Status (optional).

- Group rows by Status__c; add a summary on Price.
- **Save & Run** — Name: Shipment Status Summary; Folder: CMS Reports.

Report 2: Agent Performance Report

- New Report → choose Agent Performance Report → **Continue**.
- Columns: Agent Name, Branch, Number of Shipments, Status; group by Delivery_Agent__c.
- Name: Agent Performance Report; Folder: CMS Reports; **Save & Run**.

Report 3: Revenue Report

- Use the Shipment Tracking Report type; add Tracking Number, Customer, Price, Invoice Status.
- Group by Branch and Month; save as Revenue by Branch Report.

Activity 3: Create Dashboard

- App Launcher → Dashboards → **New Dashboard**.
- Name: Courier Management Dashboard; Folder: CMS Reports; click **Create**.


Activity 4: Add Dashboard Components


- **Shipment Status Overview (Donut Chart):** + Component → report Shipment Status Summary → Donut Chart → Add.
- **Agent Performance (Bar Chart):** report Agent Performance Report → Bar Chart → Add.
- **Revenue by Branch (Column Chart):** report Revenue by Branch Report → Column Chart → Add.

Activity 5: Save & Activate Dashboard

Click **Save**, then **Done**. Share the dashboard with Courier Admin, Branch Managers, and the Customer Support Team.

Final Layout :


Inbox (25) - keerthanakkeerthan
Login Credentials - Skillwallet -
SkillWallet
Courier Management Dashboar
orgfarm-bde8326530-dev-ed.develop.lightning.force.com/lightning/r/Dashboard/01Zaj00000B6guHEAR/view?queryScope=userFolders
Developer Edition
Search...
Service
Home
Chatter
Accounts
Contacts
Cases
Reports
Dashboards
Customers
Shipments
Delivery Agents
More
Dashboard
Courier Management Dashboard
As of Sep 29, 2026, 7:15 PM · Viewing as Keerthana K
Refresh
Edit
Subscribe
Record Count
Status
Booked
In Transit
Out for Delivery
Delivered
Cancelled
5
View Report (Shipment Status Sum...
As of Sep 29, 2026, 7:15 PM
Agent Performance Report
Record Count
Agent Name
Ramesh
View Report (Agent Performance Report)
Sum of Price
$600
$400
$200
$0
$250
$500
$300
$120
$450
Booked
In Transit
Out for Delivery
Delivered
Cancelled
Status
View Report (Revenue by Branch Report)
Type here to search
32°C Sunny
ENG
22:24
29-09-2026


Inbox (25) - keerthanakkeerthan
Login Credentials - Skillwallet -
SkillWallet
All Folders | Dashboards | Sales
orgfarm-bde8326530-dev-ed.develop.lightning.force.com/lightning/o/Dashboard/home?queryScope=userFolders
Developer Edition
Service
Home
Chatter
Accounts
Delivery Agents
More
Dashboards
All Folders
3 items
New Dashboard
New Folder
DASHBOARDS
Recent
Created by Me
Private Dashboards
All Dashboards
FOLDERS
All Folders
Created by Me
Shared with Me
FAVORITES
All Favorites
Name
Last Modified Date
CMS Reports
9/29/2026, 1:46 AM
Enablement Dashboar
Spring '24
9/20/2026, 6:13 AM
Enablement Dashboar
Summer '24
9/20/2026, 6:13 AM
Share folder
Share
Who Can Access
Users
Branch Manager
Roles
View
Courier Admin
Roles
View
Customer Support
Roles
View
Done
Type here to search
32°C Sunny
ENG
22:34
29-09-2026