Rajalakshmi Engineering College

Name: keerthana v 🕏

Email: 241501082@rajalakshmi.edu.in

Roll no: 241501082 Phone: 7358113357

Branch: REC

Department: I AI & ML FA

Batch: 2028

Degree: B.E - AI & ML



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 6_COD_Question 5

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Jose has an array of N fractional values, represented as double-point numbers. He needs to sort these fractions in increasing order and seeks your help.

Write a program to help Jose sort the array using the merge sort algorithm.

Input Format

The first line of input consists of an integer N, representing the number of fractions to be sorted.

The second line consists of N double-point numbers, separated by spaces, representing the fractions array.

Output Format

The output prints N double-point numbers, sorted in increasing order, and rounded to three decimal places.

Refer to the sample output for formatting specifications.

Sample Test Case

```
Input: 4
    0.123 0.543 0.321 0.789
    Output: 0.123 0.321 0.543 0.789
    Answer
    #include <stdio.h>
#include <stdlib.h>
    void merge(double arr[], int I, int m, int r) {
       int n1 = m - l + 1;
       int n2 = r - m;
       double left[n1], right[n2];
       for(int i = 0; i < n1; i++) left[i] = arr[I + i];
       for(int j = 0; j < n2; j++) right[j = arr[m + 1 + j];
       int i = 0, j = 0, k = 1;
       while(i < n1 \&\& j < n2) {
         if(left[i] <= right[i]) {</pre>
            arr[k++] = left[i++];
         } else {
            arr[k++] = right[j++];
       }
       while(i < n1) arr[k++] = left[i++];
       while(i < n2) arr[k++] = right[i++];
    void mergeSort(double arr[], int I, int r) {
    if(l < r) {
```

```
int m = I + (r - I) / 2;
merge
                                                            24,50,1082
          mergeSort(arr, I, m);
mergeSort(arr m
          merge(arr, I, m, r);
       }
     }
     int main() {
        int n;
        scanf("%d", &n);
        double fractions[n];
       for (int i = 0; i < n; i++) {
           scanf("%lf", &fractions[i]);
        mergeSort(fractions, 0, n - 1);
        for (int i = 0; i < n; i++) {
           printf("%.3f ", fractions[i]);
        return 0;
     }
```

Status: Correct Marks: 10/10

241501082

241501082

24/50/100

24,50,1082

241501082

247507087

241501082

247501082

247501082