EXPERIMENT 9

AIM:

To design and implement input forms that validate user data such as email and phone number using HTML, CSS, and JavaScript with Validator.js.

TOOLS USED:

- HTML
- CSS
- JavaScript
- Validator.js
- Visual Studio Code

PROCEDURE:

Step 1:

Create an HTML form with input fields for email, password, and phone number along with error message placeholders.

Step 2:

Apply CSS styling to design a Spider-Man themed user interface with proper alignment, colors, and background image.

Step 3:

Use JavaScript along with Validator.js to validate email and phone number inputs.

Step 4:

Disable browser autofill using autocomplete attributes and implement password show/hide functionality.

Step 5:

Enhance the form using floating labels, toggle buttons for login and signup, and proper spacing.

SOURCE CODE :

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Spider Form</title>

<script
src="https://cdnjs.cloudflare.com/ajax/libs/validator/13.6.0/validator.min.js"></script>

<style>
* {
  box-sizing: border-box;
}

body {
  margin: 0;
  height: 100vh;
  display: flex;
  justify-content: center;
  align-items: center;
  font-family: 'Segoe UI', sans-serif;

  /* 🔥 PUT YOUR IMAGE LINK HERE */
  background:
url("https://i.pinimg.com/1200x/42/01/cc/4201ccbfe355c125f21fdc035eb2aef0.jpg")
no-repeat center center/cover;
```

```
}

/* 🎬 CINEMATIC DARK OVERLAY */
body::before {
  content: "";
  position: absolute;
  width: 100%;
  height: 100%;
  background: linear-gradient(
    to bottom,
    rgba(0,0,0,0.8),
    rgba(0,0,0,0.9)
  );
  z-index: 0;
}

/* 🕷️ MAIN CARD */
.container {
  position: relative;
  z-index: 1;

  width: 350px;
  padding: 40px 30px;

  border-radius: 20px;

  background: rgba(0, 0, 0, 0.85);
  backdrop-filter: blur(15px);
```

```
  box-shadow:
    0 0 20px rgba(255,0,0,0.7),
    0 0 50px rgba(255,0,0,0.4);

  text-align: center;
}

/* 🕷️ TITLE */
h2 {
  color: #ff2e2e;
  margin-bottom: 25px;
  font-size: 22px;
  text-shadow: 0 0 15px red;
}

/* 🕷️ SPIDER ICON */
.spider {
  font-size: 32px;
  margin-bottom: 10px;
}

/* 🔥 INPUT BOX */
.input-group {
  margin-bottom: 18px;
}

input {
```

```
  width: 100%;
  padding: 14px;
  border-radius: 12px;
  border: 1px solid rgba(255,0,0,0.6);

  background: rgba(255,255,255,0.05);
  color: white;
  font-size: 14px;

  transition: 0.3s;
}

input::placeholder {
  color: #aaa;
}

input:focus {
  border: 1px solid red;
  box-shadow: 0 0 12px red;
}

/* 🔥 BUTTON PERFECT SIZE */
button {
  width: 100%;
  padding: 14px;
  margin-top: 10px;

  border-radius: 12px;
```

```
    border: none;

    background: linear-gradient(45deg, #ff0000, #ff3b3b);
    color: white;
    font-size: 15px;
    font-weight: bold;

    cursor: pointer;
    transition: 0.3s;
}

button:hover {
    transform: scale(1.05);
    box-shadow: 0 0 20px red;
}

/* ERROR */
.error {
    color: #ff4d4d;
    font-size: 12px;
    text-align: left;
    margin-top: 5px;
}
</style>
</head>

<body>
```

```
<div class="container">
  <div class="spider">🕷</div>
  <h2>Spider Register</h2>

  <form id="myForm">

    <div class="input-group">
      <input type="text" id="email" placeholder="Enter Email">
      <span id="emailError" class="error"></span>
    </div>

    <div class="input-group">
      <input type="text" id="phone" placeholder="Enter Phone Number">
      <span id="phoneError" class="error"></span>
    </div>

    <button type="submit">Submit</button>
  </form>
</div>

<script>
document.getElementById("myForm").addEventListener("submit", function(e){
  e.preventDefault();

  let email = document.getElementById("email");
  let phone = document.getElementById("phone");

  let emailError = document.getElementById("emailError");
```

```
    let phoneError = document.getElementById("phoneError");

    emailError.textContent = "";
    phoneError.textContent = "";

    let valid = true;

    if (!validator.isEmail(email.value)) {
        emailError.textContent = "Invalid Email";
        valid = false;
    }

    if (!validator.isMobilePhone(phone.value, 'any')) {
        phoneError.textContent = "Invalid Phone Number";
        valid = false;
    }

    if (valid) {
        alert("🕷️ Welcome Spider World!");
    }
});
</script>

</body>
</html>
```

OUTPUT:



RESULT:

The experiment was successfully completed. The input form was designed and validated using HTML, CSS, and JavaScript. The system correctly validates user inputs and displays appropriate error messages.