JPA -> Java Persistance 2/14 APT. JPA is used for managing
the data in Spring Boot
Application. OId: O MONTONIA -> 9+ is similar to poimary Key A, to uniquety identify the columns aguery: to specify custom query (for ea: manaki taggatu
query rasukodam)
JPA methods ki badalu)

a Column:
Taindicate a column of
De B (database) table.
the state of the same
- Oneto One F Entity
a Oneto Many / Class
a Many to One / relationsh
a Many to One relationship
@Entity: - It is placed
in a class to
is mapped to Database
mapped to Database Table.
@ Table: To specify name
for the DB Table.

PS

Descrited Value

To provide generation

Stratergies for the primary

Key values.

To share resources from one domain to another

domain.

9+ allows sharing HTTP methods Specificed in a Request Mapping Annotation.

SpringBoot starter dependues.

1) spring-boot starter parent!

9+ automatically manages
dependency versions.

3 spring-boot-starter-data-9t is used to use. SpoingBoot Data JPA with Hibernate. 3 sparing -boot - starter- web It is used to build web applications. It uses Spring (4) spring-boot-starter-test It is a dependency for testing our springboot application 5) spring - boot - dev toole It is used to develop, create and test and debug (manam application 10 chinna change chestey malli run cheykarla adey run avutadi)