030



### STUDENT REPORT

3BR

### DETAILS

#### Name

DASARI KEERTHI

#### Roll Number

3BR23AI039

#### **EXPERIMENT**

# Title

,A1039

ANT ON RAIL

#### **Description**

There is a ant on your balcony. It wants to leave the rail so sometimes it moves right and sometimes it moves left until it gets exhausted. Given an integer array A of size N which consists of integer 1 and -1 only representing ant's moves.

Where 1 means ant moved unit distance towards the right side and -1 means it moved unit distance towards the left . Your task is to find and return the integer value representing how many times the ant reaches back to original starting position.

28R23A1039 3BR23A1039 3BR23A1039 3BR23A1039 3BR23A1039 3BR23A1039 3BR23A1039

38R23A1039 3BR23A1039 3BR23A1039 3BR23A1039

38R23A1039 38R23A1039 3BR23A1039 3

39 3BR23A1039 3BR23A1039 3BR23A1039 3BN

A1039 38R23A1039 38R23A1039 38R23A1039

#### Note:

- Assume 1-based indexing
- Assume that the railing extends infinitely on the either sides

RIOS

8231

#### **Input Format:**

**input1**: An integer value N representing the number of moves made by the ant.

input2: An integer array A consisting of the ant's moves towards either side

#### Sample Input

1 -1 1 -1 1

#### **Sample Output**

## 38R23R1039 38R23R1039 38R21 Source Code: 3BR23A1039 3BR23A1

file:///C:/Users/ACER/Desktop/2.html

9/27/24, 9:40 AM 3BR23Al039-Ant on Rail

```
def count_returns_to_start(N, A):
        current_position = 0
        return_count = 0
        for move in A:
            current_position += move
            if current_position == 0:
                return_count += 1
        return return_count
    # Example usage:
    N = int(input())
    A = list(map(int,input().split())) # Example moves
    result = count_returns_to_start(N, A)
    print(result) # Output: 3
RESULT
 5 / 5 Test Cases Passed | 100 %
```

2/2 file:///C:/Users/ACER/Desktop/2.html