


POSTMAN STUDENT RECORDS CRUD API PROJECT

NAME: keerthi

Roll no:2520030416

VS CODE:




The screenshot shows the VS Code editor interface for a project named 'StudentRecordsAPI'. The Explorer sidebar on the left displays the project structure, including folders for 'controllers', 'models', and 'routes', and files like 'studentController.js', 'studentRoutes.js', 'package-lock.json', 'package.json', and 'server.js'. The 'models' folder is expanded, showing 'Student.js' which is the active file. The code in 'Student.js' defines a Mongoose schema for a student, with fields for 'name', 'age', 'course', and 'email', each with specific type, required, trim, and unique constraints. The bottom panel shows the Terminal with the command 'npm run dev' executed, and the output indicating that the server is running on http://localhost:3000.

```
models > Student.js > studentSchema
1 import mongoose from 'mongoose';
2
3 const studentSchema = new mongoose.Schema(
4   {
5     name: {
6       type: String,
7       required: true,
8       trim: true
9     },
10
11     age: {
12       type: Number,
13       required: true,
14       min: 16,
15       max: 180
16     },
17
18     course: {
19       type: String,
20       required: true,
21       trim: true
22     },
23
24     email: {
25       type: String,
26       required: true,
27       unique: true,
28       trim: true,
29       lowercase: true
30     }
31   },
```


```
PS C:\Users\dhana\Downloads\StudentRecordsAPI> npm run dev
> nodemon server.js

[nodemon] 3.1.14
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting 'node server.js'
MongoDB connected
Server running on http://localhost:3000
```


GET:



POST:



PATCH:



DELETE:

DEL

http://localhost:3000/stu

+

...

 http://localhost:3000/students/6aaa608e41ffd1d730d39cc1

 Save

DELETE

http://localhost:3000/students/6aaa608e41ffd1d730d39cc1

Send

Params

Auth

Headers (6)

Body

Pre-req.

Tests

Settings

raw

JSON

Cookies

Beautify

1

Body

200 OK

16 ms

476 B

Save Response

Pretty

Raw

Preview

Visualize

JSON

2

3

4

5

6

7

8

9

10

11

"message": "Student deleted successfully",

"student": {

"_id": "6aaa608e41ffd1d730d39cc1",

"name": "Anita",

"age": 20,

"course": "CSE",

"email": "anita@example.com",

"createdAt": "2026-09-16T09:25:34.704Z",

"updatedAt": "2026-09-16T09:25:34.704Z",

"__v": 0

GET http://localhost:3000/ x

http://localhost:3000/students/6aaa608e41ffd1d730d39cc139cc1

Save

GET

http://localhost:3000/students/6aaa608e41ffd1d730d39cc1

Send

Params Auth Headers (6) Body Pre-req. Tests Settings

Cookies

raw

JSON

Beautify

1

Body



404 Not Found

13 ms

273 B

Save Response

Pretty

Raw

Preview

Visualize

JSON

1

2

3

"message": "Student not found"