


Payment Management System

1. Database Design

Attribute	Data Type	Key Type / Constraint
Payment_ID	NUMBER	Primary Key
Order_ID	NUMBER	Foreign Key
Payment_Mode	VARCHAR2(20)	NOT NULL
Payment_Date	DATE	NOT NULL
Payment_Amount	NUMBER(10,2)	NOT NULL
Payment_Status	VARCHAR2(20)	NOT NULL

2. Table Relationships



3. Table Creation

3.1 Create Payment Table

```
SQL> CREATE TABLE Payment (  
 2     Payment_ID NUMBER PRIMARY KEY,  
 3     Order_ID NUMBER,  
 4     Payment_Mode VARCHAR2(20) NOT NULL,  
 5     Payment_Date DATE NOT NULL,  
 6     Payment_Amount NUMBER(10,2) NOT NULL,  
 7     Payment_Status VARCHAR2(20) NOT NULL,  
 8     FOREIGN KEY (Order_ID)  
 9         REFERENCES Orders(Order_ID)  
10 );
```

Table created.

4. Payment Data Insertion

```
SQL> INSERT INTO Payment VALUES  
 2 (501, 1001, 'UPI', DATE '2026-10-01', 2298, 'Successful');  
  
1 row created.  
  
SQL>  
SQL> INSERT INTO Payment VALUES  
 2 (502, 1002, 'Card', DATE '2026-10-02', 999, 'Successful');  
  
1 row created.  
  
SQL>  
SQL> INSERT INTO Payment VALUES  
 2 (503, 1003, 'Cash', DATE '2026-10-03', 2499, 'Successful');  
  
1 row created.  
  
SQL>  
SQL> INSERT INTO Payment VALUES  
 2 (504, 1004, 'UPI', DATE '2026-10-04', 1599, 'Failed');  
  
1 row created.  
  
SQL>  
SQL> INSERT INTO Payment VALUES  
 2 (505, 1005, 'Card', DATE '2026-10-05', 1798, 'Successful');  
  
1 row created.
```

5. Manage Payment Transactions

5.1 Display Successful Payments

```
SQL> SELECT *
  2  FROM Payment
  3  WHERE Payment_Status = 'Successful';
```

PAYMENT_ID	ORDER_ID	PAYMENT_MODE	PAYMENT_D	PAYMENT_AMOUNT
501	1001	UPI	01-OCT-26	2298
502	1002	Card	02-OCT-26	999
503	1003	Cash	03-OCT-26	2499
505	1005	Card	05-OCT-26	1798

5.2 Display Failed Payments

```
SQL> SELECT *
  2  FROM Payment
  3  WHERE Payment_Status = 'Failed';
```

PAYMENT_ID	ORDER_ID	PAYMENT_MODE	PAYMENT_D	PAYMENT_AMOUNT
504	1004	UPI	04-OCT-26	1599

6. Modify Payment Status

```
SQL> UPDATE Payment
  2  SET Payment_Status = 'Successful'
  3  WHERE Payment_ID = 504;

1 row updated.
```

7. Analyze Payment Methods

```
SQL> SELECT
  2     Payment_Mode,
  3     SUM(Payment_Amount) AS Total_Collected
  4 FROM Payment
  5 GROUP BY Payment_Mode;
```

PAYMENT_MODE	TOTAL_COLLECTED
-----	-----
UPI	3897
Card	2797
Cash	2499

8.

8.Payment Transaction Report

```

SQL> SELECT
  2     c.Customer_Name,
  3     o.Order_ID,
  4     p.Payment_ID,
  5     p.Payment_Mode,
  6     p.Payment_Date,
  7     p.Payment_Amount,
  8     p.Payment_Status
  9 FROM Customer c
 10 JOIN Orders o
 11     ON c.Customer_ID = o.Customer_ID
 12 JOIN Payment p
 13     ON o.Order_ID = p.Order_ID
 14 ORDER BY p.Payment_Date;

```

CUSTOMER_NAME

ORDER_ID	PAYMENT_ID	PAYMENT_MODE	PAYMENT_D	PAYMENT_AMOUNT
----------	------------	--------------	-----------	----------------

PAYMENT_STATUS

Ananya	1001	501 UPI	01-OCT-26	2298
Successful				
Rahul	1002	502 Card	02-OCT-26	999
Successful				

CUSTOMER_NAME

ORDER_ID	PAYMENT_ID	PAYMENT_MODE	PAYMENT_D	PAYMENT_AMOUNT
----------	------------	--------------	-----------	----------------

CUSTOMER_NAME					
ORDER_ID	PAYMENT_ID	PAYMENT_MODE	PAYMENT_D	PAYMENT_AMOUNT	
PAYMENT_STATUS					
Priya	1003	503 Cash	03-OCT-26	2499	
Successful					
Arjun	1004	504 UPI	04-OCT-26	1599	
CUSTOMER_NAME					
ORDER_ID	PAYMENT_ID	PAYMENT_MODE	PAYMENT_D	PAYMENT_AMOUNT	
PAYMENT_STATUS					
Successful					
Meera	1005	505 Card	05-OCT-26	1798	
Successful					