CablePOST User Manual

Version 5.2

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Table of Contents

Table of Contents 2

Introduction 6

Footnote References 6

Software/Hardware Requirements 7

Traffic Post 9

Traffic Post Step by Step 9

Rentrak Posting 10

Loading Log Files 11

Report Title 14

Posts 14

Selecting Survey Type 16

Selecting Demos 17

Selecting Surveys 19

Selecting Overnights 21

Adjust Demo by Overnight HH Survey Selection 23

Selecting Zones 24

Clear Button 26

Advanced Posting 27

Limit Post 29

Run Post 30

Report Options 31

Post on RTGs and/or IMPs 31

Show CPP and/or CPM 31

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Equivalize Ratings - Stat EQV 31
Show Rate 32
Show Spot Title 32
Show Program Name 32
Break Average 32
Program Average 33
Show Replaced/Matched Network 33
Group By Week/Broadcast Month 34
Weekly/Monthly Breakdown 34
Hide $0, 0 Rtg/Imp, N/A 34
Use Logo 34
Summaries 36
Show Report Summary 36
Show Report Summary with Estimates 36
Show Total Summary 38
Summary by Week/Month 38
Summary by Network 39
Summary by Custom Daypart 40
Summary by Order 42
Save Settings 42
Population Options 43
Saved Posts 44
Setup 46
Defaults 46

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Default Market 46
Default Survey 46
Default Duration for Stat Eqv 47
Set Log File Day Start 47
Rounding 47
Match Log Zone 48
Combine Split Network for Same Channel (e.g. TOON/ADSM) for STORM OV 48
Replace Networks for VIEW OV 48
Surveys 49
Exact Weekly Rtg/Imp 49
By-pass All Wks Avg Ratings 49
Overnights 50
Change Password 50
Support Files 51
cable_hh.txt / netues.pop / netcbpop.ini 51
cable_zn.txt / cable_nw.txt 52
cable_st.txt 52
xDMAUEs.pop 52
DMADates.txt 52
SurveyDates.txt 53
Loading Support Files 53
Update (Clearing) CableTrack Files 54
User Setup 55
Daypart Setup 57
Utilities 59
Match Networks 59
Match Networks Run Post 61
Match Zones 62

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Replace Networks 63

Glossary 65

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Introduction

Footnote References

Nielsen Footnote References

The data source footnotes will appear at the end of the post report:

> Nielsen Audience Estimates Copyright © 2019 The Nielsen Company, used under license, all rights reserved.
>
> Note: The day is defined as 3a-3a for Nielsen Survey and STORM Overnights data.
>
> If the log file's day definition is 12a-12a, when posting spots between 12a and the start of the data day, the post numbers will be pulled from the previous day.

The STRATA footnote will appear at the end of the post report:

> This report has been prepared using STRATA report design. Copyright © 2019 Strata Marketing, Inc. 312-222-1555.

Rentrak Footnote References

For posting using **Rentrak** surveys, the following data source footnote will appear at the end of the post report:

> Rentrak Corporation Audience Estimates Copyright @2019 Rentrak Corporation. Rentrak-derived minimum thresholds have not been applied to these estimates; the thresholds will be applied on a go-forward basis in a future Rentrak release.
>
> Note: Rentrak demographics do not reflect viewing by individuals within a given segment. Rather, they reflect viewing by households with a member in the segment. For example, a demographic rating of 5.0 for A18-49 indicates that five percent of households with at least one adult aged 18 to 49 viewed the programming.
>
> The day is defined as 6a-6a for Rentrak Surveys.
>
> If the log file's day definition is 12a-12a, when posting spots between 12a and the start of the data day, the post numbers will be pulled from the previous day.

The STRATA footnote will appear at the end of the post report:

> This report has been prepared using STRATA report design. Copyright © 2019 Strata Marketing, Inc. 312-222-1555.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Software/Hardware Requirements

The minimum requirements for CablePOST v4.5 and higher are listed below.

CablePOST is comprised of two types of components:

- Server components, which are installed on a shared server. These include the CablePOST SQL database and certain STRATA program files which are shared by all users.
- Workstation components, which are installed either on each STRATA user's workstation or on a Citrix or Terminal Server (or server farm) for each STRATA user.

SQL Server

- Microsoft SQL Server 2005 Standard or Enterprise Edition
- Microsoft SQL Server 2008 Standard or Enterprise Edition

Note: 64-bit is recommended. 2012 is not supported at this time.

Web Server

- IIS 6 (32-bit) or IIS 7
- Access 2007 Runtime
- Microsoft ASP.NET 2.0 AJAX Extensions 1.0
- Microsoft .NET Framework v2.0
- Windows 2003 or 2008 Server
- 2 Dual Core Xeon Processor 5150 4MB Cache, 2.66GHz, 1333MHz FSB
- 4GB of RAM
- 100 GB hard drive

Workstation

- Microsoft .NET Framework v2.0
- Internet Explorer 8 or 9

  Note: IE 10 is not supported at this time.
- Windows XP Professional, Windows Vista Business or Ultimate, Windows 7 Professional or Ultimate (32-bit or 64-bit with latest service packs,) Windows 8.

  Note: Windows Vista No Service Pack and Service Pack 1, Windows XP Service Packs 1 and 2, and Windows 2000 or prior operating systems are no longer supported.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

- Intel Pentium™III-compatible processor, 1.2 GHz or faster
- 1GB of RAM (in addition to the required operating system minimum)
- 1GB hard drive space
- Color SVGA or higher monitor (1024 x 768 minimum resolution)
- Microsoft™-compatible mouse
- HP 4 or higher, or compatible Laser Printer

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Traffic Post

Traffic Post Step by Step

The Traffic Post will show spots that ran and their achieved ratings.



To Run a Traffic Post

1. Load the Log File(s.) See Loading Log Files for more information.
2. Select the Survey Type for the post. The default Survey Type is set in Defaults.
3. Select the Demo(s) for the post. Multiple demos will be shown side-by-side on the post.
4. Select the Survey data or Overnight data you would like to use in the post. Each survey/overnight will be used in its own post report.
5. Select a Zone. If there are zones in the log file and Match Log Zone is selected in Defaults, those zones will be shown in the Zones dropdown menu. If there are no zones in the log file, you may choose from the list provided.
6. Choose Report Options and Summaries.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

7. Choose Population Options.
8. Click here for instructions on Advanced Posting.
9. Optionally, you may enter a Report Title.
10. Choose the Run Post button.
11. If there are unmatched networks found, you will be prompted to Match Networks.
12. The post will be displayed on the screen in a new window. If you selected multiple surveys/overnights, and/or multiple zones, there will be a separate post for each along with the Total Summary. They can be selected individually from the Posts drop-down menu in the Traffic screen.
13. Alternatively, you may choose the Excel Report or PDF Report button to export the posts to Excel/PDF. If you selected multiple surveys/overnights, and/or multiple zones, the additional posts and Total Summary will appear in separate tabs within the Excel spreadsheet. In PDF, the additional posts and Total Summary will appear in separate Bookmarks.
14. Choose the Save Post button to save the post reports to the database. These can be viewed from the Saved menu.
15. Choose the Save Settings button to save the report options you have selected in the Traffic Post screen.

Rentrak Posting

CablePOST v5.2 and higher supports Rentrak surveys starting December 2017.

By choosing Rentrak as the Survey Type on the Posting screen, or, as the Default Survey on the Defaults screen, some features are disabled. These features are Nielsen-only components and cannot be combined with Rentrak data.

The disabled features are listed below by page:

Traffic Post

- Demos: In the Select Demos dialog - Demos text box
- Overnights
- Adjust Demo by Overnights HH Survey Selections
- Population Options - CDMA Pop

Setup > Defaults

- Combine Split Networks for Same Channel (e.g. TOON/ADSM) for STORM OV
- Replace Networks for View OV
- By-pass All Wks Avg Ratings
- Overnights

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Loading Log Files

CablePOST accepts the following file formats:

Eclipse/xG: Log Times Verified or Unverified XLS (also called "Log Times Report").

Novar: Post Buy Analysis XML (The report may be called "Post Buy Analysis").

Kantar: TV Schedule CSV. Kantar files are used to compare competitive files.

Wide Orbit: INV file. Wide Orbit files are used for broadcast TV files.

> **Note:** There is no network field in the Wide Orbit format. The Network must be entered in a text box provided when the Wide Orbit log format is selected, before selecting a log file to load. This network can be saved via the Save Settings button in the Traffic Post.

Additional File Formats

There may be some additional file formats that can be used, though the ones mentioned above are the preferred files.

To Load a Log File for Posting

1. In the Traffic Post screen, choose the log file format from the drop-down menu.



2. Choose the Browse button and browse to the location of the log file.
3. If you would like the file to include Fill spots, check the Include Fill checkbox.
4. Choose the Load button to load the file.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

5. In cases where multiple log files must be loaded and combined, use the Add to Current checkbox in the Post screen. After loading the first file, check Add to Current. Then browse to the second file location and select the Load button once more.

6. The Files Loaded box will display the path to each file that has been loaded.

7. Choose Preview to see the log file(s) that have been loaded.

Include Fill

On the Traffic Post screen, there is a filter checkbox to "**Include Fill**."



- If "Include Fill" is checked, the Fill spots will be shown in the Preview and post.
- If "Include Fill" is unchecked, the Fill spots will not be shown in the Preview and post.
- Reloading the log file after checking or unchecking "Include Fill" is not necessary – all spots are loaded automatically, and the Include Fill checkbox is just a filter for the spots already loaded.
- The "Include Fill" checkbox does not affect what is shown in the Select Order Number drop-down menu – it only affects the log file Preview and Run Post functions.
- Rate will be set to $0 for all Fill spots when log file is loaded, if there's a rate in the file. Even if there is a rate >0 in the file, this will be changed to $0 if the spot is a Fill spot.
- Fill spots are supported for the following log formats:
    - Novar XML: Fill = CONTRACT_ID = 0, STATUS = F or 0
    - Eclipse XLS: Fill = Unverified section.

Using Log Filters

Depending on the log file loaded, there may be multiple Orders or Headend/zones. By default, all Headend/zones and/or all Orders will be used for the post.

Note: The **Select Order** filter only applies to the log file Preview. **Headend/Zone** filter will apply to the log file preview but will only apply to the Post if **Match Log Zones** is unchecked in the Defaults screen. When **Match Log Zones** is checked, and zones are automatically matched, the Headend/zone filter will not apply to the post.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved



To filter on Headend/zone:

1. Choose the ellipse button ... next to the **Headend/Zone**.
2. In the window that appears, highlight the zone(s) you would like to use and choose OK.



To filter on Select Order:

1. Choose the ellipse button ... next to the **Select Order**.
2. In the window that appears, highlight the order(s) you would like to use and choose OK.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved



Report Title

A Report Title may be entered in the Report Title text box. This title is used for all post reports when **Run Post** is selected. If you would like to change the title, type a new title and choose **Run Post** again.

Posts

Choose **Run Post** to display the finished post on-screen as an HTML file. If you selected multiple surveys/overnights, and/or multiple zones, the additional posts can be selected from the Posts drop-down menu.

Each post will be displayed in the Posts dropdown menu as an individual *.HTML file. There will be a post for each survey/zone and each overnight/zone that is selected in the Post Report Options. Choose a post from this dropdown menu to preview and print.



Choose the **Excel Report** or **PDF Report** button to export the post to an Excel/PDF format.

- You will be prompted to Open or Save the *.XLS file.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

- You will be prompted to Open the PDF Report in Portrait or Landscape mode. PDF Report can be saved.



Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Selecting Survey Type

The Survey Type field is configured by an Admin and displays Nielsen and/or Rentrak source option:

- Survey Type menu is read-only if 1 Survey Type is configured
- Survey Type menu is a drop-down menu if two Survey Types are configured. User can toggle between the options: Nielsen and Rentrak.

The default survey displayed on the Post screen is set in Defaults.

To Select a Survey Type

1. Select the Survey Type drop-down on the Post screen to choose a survey type

2. Choose the desired survey source type



3. The drop-down menu displays the survey type selection



Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Selecting Demos

Multiple demos will be shown side-by-side on the post report.

To Select a Demo

1. Select the ellipse button next to the Demos menu on the Post screen to enter the Select Demos dialog box.

2. Highlight the desired demo(s) in the Select from List and choose the Add button to add it to the Active List. Choose OK to return to the Post screen.

   Note: If the Survey Type is set to Rentrak, the Demos text box is disabled. Rentrak's Age/Gender demographics are not combinable (e.g. not based on demo cells).

   If the Survey Type is set to Nielsen, the Demos text box is enabled. Nielsen's Age/Gender demographics are combinable.

   Example: Nielsen - User enters Adults 18-24 in Demo text box. The xdmaUEs.pop file combines demo cells for Men 18-20, Men 21-24, Women 18-20, and Women 21-24.



Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

3. The Demo menu will say “Custom Selection” when a selection has been made. You can hover over the menu to see your selections at a glance.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Selecting Surveys

You may post on multiple Nielsen or Rentrak surveys. Each survey/zone will have its own post.

To Select a Survey(s)

1. Choose the ellipse button next to the Surveys menu on the Post screen to enter the Select Survey dialog box.

2. Choose the market from the Market dropdown menu and highlight the desired survey(s) from the list. The Total Survey Counter will show how many surveys have been selected across all markets.

   Note: The Select Survey dialog displays either Rentrak or Nielsen surveys. The display is established by the Survey Type selection.



3. Choose OK to accept selected surveys and return to the Post screen.
4. Choose Clear to clear all surveys for the market selected.
5. Choose Cancel to exit the survey selection with no surveys selected.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

6. The Survey menu will say “Custom Selection” when a selection has been made. You can hover over the menu to see your selections at a glance.



Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Selecting Overnights

You may post on multiple STORM or VIEW Arianna overnights. Each overnight/zone will have its own post.

Note: The Overnights dialog is disabled when the Survey Type is Rentrak. STORM and VIEW Arianna overnights delivers Nielsen household and demographic viewing data.

To Select Overnights

1. Choose the ellipse button next to the Overnights menu on the Post screen to enter the Select Overnights dialog box.

2. Choose the market from the Overnights Source dropdown menu and highlight the desired overnight(s) from the list. The Total Overnight Counter will show how many overnights have been selected across all markets.



3. Choose OK to accept selected overnights and return to the Post screen.
4. Choose Clear to clear all overnights for the market selected. Choose Cancel to exit the Overnight Selection screen with no overnights selected.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

5. The Overnights menu will say “Custom Selection” when a selection has been made. You can hover over the menu to see your selections at a glance.



Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Adjust Demo by Overnight HH Survey Selection

The option to adjust the survey demo rating by the overnight household rating is available when posting on overnights for metered markets. Since overnights for metered markets only contain household ratings, this option allows you to estimate the overnight demo rating. The adjusted demo rating is calculated by multiplying the survey demo rating by the ratio of the overnight household rating to the survey household rating.

Note: The Adjust Demo by Overnight HH Survey Selection dialog is disabled when the Survey Type is Rentrak. STORM Overnights delivers Nielsen household and demographic viewing data.

To Adjust Demo by Overnight HH Survey Selection

1. Choose the ellipse button next to the Adjust Demo by Overnight HH Survey Selection menu on the Post screen.

2. Double-click on the survey column or choose the Survey button to open the survey selection dialog.



3. Select a survey and choose OK.

4. Choose OK in the remaining dialog.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Selecting Zones

When you load a log file, the Headend/Zone(s) will be displayed in the **Select Zones** dialog box on the Post screen. If there is no zone in the log file, or to post on additional zones not found in the file, you can manually select a zone for the post.

To Select a Zone(s)

1. Choose the ellipse button next to the Zones menu on the Post screen to enter the **Select Zones** dialog box.

2. Choose the market from the Market dropdown menu and highlight the desired Zone(s) from the list. The Zone Counter will show how many zones are selected across all markets.



3. Choose Select All to select all zones.
4. Choose Clear to clear all zones selected.
5. Choose OK to accept selections and return to the Post screen.
6. Choose Cancel to leave the Zone Selection screen with nothing selected.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

7. The Zones menu will say “Custom Selection” when a selection has been made. The Zone menu will say “Global Selection” when a Zone is mapped in Match Zones. You can hover over the menu to see your selections at a glance.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Clear Button

The Clear button clears all previous selections in the demo, survey, overnight and zone dialogs.

Note: If loading an additional log file(s) after Running a Post, select Clear to reset the Demo, Survey/Overnights, and Zone selections.



Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Advanced Posting

Posting on multiple Survey/Overnights/Networks/Zones at once is available via the Advanced dialog box. This also allows flexibility to post by date range on different data sources and customize your post for specific networks and zones.

An example of Advanced posting is when a log file containing spots with sports and non-sports networks must be posted on different profiles. Live sports games may need to be posted on Live+SD or Live+1. Non-sports networks could be posted on Live+7.

To use Advanced posting

1. Load the Log File(s)

2. Select the Demo(s) for the post. Multiple demos will be shown side-by-side on the post.

3. Select at least one Survey or Overnight you would like to use in the post. Each survey/overnight will be used in its own post report.

   Note: The Overnights dialog is disabled when the Survey Type is Rentrak. STORM overnights delivers Nielsen household and demographic viewing data.

4. Choose the Advanced button. The following dialog box will appear.



- If no post date range has been specified, the full dates of the log file (s) are used.

- The survey(s) and overnight(s) shown when the dialog is opened are those which have been selected in the survey dialog and overnights dialog.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

- The Log Zone column will display the zone(s) from the log file.
- The Zone column will display the zones/syscodes from the default market which CablePOST has automatically matched to the log zones. If this column is empty, no zones have been matched. See the Match Log Zones for more information.
- The Type column will display "TP" for Time Period surveys or "OV" for overnights.

5. Double-click in the Overnight column or choose the Overnight button to select additional overnights for the post. One overnight source will be displayed per line. Choose the Add button to add a new line for different overnight source.

   Note: The Overnights dialog is disabled when the Survey Type is Rentrak. STORM overnights delivers Nielsen household and demographic viewing data.

6. Double-click in the Survey column or choose the Survey button to select additional surveys for the post. One survey source will be displayed per line. Choose the Add button to add a new line for a different survey source.

7. Double-click the Zone column or choose the Zone button to select the zone associated with the zone Log Zone column.

8. Double-click in the Log Zone column or choose the Log Zone button to select a particular zone(s) from the Log file for each survey/overnight line. Choose the Add button to add a new line for a different zone.

9. Double-click in the Networks column or choose the Networks button to select specific Network(s) to post for each survey/overnight line.

10. You can set a date range for each survey/overnight line by clicking in the From Date/To Date columns or clicking on the From/To calendar. Choose the Add button to add a new line with a new date range.

11. To add a Daypart go to the Post screen then under Summaries, check Custom Daypart. Select the ellipse button next to the Custom Daypart menu to open the Select Daypart dialog box. Add dayparts to the box on the right of page and click OK. Multiple dayparts can be added to a line. Click the Advanced button to view Dayparts. The Advanced dialog dayparts are read-only.

12. Highlight any cell in the row you would like to duplicate and choose the Duplicate button to add a new line below it with similar selections.

13. Choose OK to save selections and close the Advanced dialog.

14. Choose report options and Run Post.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Limit Post

You may use the Limit Post From and To Dates to filter spots from the log file(s) used in the post. Click the button to reveal a calendar to easily select dates or type the dates in the text boxes provided.



To filter networks

1. Choose the ... button next to the Network menu on the Post screen.
2. By default, all networks will be selected. Click to highlight the networks you want shown on the post.
3. Choose OK to accept the selection and close the dialog box.



Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Run Post

Choose Run Post to display the finished post on-screen as an HTML file. If you selected multiple surveys/overnights, and/or multiple zones, the additional posts can be selected from the Posts drop-down menu.



Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Report Options

Post on RTGs and/or IMPs

Among the posting options for the Traffic Post is the ability to post on ratings and/or impressions. Select the RTGs and/or IMPs checkboxes in the Traffic Post screen.

Show CPP and/or CPM

Among the posting options for the Traffic Post is the ability to show CPP and/or CPM on the post. Select the CPP and/or CPM checkboxes in the Traffic Post screen.

Equivalize Ratings - Stat EQV

The option to equivalization ratings is available via the "Stat Eqv" check box in the Traffic Post screen. When checked, the "Stat Eqv" option will adjust the ratings or impressions by a factor of Spot Line Duration/Default Duration. Units where the lengths are not 30 seconds have their 30-second impressions weighted up or down in proportion to their length.

Warning: this is not the same as equivalizing-to-the-DMA rating

- A “Default Duration for Stat Eqv” field has been added to Defaults screen where a default spot duration can be entered in seconds. The default value is 30 and any number >0 is allowed. This will be used for all posts.

- If there is no spot duration in the loaded log file, the "Stat Eqv" checkbox will be inactive.
- Spot Duration will be displayed on the Post Report.
- The following footnote will be displayed on Post Report when "Stat Eqv" is used: “All statistics are based off Stat Eqv calculations. Eqv Factor = Spot Line Duration / Default Duration.”
- This option is only available for the following log file formats containing spot duration - Novar XML, Eclipse EDI, Wide Orbit and STRATA One. This option must be setup in the web config file by an Admin.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Show Rate

When Show ***Rate*** (*The rate at which a spot(s) is being bought/sold, expressed in dollars*) is selected, the rate from the log file will be shown on the post detail as well as in any summaries selected.

Show Spot Title

Spot Title/Ad Copy Name (ISCI) is loaded from the Novar XML log file format and can be shown on the Post Report.

To show Spot Title on the post, check "Show Spot Title" in the Traffic Post Report Options.

Show Program Name

When Show Program Name is selected, the ***program name*** (*The name of the program corresponding to the station and daypart*) will be shown on the post report. The following options are available for selecting which program name will be used:

- Data Source = from the selected Survey, STORM Overnights or VIEW Arianna Overnights.
- Log File (if present) = from the log file or traffic file if that program name information is present in the file.

Break Average

When posting on Break Average, if a spot is aired within 2 minutes of a quarter hour (generally referred to as the "break,") the ratings/impressions are determined by using an average of the two quarter hours surrounding the break rather than the quarter hour in which the spot ran.



The following footnote will be displayed at the end of the post report: "This report was posted using the following options: Break Average Rtg/Imp, where available."

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Program Average

When posting on Program Average, the program average data will be used, where available, instead of the Quarter hour data.

Note: Program Average only applies to Surveys and STORM overnights; it does not apply to VIEW Arianna Overnights.

For surveys the following footnote will be displayed at the end of the post report if Program Average and Exact Weekly Rtg/Imp are checked: "This report was posted using the following options: Program Average Rtg/Imp, where available. If the Program Average Rtg/Imp cannot be determined, then Exact Weekly Survey Rtg/Imp, where available."

For surveys, the following footnote will be displayed at the end of the post report if Program Average is checked and Exact Weekly Rtg/Imp is unchecked: "This report was posted using the following options: Program Average Rtg/Imp, where available. If the Program Average Rtg/Imp cannot be determined, then Average weeks Survey Rtg/Imp, where available."

For STORM overnights, the following footnote will be displayed at the end of the Post report: "This report was posted using the following options: Program Average Rtg/Imp, where available. If the Program Average Rtg/Imp cannot be determined, then exact date/time quarter hour Rtg/Imp."

Show Replaced/Matched Network

When "Show Replaced/Matched Network" is checked in the Traffic post report options, the matched network will be displayed on the post report instead of the log file network.

When Replace Networks is applied, and "Show Replaced/Matched Network" is checked, the replaced network will be shown instead of the log file network.

When unchecked, the log file network is shown.

If you have a log file(s) with multiple networks that are all mapped to the same network, the "Show Replaced/Matched Network" checkbox may be selected to show the matched network on the report detail and all selected summaries.

For example, if you have a DISH log with AEN_D and an Interconnect log with AEN and both networks are matched to AEN, when "Show Replaced/Matched Network" is checked, the report detail and Summary by Network will display "AEN". If "Show Replaced/Matched Network" is not checked, the report detail and Summary by Network will display AEN_D and AEN. If there is only AEN_D, and "Show Replaced/Matched Network is not checked, only AEN_D will be shown.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Group By Week/Broadcast Month

If Group by Week is selected, the post will group run spots by week. If Group by Broadcast Month is selected, the post will group run spots by Broadcast Months.

Weekly/Monthly Breakdown

When Weekly/Monthly breakdown is selected, the post report will show spots by week or month instead of All Weeks together.

Hide $0, 0 Rtg/Imp, N/A

- Hide $0 – When posting on a log file with rates, this option hides spots with $0 rates. If the log file does not provide rates, this option is ignored.
- Hide 0 Rtgs/Imps – When posting on Rtgs and/or Imps, this option hides spots with 0 Rtgs/Imps. If the Rounded Rtgs to the Hundredth setting is used along with 0 Rtgs/Imps, only ratings with 0.00 will be hidden.
- Hide N/A – When Rtgs or Imps are not available, this option will hide spots with N/A.

  Note: This option does not apply to Summaries at this time, only reports.



Use Logo

Use Logo applies a logo to the Post.

To Use Logo

1. Check Use Logo
2. Select the ellipse button next to Use Logo on the Post screen to enter the Load Logo dialog box
3. Click Browse to locate and select logo content

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

4. Click Load to preview logo
5. Choose OK to close the Load Logo dialog box
6. Choose Cancel to exit the dialog with no logo applied
7. Select Run Post to view Logo on report



Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Summaries

Show Report Summary

If Show Report Summary is selected and no other summaries are selected, the following summary will be shown on the post report. If Fill Spots are included, they will be displayed on a separate line.

Report Summary

	Spots		Rate		Adults 18+	
					GIMP	GRP
Spots	1019		$ 37640.8		8180794	487.8
Fill Spots	4		$ 0		42678	2.5
Report Totals	1023		$ 37640.8		8223472	490.3

Show Report Summary with Estimates

When “Show Report Summary w/ Estimates” is checked and estimates are entered, the following will be added to the post Report Summary for each data source:

- Achieved GRP and/or GIMP
- Estimated GRP and/or GIMP
- Pts/Imps to Achieve the “Minimum Post Percentage" entered.
- Percentage of Post

To use the Report Summary with Estimates

1. Load a log file and choose at least one demo and one data source for the “Show Report Summary w/ Estimates” checkbox to become active. Check the “Show Report Summary w/ Estimates” box and click the ellipse button next to it.



Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

2. The following screen will appear. Highlight the data source line and type any number >0 for both the GRP and GIMP boxes for ALL demos.



3. Choose Add to add the typed-in estimates to the highlighted data source, or Add to All to add the typed-in estimates to all data sources. You must enter estimates for at least one data source.

4. The "Minimum Post Percentage" can be entered on the Traffic Post screen. This shows the minimum Rtg/Imp to achieve the entered percentage, which will default to 90%. Any percentage > 1 and <99.9 can be typed-in.

The Estimates Summary will be displayed at the end of the post report:

Estimate Summary

	Spots		Adults 18+		Households	
			GRP	GIMP	GRP	GIMP
Estimated			200.00	8000000	300.00	7000000
Achieved	820		124.36	5137749	229.56	4865746
Pts/Imps to Achieve 90%			55.64	2062251	40.44	1434254
Percentage of Post			62 %	64 %	77 %	69 %

Note: If result is a negative number, 0 will be displayed.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Show Total Summary

If Show Total Summary is selected, A separate HTML report will be available in the Posts dropdown menu in the Post screen. This report will be called TotalSummaryReport.html. When selected, all summaries will be shown in this report.



If the post is exported to Excel Report format, the Total Summary will be in a separate tab within the Excel spreadsheet.

Summary by Week/Month

When Summary by Week/Month is selected, a summary broken out by week or month is shown at the end of the post report. If Fill Spots are included, they will be displayed on a separate line.

- If Group by Week is selected, the Summary will group by week:

Summary by Week/Month

Date Start - End	Spots		Rate		Adults 18+	
					GRP	GIMP
9/10/2018-9/16/2018	39		$ 2250		8.50	309922
9/17/2018-9/23/2018	53		$ 5350		13.00	495001
Fill Spots	1		$ 0		N/A	N/A
Report Totals	93		$ 7600		21.50	804923

- If Group by Month is selected, the summary will group by month:

Summary by Week/Month

Date Start - End	Spots		Rate		Adults 18+	
					GRP	GIMP
8/27/2018-9/30/2018	92		$ 7600		21.50	804923
Fill Spots	1		$ 0		N/A	N/A
Report Totals	93		$ 7600		21.50	804923

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Summary by Network

When Summary by Network is selected, a summary broken down by network is shown on the post report. If Fill Spots are included, they will be displayed on a separate line.

> **Note:** Networks shown on the Summary by Network are affected by the Merge by Matched Network option.

Report Summary by Network

Network	Spots		Rate		Adults 18+	
					GIMP	GRP
AEN	9		$ 900		104526	2.8
AMC	12		$ 600		131256	3.5
ANPL	6		$ 150		25721	0.7
BRVO	8		$ 400		33996	0.8
CNN	0		$ 0		0	0
DISC	4		$ 400		27326	0.8
ESPN	2		$ 200		14484	0.4
FSNO	23		$ 2450		N/A	N/A
FXNC	8		$ 600		176436	4.7
HGTV	2		$ 150		32898	0.9
LIFE	6		$ 450		54572	1.6
TBSC	2		$ 400		23114	0.6
TNT	2		$ 350		60075	1.6
TVL	6		$ 150		36133	0.9
USA	2		$ 400		84386	2.2
Fill Spots	1		$ 0		N/A	N/A
Report Totals	93		$ 7600		804923	21.5

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Summary by Custom Daypart

When Summary by Custom Daypart is selected, a summary using the selected custom daypart will be shown on the post report.

Note: The Report Totals line will show totals for the entire post, not only the specified daypart(s).

Report Summary by Custom Daypart

Daypart	Spots		Rate		Adults 18+	
					GIMP	GRP
Sa 9:00 AM - 2:00 PM	22		$ 315.66		164394	9.5
Th-F 8:00 PM - 9:00 PM	47		$ 2230.85		316384	18.8
M 6:00 AM - 7:00 AM	1		$ 15		3956	0.2
Fill Spots	4		$ 0		42678	2.5
Report Totals	1023		$ 37640.8		8223472	490.3

To use the Summary by Custom Daypart

1. Choose the ... button next to the Summary by Custom Daypart *check box* on the Traffic screen.



Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

2. Dayparts that have been added in Setup-Daypart Setup will be displayed in the box on the left. Highlight the dayparts you would like to add and choose Add. Your selections will be moved to the box on the right.



3. If there are no available dayparts and/or you would like to add a new daypart, in the Type Daypart textbox, type the daypart in the format day/time and choose the Add Daypart button.



The daypart will be added to the list box on the right.

Note: New dayparts added from the Summary By Custom Daypart dialog in the Traffic screen will be used for the current post only. If you would like to save custom dayparts for future use, see [Setup - Daypart Setup](#).

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

4. After selecting dayparts, choose OK to exit the dialog box or choose Cancel to discard changes.

5. The Summary By Custom Daypart menu will show the choices you have made by hovering over "Custom Selection."



6. Choose **Run Post**. The post will show the Summary by Custom Daypart.

Summary by Order

If Summary by Order is selected, a summary broken down by the log file order numbers is shown on the post report. If Fill Spots are included, they will be displayed on a separate line.

Report Summary by Order

Order	Spots		Rate		Adults 18+	
					GIMP	GRP
188008	91		$ 5700		804923	21.5
189257	0		$ 0		0	0
196649	0		$ 0		0	0
199633	0		$ 0		0	0
205434	1		$ 1900		N/A	N/A
No Order Number	0		$ 0		0	0
Fill Spots	1		$ 0		N/A	N/A
Report Totals	93		$ 7600		804923	21.5

Save Settings

Choose the Save Settings button to Save the on-screen report options you have selected. This will also save the last-selected log file format.

Note: Choosing Save Settings does not save the post(s).

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Population Options

The following Population Options are available for posting. "Pop Base" will be displayed on top of HTML, Excel, and PDF reports based on which option is selected.

- Use Zone Pop – If checked, the Zone population of the applied Zone will be taken from the CABLE_HH.TXT file and used for Calculations.
    - Add Up Zone Pop – This checkbox will become active when you check Use Zone Pop. When checked, the sum of the applied Zones will be taken from the CABLE_HH.TXT file and used for Calculations.
- Use CDMA Pop – The CDMA pop is pulled from the DMAUES.pop by matching spot date/geography to the closest current or closest previous effective date found in the DMADates.txt.

  With the NCC methodology change, effective Jan17, this option is no longer used.

  Note: Use CDMA Pop is disabled when the Survey Type is set to Rentrak. Rentrak only measures the DMA geography.

- Use DMA Pop – If checked, the DMA population taken from the DMAUES.POP file is used for calculations.

- Use Survey Pop – The Survey Pop option is available when the Survey Type is set to Rentrak. If checked, the Survey population is taken directly from the Survey and used for calculations.

Nielsen Survey Pop Options



Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Rentrak Survey Pop Options



Saved Posts

To Save a Post

1. In the Traffic screen, make your selections and choose Run Post. Close the HTML window and choose the Save Post button to save the post to the database.

To Access a Saved Post

1. Choose the Saved menu on the top of the page to access the Saved Posts screen.



2. Highlight the Post Name and choose the HTML Report button to open the post in an HTML file, or choose the Excel Report button to open the post in an Excel spreadsheet.

   Note: Editing of saved posts is not available at this time.

3. To filter the Saved Posts list, choose the Client, User or From Date/To Date and choose the Find button.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Search Post

Client | User: Admin | From Date: 9/1/2018 | To Date: 9/22/2018 | Find

Post ID	Post Name	Report Name	Post Date	Post Note
1	Post 1	Yourtown_Aug18_DMA_Rentrak_Live_Only_1_PostReport	9/18/2018	
2	Post 2	Yourtown_Aug18_DMA_Rentrak_Live_Only_1_PostReport	9/18/2018	
3	Post A	Yourtown_Aug18_DMA_Nielsen_Live_3_1_PostReport	9/18/2018	
4	Post B	Yourtown_Aug18_DMA_Nielsen_Live_3_1_PostReport	9/18/2018	

Html Report | Excel Report | PDF Report

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Setup

Defaults



The following options are available in the Defaults menu:

Default Market

The Default Market will be the market that is selected by default in the Survey and Overnight selection screens and used for the Match Log Zone option.

Default Survey

The Default Survey will be the survey source that is selected by default in the Survey Type selection on the Traffic page.

Note: This field is configured by an Admin to display Nielsen and/or Rentrak survey sources. If 1 survey is configured, this becomes a read-only field. If 2 surveys are configured, there's a drop-down selection.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Default Duration for Stat Eqv

A default duration in seconds can be entered here for Equivalize Ratings. The default is 30.

Set Log File Day Start

The Set Log File Day Start option allows you to specify when your 24-hour Log file day starts. This entered start time is used during the log file load to adjust each spot date by converting it from the 24-hour broadcast day of log file (ie. 2a-2a) to a calendar day (12a-12a). When the spot hour is earlier than the log file start time, a day is added. For example, if you set your log file day as 2a-2a and you load a log file starting Monday 8/22 2a-2a, then that day will be converted to Monday 8/22 12a-12a and the log file spots that fall between 12a-2a will be considered Tuesday 8/23 12a-2a.

Rounding

Rounding options are available from the Defaults screen. Ratings can be shown in the Tenth place (0.0), the Hundredth place (0.00) or Whole number on the post report. Impressions can be displayed in Whole number, (00) or (000) on the post report. CPP can be shown in the Tenth place (0.0), the Hundredth place (0.00) or Whole number on the post report.

Note: CPM will always be shown in rounded whole number on the post report.

CPP/CPM can be shown in the Tenth place (0.0), the Hundredth place (0.00) or Whole number on the post report.

Rtg/GRP and Imp/GIMP calculations are done with the precision of the data available regardless of the setting. The setting is applied in the end when rounding.

The rating used for calculating CPP will be based on the setting - 0.0, 0.00 or Whole Rtg.

When "Use Rounded GRP" is checked, the rounded GRP will be used for calculations in the Total Summary only. "Use Rounded GRP" is checked by default.



Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Match Log Zone

If "Match Log Zone" is checked in the Defaults menu, zones in the log file will be automatically matched to zones in the Cable_Zn.txt file upon selection of a Survey or Overnight in the Traffic Post screen. This automatic matching of zones will only apply to the Default Market and only if the syscodes are present in the log file.

If there are no matches found, the program will look to the matches made in Match Zones in Utilities for all markets. This will happen if syscodes are not present in the log file, as is the case with Eclipse log files.

If "Match Log Zone" is not checked, CablePOST will not automatically match the zones found in the log file to the zones found in the Cable_Zn.txt for the Default market and the zone matches in Match Zones in Utilities will not be used.

Combine Split Network for Same Channel (e.g. TOON/ADSM) for STORM OV

If "Combine Split Network for Same Channel (e.g. TOON/ADSM) for STORM OV" is checked, CablePOST will combine data for the following networks on the post report:

- NICK/NAN
- TOON/ADSM
- TVL/TVLC
- MTV/AMTV

For example, the user can match a traffic log network to NICK or TOON and the data will be pulled for NICK/NAN or TOON/ADSM.

If "Combine Split Network for Same Channel (e.g. TOON/ADSM) for STORM OV" is not checked, CablePOST only returns the matched data. For example, the user can match a traffic log network to NICK or TOON and have only NICK or only TOON returned.

Note: By choosing Rentrak as the Survey Type on the Posting screen, or, as the Default Survey on the Defaults screen, the “Combine Split Network for Same Channel (e.g. TOON/ADSM) for STORM OV” is disabled.

comScore does not report the audiences for the above listed networks as two distinct networks and STORM Overnights provides Nielsen household and demographic viewing data.

Replace Networks for VIEW OV

Check this box to turn on the rules created in Replace Networks for VIEW Arianna OV data.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Surveys

The Survey Settings box will display the available surveys for the Default Market and Default Survey selected.

Note: Rentrak Time Shifting – There are no time-shifting DVR playback streams available. Rentrak Live Only is the singular data stream.

Exact Weekly Rtg/Imp

This checkbox applies to surveys only.

If "Exact Weekly Rtg/Imp" is checked, the exact quarter hour weekly rating is used. The date of the run spot must fall within the survey dates of the post book to achieve the exact rating.

Nielsen Example
When posting on the May 2018 book, the survey dates of the May 2018 book are 4/26/2018 – 5/23/2018, so the run spot must fall within those dates to achieve an exact weekly rating.

Reference the “Nielsen Local TV Measurement” from your local Research department for survey dates.

Rentrak Example
When posting on the April 2018 book, the survey dates of the April 2018 book follow the April broadcast calendar, 3/26/2018 – 4/29/2018, so the run spot must fall within those dates to achieve an exact weekly rating.

If "Exact Weekly Rtg/Imp" is not checked, or the Exact Weekly Rating is not available due to unreported weeks, the survey average rating is used.

- Nielsen Survey – 4-week average
- Rentrak Survey – 4 or 5 week average. Based on a broadcast calendar.

"Exact Weekly Rtg/Imp" is checked by default.

By-pass All Wks Avg Ratings

"By-pass All Wks Avg rating" applies to surveys only.

When "Exact Weekly Rtg/Imp" is checked, and there is no exact rating for the run spot, the "By-pass All Wks Avg rating" option can be used to show a zero rating instead of the All Wks Avg rating. "Exact Weekly Survey Rating" and "By-pass All Wks Avg rating" must be checked in the Defaults menu to show the zero rating. If "Show Program Name: Overnights/Survey" is checked in the report options, the program name will show "N/A." If "Exact Weekly Survey Rating" is checked and "By-pass All Wks Avg rating" is NOT checked, and no exact rating is available, the post will show the All Wks Avg rating.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Note: By choosing Rentrak as the Survey Type on the Posting screen, or, as the Default Survey on the Defaults screen, By-pass All Wks Avg Ratings is disabled.

Overnights

The Overnights box displays the available overnights for the Default Market selected.

Note: By choosing Rentrak as the Survey Type on the Posting screen, or, as the Default Survey on the Defaults screen, the Overnights box is empty. STORM overnights delivers Nielsen household and demographic viewing data.

Change Password

You may change the password that was assigned via User Setup. Passwords are not case-sensitive.

To Change Your Password

1. Choose Change Password from the User Setup menu.
2. Type in a new password in the text box provided.
3. Choose the Save Password button to save the new password.



Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Support Files

The following support files are used by CablePOST: cable_hh.txt, netues.pop, netcbpop.ini, cable_zn.txt, cable_nw.txt, cable_st.txt, dmaUEs.pop, DMADates.txt and SurveyDates.txt.

All files except the SurveyDates.txt can be loaded in the Support Files screen. SurveyDates.txt is accessed automatically from the CablePOST\CP\Files directory.



Geography	Demo	UE
dma	Metro A Households	3,251,370
dma	Metro B Households	3,251,370
dma	Households	3,251,370
dma	Children 2-5	409,514
dma	Children 6-11	650,984
dma	Men 12-14	175,166
dma	Men 15-17	181,570
dma	Men 18-20	183,667
dma	Men 21-24	209,881
dma	Men 25-34	530,360
dma	Men 35-49	845,771
dma	Men 50-54	295,419
dma	Men 55-64	567,907
dma	Men 65+	587,911
dma	Women 12-14	168,967
dma	Women 15-17	176,741
dma	Women 18-20	179,494
dma	Women 21-24	206,427
dma	Women 25-34	537,998
dma	Women 35-49	877,327
dma	Women 50-54	308,553
dma	Women 55-64	609,874

cable_hh.txt / netues.pop / netcbpop.ini

Three types of Network populations are loaded and used for calculations in CablePOST. Lookup periods are by Broadcast Month.

- Network Insertability - **cable_hh.txt**, for Network Insertability UEs by Syscode.
- Network Carriage - **netues.pop**, for total Cable Market Carriage UEs.
- National Populations - **netcbpop.ini**, for National Network populations when posting on National time-zone surveys.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Note: The netcbpop.ini file is updated quarterly, so Network Pops should be loaded through CablePOST each quarter.

cable_zn.txt / cable_nw.txt

The cable_zn.txt and cable_nw.txt are loaded together. The cable_zn.txt contains zone information and the cable_nw.txt contains syscodes and network IDs. These are used for calculations when Match Log Zones is selected in the Defaults menu and/or when Use Zone Pop is selected in the Post screen.

cable_st.txt

The cable_st.txt contains network IDs, network call letters and Nielsen network names. These are used for Match Networks.

xDMAUEs.pop

The xDMAUEs.pop contains DMA and CDMA populations by effective date. The DMA population is used for calculations when applying Use DMA Pop. The Cable population is used for calculations when applying Use Zone Pop or Use DMA Pop to Overnights. The DMA/Cable populations must be loaded in the Support Files screen prior to posting.

When xDMAUEs.pop is selected in the Support Files screen and an Effective Date is selected from the dropdown box, the DMA or Cable populations for the selected market and date will be displayed in the dialog box.

The DMA effective season runs from October - September of each year. The Cable effective dates are based on the February, May, July and November sweeps. Exact effective dates will vary depending on the year.

Note: The DMADates.txt file impacts the xDMAUEs.pop file. The 2 support files should be updated together.

DMADates.txt

The DMADates.txt contains DMA and CDMA dates and is used when posting on VIEW Overnights and STORM overnights when "Adjust Demo by Overnight HH Survey Selection" is used. This file is updated annually.

Note: The DMADates.txt file impacts the XDMAUEs.pop file. The 2 support files should be updated together.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

SurveyDates.txt

The SurveyDates.txt is used to determine Broadcast Month when posting on Nielsen surveys. This file is updated annually.

Loading Support Files

To Load Support Files from View

1. In Support Files, choose Load from VIEW.
2. You can click on a file name on the left to see its data populate the grid on the right.
3. Choose Save to save the loaded file information to the database.

To Load a Support File from a local or network directory

1. In Support Files, choose the support file name from the Load File drop-down menu.

2. In the File Location text box, type the UNC path to the file.
3. Choose the Load button to load the file.
4. Repeat the steps above for each individual file.
5. Choose Save to save the loaded file information to the database.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Update (Clearing) CableTrack Files

Universe Estimates (UEs) from the NCC CableTrack files, cable_hh.txt and netues.pop, require specific steps to update data. Simply uploading the newest weekly file with the same Effective Date does not overwrite the previous UEs.

To Clear Insertability UEs

When saving data loaded from the **cable_hh.txt file**, only new data will be appended to the database with the Effective Date and Zone. If data with the same Effective Date and Zone is found in the database, the data will not be updated.

1. In Support Files, locate Cable_hh.txt.
2. From the Effective Date drop-down make a selection (i.e. October, 2018).
3. From the Available Zones drop-down make a selection (i.e. 0001).
4. Choose the Clear button.
5. Repeat steps for each zone as needed.
6. Load a new Cable_hh.txt file.



To Clear Carriage UEs

When saving data loaded from the **netues.pop**, only new data will be appended to the database with the Effective Date and Market. If data with the same Effective Date and Market is found in the database, the data will not be updated.

1. In Support Files, select a market from the Market List drop-down.
2. Locate NETUEs.pop.
3. From the Effective Date drop-down make a selection (i.e. October, 2018).
4. Choose the Clear button.
5. Load a new NETUEs.pop file.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved



User Setup

By default, there is a User named "admin" with password "admin" to be used when the program is first opened.

To Add Users

1. In User Setup, enter a name in the User Name box. User names are not case-sensitive.
2. Enter a password.
3. Choose the User Group (either Admin or User):
    - Admin – Full CablePOST access; includes permission to User Setup and Daypart Setup
    - User – CablePOST access; excludes permission to User Setup and Daypart Setup
4. Choose the Add button. The user will be added to the User List below.
5. Choose Save once all users have been added.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved



To Delete Users

1. Highlight a user in the User List.
2. Choose Delete.
3. Choose Save to save the changes.

To Load the Users List from VIEW

If users are already set up in VIEW, these users can be loaded into CablePOST:

1. Export the UserListInfo.xml file from the ULRST.EXE application in VIEW
2. In the User Setup screen in CablePOST, browse to the UserListInfo.xml file and choose the Load button.
3. User Names will be added to the User List. Choose Save to save the imported user information.

   Note: Passwords from VIEW will not be loaded.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Daypart Setup

Custom dayparts can be created and saved for use in Daypart Setup by an Admin user. The dayparts available for use in the Traffic screen will be based on the Survey and/or Overnight market selected. Dayparts entered here will be saved for all markets. Saving dayparts per market is not available at this time.

In the case of schedules with pre-defined goals, Custom Dayparts provide the GRP/GIMP goals delivered by daypart.

To save custom dayparts

1. Choose Daypart Setup from the Setup menu.

2. In the dialog that appears, the market shown is the default market. Dayparts entered here will be saved for all markets. Saving dayparts per market is not available at this time.

3. In the Daypart text box, type the daypart you would like to add in the format day/time. Choose the Add button.

4. Continue adding dayparts and choose Save to finish.



5. To delete a daypart, highlight the daypart to be deleted in the list and choose the Delete button.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Note: To post on saved custom dayparts, see Summary By Custom Daypart.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Utilities

Match Networks

Matching networks may be necessary if the network call letters differ between the log file(s) and data source(s). You will be prompted to match networks when running the post or you may match networks through the Match Networks screen in the Utilities menu. Only users with Admin rights can access the Utilities menu.

Follow this link for details on match networks when running the post.

To Match Networks from Utilities

1. From the Utilities menu, choose Match Networks. The following table will appear showing the current matched networks. If no matches have been made, the table will be blank.



Network Code	Overnight Code	Network Id
AEN	AEN	6218
AEN_N	AEN	6218
AENP	AEN	6218
APL-N	APL	6605
APLP	APL	6605
BBCA	BBCA	8250
BET_N	BET	6200
BETP	BET	6200
BRVO_N	BRVO	6526
BRVO-N	BRVO	6526
BRVO-N	BRVO	6526
CMDY	CMDY	7133
CMDY_N	CMDY	7133
CMT	CMT	6647
CNB	CNBC	6521
CNN_N	CNN	6202
CNNP	CNN	6202
DISC_N	DISC	6530
DISCP	DISC	6530
DIY-E	DIY	7742
ENT-NI	ENT	6384

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

2. In the text box at the top of the Log column, type the log file call letters you want to match, ie. "ETV". Choose the match from the Data drop down menu and choose Add.



3. Choose Save to save the matches to the database.

4. To delete a match, highlight the call letters in the table and choose Delete.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Match Networks Run Post

Matching networks may be necessary if the network call letters differ between the log file(s) and data source(s). You will be prompted to match networks when running the post or you may match networks through the Match Networks screen in the Utilities menu.

Follow this link for details on Match Networks in the Utilities Menu.

To Match Networks when Running the Post

1. After choosing the Run Post button, if there are networks in the log file(s) that cannot be found in the selected data source(s), the following message will appear. Choose OK.



2. In the dialog box that appears, the networks that need to be matched will be displayed in the Log Call column. Highlight a network in the Log Call column by clicking on it, then scroll through the Data Call column to find its match and click on the Match button to match. The matched networks will appear in the table on the right.



Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

3. Repeat until all networks are matched and choose OK to exit the dialog and finish running the post. The matches will be saved to the database for future use.

4. To undo a match, highlight the network in the table on the right and choose the Unmatch button.

To see a full list of matched networks, go to the Utilities menu and choose Matched Networks.

Match Zones

Matching zones may be necessary if there is no syscode for the zone present in the Log File. For example, Eclipse log files do not contain syscodes. Zone matches will apply for all users. See Match Log Zone for more information.

To Match Zones

1. Choose Match Zones from Utilities.
2. In the dialog that appears, choose the market.
3. In the Log Zone textbox, type the name of the zone as it appears in the log file.
4. Choose the matching Syscode from the dropdown list. This list will be pulled from the zone file loaded in the Support Files screen.
5. Choose Add and Save to finish matching.



Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Replace Networks

Replace Networks is available in CablePOST v4.5 or higher and only for use with VIEW Arianna OV data.

A Replace Networks rule can be created and applied for scenarios where two networks with different network IDs are present in the VIEW Arianna overnight data, but only one of those call letters is present in the log file, ie. TOON and ADSM in the OV data, but only TOON in the log file.

To create a Replace Networks rule

1. From the Utilities menu, choose "Replace Networks." The following screen will appear:



2. In the Log text box, type the name of the network as it appears in the log file.
3. From the VIEW OV Data drop-down menu choose the network as it appears in the VIEW Overnight data.
4. In the Daypart box, type the daypart when the replacement should apply and choose the Enter key. CablePOST will format the daypart to a Nielsen day automatically.

   For example, if you have TOON in the log file and TOON in the OV data from 6am – 8:59am, and ADSM from 9pm – 5:59am, you would have to enter 2 rules: one to pull ratings from TOON for TOON spots that fall between 6am-8:59pm and one to pull ratings from ADSM for TOON spots that fall between 9pm – 5:59am.

   For the first rule, type TOON in the log box. Choose TOON from the OV drop-down menu. Type "MF6a-859a" in the Daypart box and choose enter to format the daypart and Add to add the daypart rule.

Next type TOON in the log box, choose ADSM from the VIEW OV Data drop-down menu and type "mf9p-559a" in the Daypart box. Choose Enter and Add.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved



Log	VIEW OV Data		Daypart
TOON	ADSM 4737		M-F 9:00 PM - 12:00 AM+Tu-Sa 12:00 AM - 5:59 AM
Log	Call	ID	Daypart
TOON	TOON	7241	M-F 6:00 AM - 8:59 PM
TOON	ADSM	4737	M-F 9:00 PM - 12:00 AM+Tu-Sa 12:00 AM - 5:59 AM

Add

Note:

- Any 12a-12a daypart can be entered. If the rule crosses midnight, the portion after 12a will pull ratings from the following day.
- Overlapping dayparts are not allowed.
- Multiple rules can be entered for the same network but rules will be sorted in the order entered. The first rule that matches will be used. More than one rule cannot be applied to the same spot.
- Replace Networks will override any matches made in the Match Networks screen.
- Rules will apply globally to all users.

5. Once all rules have been entered choose Save to save the rules to the database.

To Replace Networks on a post

1. In Defaults, check the "Replace Networks for VIEW OV" checkbox. When it is checked, the rules will apply.

2. Run the Traffic Post. The network displayed on the post report will be the original log network. If you would like the replaced network to show instead, check the "Show Replaced/Matched Network" box under Report Options in the Traffic Post screen.



Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Glossary

A

Affidavit: A legal document used in commercial television stating that a commercial or program ran as ordered.

AIUE: Acronym for Ad Insertable Universe Estimate. AIUEs are based on the Network Carriage and Insertability within a zone and are used to calculate network viewership. AIUEs allow users to estimate the impressions of each network within a zone based on the network's ad-insertable households.

Autofill: When open avail slots remain after all orders are scheduled, autofill would schedule in spots not ordered to fill up the remaining inventory.

Average Audience: An estimate of the average audience having tuned into a station for a minimum of 5 minutes within a specific 15-minute time period.

C

C-DMA: Acronym for Cable Designated Market Area. The total number of different Cable TV households reached one or more quarter-hours for the average week and for the 4 weeks of the current measurement period. Cumulative audience percentages for households are based on Meter records only.

CablePOST: An application used to report impressions and/or ratings delivery. It summarizes total rating points delivered after a schedule has run.

Cable System: The local operation that distributes cable TV channels, usually over a combination of fiber optic and coaxial wires, to subscribing households.

comScore (Rentrak): TV local market measurement data service that collects estimates for subscribing Satellite and Cable distributors through a set-top-box. Rentrak day is defined 6a-6a.

Note: comScore (Rentrak) demographics do not reflect viewing by individuals within a given segment. Rather, they reflect viewing by households with a member in the segment. For example, a demographic rating of 5.0 for A18-49 indicates that five percent of households with at least one adult aged 18 to 49 viewed the programming.

CPM: CPM expresses the cost of delivering 1000 GIMPs (Gross Impressions). An individual may account for multiple impressions; therefore, 1000 GIMPs does not mean 1000 different people are reached.

CPP: The cost per rating point for the specified daypart, demo and network. The value for the statistic is rounded to the nearest dollar. There are two ways to calculate CPP: Spot $ / Rtg (on the daypart line) and Total $ / GRP (on the total line).

D

Database Area: The directory in which databases are stored for VIEW. You can maintain multiple database areas and add or remove databases from the database area through VIEW.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Daypart Code: Commonly used dayparts have an associated Daypart Code, e.g. WK=Weekend, used to identify them.

Demo: Any data item that identifies gender and age.

Demographic: Any data item that identifies gender and age.

Directory: A subdivision of a local/network drive that works like a filing system to help you organize documents.

DMA: Acronym for Designated Market Area. The total number of different TV households reached one or more quarter-hours for the average week and for the 4 weeks of the current measurement period.

Drive: The mechanism in a computer that retrieves and stores information. Personal computers generally have one hard-drive (labeled C). If your computer is connected to a network, you will have access to several network drives.

DVR: Acronym for Digital Video Recorder. A consumer device which uses a hard disk drive to record television programs. Also provides pause of live television feature.

F

Fill: Also known as Autofill. When open avail slots remain after all orders are scheduled, autofill would schedule in spots not ordered to fill up the remaining inventory.

G

GIMP: The total number of times a spot will be viewed in a given schedule.

GRP: The sum of all rating points achieved with a particular schedule (GIMP/Pop). This includes duplication.

H

Headend (linear): Refers to the physical place where linear television programming is received and distributed to subscriber homes.

Headnet: Unique combination of a headend and network; the lowest point of commercial insertion.

Households (HH): The core measure of circulation for a cable TV system. Typically, cable companies collect a monthly subscription fee from each household served. In addition to detached homes, apartment units are usually counted as individual households.

I

Impressions: An estimate of the average audience having tuned in to a network for a minimum of five minutes within a specific 15-minute time period.

Interconnect: A combination of all zones for a single DMA (represented by a unique syscode) that is ordered scheduled and verified/invoiced as a single spot at a single unit rate. The spot must be placed in the same avail across all zones and must successfully be delivered to a specific percentage of the subscriber base in order for the spot to be billable.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

L

Live: Live ratings; Those who view programs at the time they initially are aired, excluding any DVR playback. **Note**: Rentrak Time Shifting – There are no time-shifting DVR playback streams available. Rentrak Live Only is the singular data stream.

- Nielsen STORM – Live Only local overnight daily measurement ended August 2018
- Nielsen Survey – Live Only local monthly measurement ended June 2018

Live+1: Live+1 Day ratings; Viewers watching live, as well as those who playback program on a DVR within 27 hours of the initial airing.

- Nielsen STORM – Live+1 local overnight daily measurement period began September 2018
- Nielsen Survey – Live+1 local monthlies measurement period began July 2018

Live+3: Live+3 Day ratings; Viewers watching live, as well as those who played back programs on a DVR within 3 days of the initial airing.

Live+7: Live+7 Day ratings; Viewers watching live, as well as those who played back programs on a DVR within a week of the initial airing.

Live+SD: Live+SD Day ratings; Viewers watching live, as well as those who played back programs on a DVR on the same day as the initial airing.

LPM: Acronym for Local People Meter. Nielsen Media Research's electronic measurement system for local markets to collect audience estimates for broadcast and cable networks, nationally distributed syndicated programs and satellite distributors. People Meters are placed in sample households and measure what program or channel is being tuned and who is watching.

M

Menu: A list of commands that drops down from the menu bar. CablePost displays the menu bar across the top of the application window and lists the menu names such as Defaults, Support Files, User Setup, and more.

Menu Bar: The area below the title bar that contains an application's pull down menu items (Traffic, Saved, Set Up, Utilities, Help).

MSO: Acronym for Multiple System Operator. A company that owns and/or operates more than one cable system.

MVPD: Acronym for Multichannel Video Programming Distributor. A company that provides multiple television channels (a.k.a cable or satellite television service).

N

Network Carriage: Whether a network is available to be seen in a particular zone. A household is counted in the Carriage Household Universe Estimate (Net Car HH UE) if that household can view the network (via Cable TV) in a particular market.

Network Insertability: Whether spot advertising can be placed on a network in a zone. A household is counted in the Insertable Household Universe Estimate (Net Ins HH UE) if they can see an ad placed in a particular zone. For various reasons, there are households within a zone that cannot see the ads placed by the MSO (Multiple System Operator) because the ads they see are placed by a different MSO.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

NFC: National Fulfillment Center

Nielsen: TV local market measurement data service that collects estimates for broadcast and cable networks, nationally syndicated programs and satellite distributors. Nielsen measures the viewing habits by demographics: age, gender, and ethnicity. Data is collected through monthly sweeps books and overnight viewing. Nielsen (Survey and Overnights) day is defined 3a-3a.

O

Order: Also known as a Contract. The Order contains the order line details for spot scheduling, the copy instructions, and miscellaneous charges.

Overnights: Overnight delivery of household and demographic viewing data.

P

Pod: A commercial break in a program.

Population: The total number of persons/households that the respondent sample represents.

Post: After the order has run a traffic log is pulled and zones/times/networks/units are compared to an agreed upon data viewing source. The post illustrates how well a schedule performs against pre-negotiated goals for the schedule based on GIMP, GRP, CPP, or CPM.

Program: Programs include all scheduled programs, program ID, episode, episode ID, scheduled airdate and time, scheduled duration, genres, air style, and high profile flag.

Program Name: The name of the program corresponding to the station and daypart.

Q

Quantitative Data: Quantitative data provides a demographic measurement of the total audience watching TV or listening to the radio during a specified time period or program.

R

Rate: The rate at which a spot(s) is being bought/sold, expressed in dollars.

Rating: The estimated percent of total persons tuned to a particular network or program for a given daypart or time period (number of viewers divided by the population). The percent sign is not shown, and the rating may represent household viewing or a specific demographic audience segment's listening or viewing.

Region: Customized group of syscodes that are ordered and delivered as a single spot record. Placement options within break or within daypart. Verification options for pro-rated or threshold. Ordered, placed and verified as a single spot unit at a single unit rate.

Regional Syscode: A single SYS Code that represents the "Region" that is described above. A regional Syscode acts as a "parent" syscode. It allows sales to buy multiple syscodes (i.e. All Philadelphia) as one spot. The delivery of the spot breaks down into the individual headends for insertion, but the spot is booked and billed as a single spot unit.

Rentrak (comScore): TV local market measurement data service that collects estimates for subscribing Satellite and Cable distributors through a set-top-box. Rentrak day is defined 6a-6a.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved

Note: comScore (Rentrak) demographics do not reflect viewing by individuals within a given segment. Rather, they reflect viewing by households with a member in the segment. For example, a demographic rating of 5.0 for A18-49 indicates that five percent of households with at least one adult aged 18 to 49 viewed the programming. S

Stat Eqv: Adjusts impressions by spot duration. Eqv Factor = Spot Line Duration / Default Duration

STORM: Acronym for STRATA Overnights Research Manager. A 3-part software product for overnight data management which includes the STORM database, a SQL database capable of handling multiple markets and multiple years.

Survey: Also referred to as "Sweeps." Measurement period for demographic viewing data collected from sample homes by Nielsen Station Index (Nielsen Media Research's local market measurement service). The standard sweep months include November, February, May and July of each year. In larger markets, there may be three additional months (October, January and March). Sweeps data is used by local television stations, cable systems, advertisers and their agencies to buy and sell commercial advertising as well as make programming decisions.

Syscode: Advanced Media Systems' 4-digit identification number assigned to all ad insertable cable systems, interconnects, channels, regional networks and zones; similar to broadcast call letters.

U

Universe: All homes in a market, also known as HHs or a demographically defined group such as adults 25-54.

Z

Zone: A specific geographic area segmented from a cable interconnect/system's coverage area for advertising.

Zone (linear): Zone is a smaller geographic area within a DMA where cable lines exist from a single source but is not limited to town, county or municipality. (This differs from an iguide zone that can have a zone, which covers several DMAs.

- Zone references a sales zone
- Headend references an insertion point -Two headends can roll up into one zone
- Zone also referenced as a 'retail unit A zone is the smallest unit of sale; a geographic grouping of subscribers used for ordering cable advertising.

Note: Often the term zone is (mis)used when talking about a headend. A zone may consist of a single headend OR multiple headends.

Zone Group: Custom grouping of zones used strictly for data entry efficiency. A separate orderline is created for each zone in the group selected. All spots place, verify and are billed as individual zone spots.

Proprietary and Confidential information
©2019 FreeWheel Media, Inc.
All Rights Reserved