

8. Execute and display the results for the following Nmap service version and OS detection commands in Kali Linux operating systems:


i) detect the version of services running

ii) aggressive scan

iii) detect operating system of the target




PS> kali@kali: /home/kali
Session Actions Edit View Help
└─PS> nmap -A scanme.nmap.org
Starting Nmap 7.98 (https://nmap.org) at 2026-10-12 02:46 -0400
Nmap scan report for scanme.nmap.org (45.33.32.156)
Host is up (0.00052s latency).
Other addresses for scanme.nmap.org (not scanned): 2600:3c01::f03c:91ff:fe18
:bb2f
Not shown: 639 filtered tcp ports (no-response), 357 closed tcp ports (reset
)
PORT STATE SERVICE
22/tcp open ssh
80/tcp open http
1720/tcp open h323q931
9929/tcp open nping-echo
OS fingerprint not ideal because: Didn't receive UDP response. Please try ag
ain with -sSU
No OS matches for host
OS detection performed. Please report any incorrect results at https://nmap.
org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 149.72 seconds
(kali㉿kali)-[/home/kali]
PS>


Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 39.43 seconds
(kali㉿kali)-[~]
$ nmap -A scanme.nmap.org
Starting Nmap 7.98 (https://nmap.org) at 2026-10-09 05:09 -0400
Stats: 0:04:13 elapsed; 0 hosts completed (1 up), 1 undergoing Script Scan
NSE Timing: About 99.30% done; ETC: 05:13 (0:00:00 remaining)
Nmap scan report for scanme.nmap.org (45.33.32.156)
Host is up (0.00016s latency).
Other addresses for scanme.nmap.org (not scanned): 2600:3c01::f03c:91ff:fe18:bb2f
Not shown: 769 filtered tcp ports (no-response), 227 closed tcp ports (reset)
PORT STATE SERVICE VERSION
22/tcp open tcpwrapped
|_ssh-hostkey: ERROR: Script execution failed (use -d to debug)
80/tcp open http Apache httpd 2.4.7 ((Ubuntu))
|_http-server-header: Apache/2.4.7 (Ubuntu)
1720/tcp open tcpwrapped
9929/tcp open nping-echo Nping echo
Device type: VoIP adapter|bridge|general purpose
Running (JUST GUESSING): AT&T embedded (90%), Oracle Virtualbox (88%), Slirp (88%), QEMU (86%)
OS CPE: cpe:/o:oracle:virtualbox cpe:/a:danny_gasparovski:slirp cpe:/a:qemu:qemu
Aggressive OS guesses: AT&T BGW210 voice gateway (90%), Oracle Virtualbox Slirp NAT bridge (88%), QEMU user mode network gateway (86%)
No exact OS matches for host (test conditions non-ideal).
Network Distance: 1 hop
TRACEROUTE (using port 80/tcp)
HOP RTT ADDRESS
1 0.12 ms scanme.nmap.org (45.33.32.156)
OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 267.37 seconds
(kali㉿kali)-[~]
Search
Lenovo