```
10.ReactJS-HOL
import React from "react";
const offices = [
{
 id: 1,
 name: "Regal Plaza",
 location: "Hyderabad",
 rent: 45000,
 image:
  "https://images.unsplash.com/photo-1597801616662-
9c5d8c039c04?auto=format&fit=crop&w=600&q=80"
},
{
 id: 2,
 name: "Tech Towers",
 location: "Bangalore",
 rent: 60000,
 image:
  "https://images.unsplash.com/photo-1573164713988-
8665fc963095?auto=format&fit=crop&w=600&q=80"
},
 {
 id: 3,
 name: "EcoSpaces",
 location: "Chennai",
 rent: 35000,
 image:
  "https://images.unsplash.com/photo-1589394810681-
15d5a4a16023?auto=format&fit=crop&w=600&q=80"
```

```
}
];
const App = () => {
 return (
 <div style={{ padding: "20px", fontFamily: "Arial" }}>
   <h1 style={{ textAlign: "center", color: "#333" }}>
    Office Space Rental App
   </h1>
   <div
    style={{
     display: "flex",
     justifyContent: "center",
     flexWrap: "wrap",
     gap: "20px",
     marginTop: "30px"
   }}
   >
    {offices.map((office) => (
     <div
      key={office.id}
      style={{
       border: "1px solid #ccc",
       borderRadius: "10px",
      padding: "15px",
      width: "250px",
       boxShadow: "0 4px 8px rgba(0,0,0,0.1)",
      textAlign: "center"
```

```
}}
    >
     <img
      src={office.image}
      alt={office.name}
      style={{ width: "100%", borderRadius: "8px" }}
     />
     <h2 style={{ margin: "10px 0 5px" }}>{office.name}</h2>
     {office.location}
     <p
      style={{
       color: office.rent > 50000 ? "red" : "green",
       fontWeight: "bold"
      }}
     >
      ₹{office.rent}
     </div>
   ))}
   </div>
 </div>
);
export default App;
OUTPUT:
```

};

