R	esult Grid		Filter Rows:	
	Name	Age	Breed	Туре
Þ	Jimmy	5	Golden Retriever	Dog
	Whisky	6	Siamese	Cat
	Bonda	1	Persian	Cat



R	esult Grid 🔠 🙌	Filter Rows:	Export:	Wrap Cell Content:	ĪĀ
	Name	SUM(Donations.Do	onationAmount)		
١	Happy Paws Shelter Safe Haven Rescue	100 NULL			
	1				

	Name	Age	Breed	Type		
٠	Jimmy	5	Golden Retriever	Dog		
	Whisky	6	Siamese	Cat		
	Charlie	4	Beagle	Dog		
	Bonda	1	Persian	Cat		



	Breed				
•	Siamese Persian				

Result Grid	♦ Filter Rows:	 Export:	Wrap Cell Content:	IA
T V	ShelterName	_ 0.		

Re	sult Grid 🔡 🙌	Filter Rows:	Export:	Wrap Cell Content:	IA
	TotalParticipants				
•	0				

Breed			
Golden Retriever			
Beagle			
Persian			



PetName AdopterName		
Jimmy		

PetName	AdopterName		Wrap Cell Content:	
Jimmy	Jimmy			

Re	esult Grid 🔡 🙌	Filter Rows:	Export: Wrap Cell Content:	IA
	shelterName	EventName		
•	Happy Paws Shelter Safe Haven Rescue	the section with the second section of the second section is a second section of the second section of the second section is a second section of the section of the second section of the		

PetName	AdopterName		
Jimmy	Jimmy		

SCHEMAS *							
Q. Filter objects		Outp	ut ····				
▼ III adoptioneverts	_	đ	Action	Output	•		
▼ Columns		•	•	Time	Action	Message	Duration / Fetch
◆ EventID		0	14	11:19:5	create database PetPals	1 row(s) affected	0.031 sec
<ul> <li>EventName</li> <li>EventDate</li> </ul>		0	15	11:20:0	use PetPals	0 row(s) affected	0.000 sec
EventDate     Location		0	16	11:20:0	create table Pets ( Pet1D Int Primary key auto_increment, Name varchar(50) not null, Age Int not null, .	0 row(s) affected	0.063 sec
▶ 🛅 Indexes		0	17	11:20:1	create table shelters( ShelterID Int Primary key auto_increment, Name varchar(100) not null, Location varch	0 row(s) affected	0.063 sec
► Toreign Keys	1	0	18	11:20:1	create table Donations( DonationID int primary key auto_increment, DonarName varchar (150) not null, Do	0 row(s) affected	0.046 sec
➤ Triggers ➤ donations		0	19	11:20:2	create table AdoptionEvents( EventID int primary key auto_increment, EventName varchar(150) not null. Eve	0 row(s) affected	0.031 sec
▶ ■ participants		0	20	11:20:3	create table Participants( ParticipantID int primary key auto_increment, ParticipantName varchar(150) not null.	0 row(s) affected	0.063 sec
▼ ■ pets		0	21	11:27:1	INSERT INTO Pets (Name, Age, Breed, Type, AvailableForAdoption) VALUES (Jimmy', 5, 'Golden Retriever', '.	. 4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.047 sec
▶		0	22	11:27:1	INSERT INTO Shelters (Name, Location) VALUES ('Happy Paws Shelter', 'Chennai'), ('Safe Haven Resoue', 'K	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
► Toreign Keys		0	23	11:27:2	INSERT INTO Donations (DonorName, DonationType, DonationAmount, DonationItem, DonationDate) VALU.	Error Code: 1054. Unknown column 'DonorName' in field list'	0.016 sec
Triggers Triggers			24	11:28:4	INSERT INTO Donations (DonarName, DonationType, DonationAmount, DonationNem, DonationDate) VALU.	2 row(s) affected Records: 2 Duplicates: 0 Warrings: 0	0.032 sec
shelters Views			25	11 28 4	INSERT INTO AdoptionEvents (EventName, EventDate, Location) VALUES ('Pet Adoption Day', '2025-03-30	1 row(s) affected	0.032 sec
Stored Procedures	1	0			INSERT INTO Participants (ParticipantName, ParticipantType, Event(D) VALUES ('Happy Paws Shelter', 'Shelt		0.047 sec
Tunctions .	1	0			Select Name Age Breed Type from pets where availableForAdoption = 1 LIMIT 0. 1000	3 row(s) returned	0.000 sec / 0.000 sec
➤ Sys ▼ E techshop	1	6			Select ParticipantName, ParticipantType from Participants, where EventID = 1 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
▶ 🛅 Tables		0			Select Shelters Name, SUM(Donations Donation Amount) FROM Shelters JOIN Donations ON Shelters Shelter		0.000 sec / 0.000 sec
Tiews Views		_			select Name, Age, Breed, Type from Pets where OwnerID IS NULL LIMIT 0, 1000	Error Code: 1054. Unknown column 'OwnerID' in 'where clause'	0.000 sec
Administration Schemas		•			Akertable Pets add column OwnerID INT NULL		0.000 sec 0.062 sec
Information	400	-				0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	
		0			select Name, Age, Breed, Type from Pets where OwnerID IS NULL LIMIT 0, 1000	4 row(s) returned	0.016 sec / 0.000 sec
No object selected		0			select YEAR(DonationDate) AS Year, MONTH(DonationDate) AS Month, SUM(DonationAmount) AS TotalDon		0.000 sec / 0.000 sec
		0			select distinct Breed from Pets where Age between 1 and 3 OR Age > 5 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
		0			select Pets Name As PetName, Shelter. Name As ShelterName from Pets where Available ForAdoption = 1 LIMIT		0.000 sec
		0			select Pets Name As PetName, Shelters. Name As ShelterName from Pets where Available For Adoption = 1 LIMI	Error Code: 1054. Unknown column 'Shelters Name' in field list'	0.000 sec
		0	37	12:06:3	alter table Pets ADD COLUMN ShelterID INT	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.046 sec
		0	38	12:06:4	select Pets.Name As PetName,Shelters.Name As ShelterName from Pets where AvailableForAdoption = 1 LIMI	Error Code: 1054. Unknown column 'Shelters.Name' in Yield list'	0.000 sec
object of the second		0	39	12:07:1	select Pets Name AS PetName, Shelters Name AS ShelterName from Pets JOIN Shelters ON Pets ShelterID =	0 row(s) returned	0.000 sec / 0.000 sec
Object Info Session		0	40	12-08-1	SFI FCT Name. (SFI FCT Name FROM Shelters) AS ShelterName. FROM Pets. WHERE AvailableForAdontio.	First Code: 1242. Subsuery returns more than 1 row	0.015 sec
uery Completed							(33)

0	39	12:07:19	select Pets.Name AS PetName, Shelters.Name AS ShelterName from Pets JOIN Shelters ON Pets.ShelterID = $\dots$	0 row(s) returned		0.000 sec / 0.000 sec
0	40	12:08:16	SELECT Name, (SELECT Name FROM Shelters) AS ShelterName FROM Pets WHERE AvailableForAdoptio	Error Code: 1242. Subquery returns more than 1 row		0.015 sec
0	41	12:09:43	$select\ count (Participants. Participant ID)\ AS\ Total Participants\ from\ Participants\ join\ Adoption Events\ ON\ Particip$	1 row(s) returned		0.000 sec / 0.000 sec
0	42	12:12:29	select distinct Breed from Pets where Age between 1 and 5 LIMIT 0, 1000	3 row(s) returned		0.000 sec / 0.000 sec
0	43	12:14:49	select *from Pets where AvailableForAdoption = 1 LIMIT 0, 1000	3 row(s) returned		0.000 sec / 0.000 sec
0	44	12:19:01	desc adoptionevents	4 row(s) returned		0.016 sec / 0.000 sec
0	45	12:21:53	atter table Adoption Events add column AdopterName VARCHAR(100)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0		0.063 sec
0	46	12:22:37	$select\ Pets. Name\ AS\ PetName, Adoption Events\ AdopterName\ from\ Pets\ inner\ join\ Adoption Events\ ON\ Pets. P$	1 row(s) returned		0.000 sec / 0.000 sec
0	47	12:24:18	update AdoptionEvents set AdopterName = 'Jimmy' where EventID = 1	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	1 row(s) affected	n 015 sec
0	48	12:24:23	$select\ Pets. Name\ AS\ PetName,\ Adoption Events. AdopterName\ from\ Pets\ inner\ join\ Adoption Events\ ON\ Pets. P$	1 row(s) returned	Rows matched: 1 Changed: 1 Warnings:	00 sec / 0.000 sec
0	49	12:28:54	select Shelters.Name, COUNT(') from Shelters, Pets where Shelters.ShelterID = Pets.ShelterID AND Pets.A	0 row(s) returned		0.015 sec / 0.000 sec
0	50	12:31:39	$select\ p1. Name\ AS\ Pet1, p2. Name\ AS\ Pet2, p1. Breed, p1. ShelteriD\ from\ Pets\ p1, Pets\ p2\ where\ p1. ShelteriD\$	0 row(s) returned		0.000 sec / 0.000 sec
0	51	12:33:34	select Shelters. Name as shelter Name , Adoption Events Event Name as Event Name from Shelters cross join Ado	2 row(s) returned		0.000 sec / 0.000 sec
0	52	12:36:03	$select\ Shelters. Name, COUNT(")\ AS\ Adopted Pets\ from\ Shelters,\ Pets\ where\ Shelters. ShelteriD = Pets. Shelteri$	Error Code: 1140. In aggregated query without GROUP BY, express	ion #1 of SELECT list contains nonaggrega	0.000 sec
0	53	12:37:01	select. Shelters. Name, COUNT(") AS. Adopted Pets from. Shelters, Pets where. Shelters. ShelterID = Pets. ShelterI	0 row(s) returned		0.015 sec / 0.000 sec