

Institute of Computer Engineering Technology



ASSIGNMENT

Assignement	WEEK01 - Programming Fundamentals
Batch No	iCM104 / iCM105
Name	Typing Practise
Ass. Date	08th July 2023

```
01.
  class Example {
       public static void main(String args[]){
            System.out.println("Institute of Computer Engineering Technology");
   }
02.
   class Example {
       public static void main(String args[]){
            System.out.println("Institute of Computer Engineering Technology");
            System.out.println("223 A,");
            System.out.println("Galle Road,");
            System.out.println("Panadura.");
        }
  }
03.
   class Example {
       public static void main(String args[]){
            System.out.print("J");
            System.out.print("A");
            System.out.print("V");
            System.out.print("A");
       }
   }
04.
   class Example {
       public static void main(String args[]){
            System.out.println("1");
            System.out.println(1000);
            System.out.println(1.23);
       }
   }
```



```
05.
   class Example {
        public static void main(String args[]){
            System.out.println("Hello");
            System.out.println("A");
            System.out.println(1234);
            System.out.println(-1234);
            System.out.println(1.2334);
            System.out.println(0.0032);
            System.out.println(-0.0023);
            System.out.println('A');
            System.out.println('6');
            System.out.println(true);
            System.out.println(false);
        }
   }
06.
   class Example{
        public static void main(String args[]){
            System.out.print("A");
            System.out.print("B");
            System.out.print("C");
            System.out.print("D");
        }
   }
```



```
07.
   class Example {
       public static void main(String args[]){
            System.out.println("1");
            System.out.print("2");
            System.out.println("3");
            System.out.print("4");
            System.out.print("5");
            System.out.println("6");
            System.out.print("7");
            System.out.print("8");
            System.out.print("9");
            System.out.println("10");
       }
   }
08.
   class Example {
       public static void main(String args[]){
            System.out.print("1");
            System.out.println();
            System.out.print("2");
            System.out.print("3");
            System.out.println();
            System.out.print("4");
            System.out.print("5");
            System.out.print("6");
            System.out.println();
            System.out.print("7");
            System.out.print("8");
            System.out.print("9");
            System.out.print("10");
       }
  }
```



```
09.
   class Example {
       public static void main(String args[]){
            System.out.println("A");
            System.out.println("B");
            System.out.println();
            System.out.println("C");
            System.out.println("D");
            System.out.print(" ");
       }
   }
10.
  class Example {
       public static void main(String args[]){
            System.out.println("A");
            System.out.println("B");
            System.out.print();
            System.out.println("C");
            System.out.println("D");
  }
11.
 class Example {
      public static void main(String args[]){
          int a;
          a=100;
          System.out.println("a");
          System.out.println(a);
      }
 }
```



```
12.
  class Example {
       public static void main(String args[]){
            System.out.println("a");
            System.out.println(a);
       }
  }
13.
  class Example{
      public static void main(String args[]){
            int a = 100;
            System.out.println(a);
       }
  }
14.
  class Example{
      public static void main(String args[]){
            System.out.println(a);
            a=100;
      }
  }
15.
  class Example{
       public static void main(String args[]){
            int x;
            x=100;
            x = 200;
            System.out.println(x);
  }
```



```
16.
  class Example{
       public static void main(String args[]){
            int x;
            x=100;
            System.out.println(x);
            x = 200;
            System.out.println(x);
       }
  }
17.
  class Example{
       public static void main(String args[]){
            int x=100;
            int y=200;
            System.out.println(x);
            System.out.println(y);
       }
  }
18.
  class Example{
       public static void main(String args[]){
            int x;
            x=1000;
            System.out.println(x);
            var y = 2000;
            System.out.println(y);
  }
```



```
19.
  class Example{
      public static void main(String args[]){
            int x=100;
            int y=200;
            int z;
            System.out.println(x);
            System.out.println(y);
            System.out.println(z);
      }
  }
20.
  class Example {
       public static void main(String args[]){
            int x=100,y,z=200;
            System.out.println(x);
            y="java";
            System.out.println(y);
            System.out.println(z);
       }
  }
21.
  class Example{
       public static void main(String args[]){
            System.out.println("A");
            //System.out.println("B");
            System.out.println("C");
            //System.out.println("D");
            System.out.println("E");
       }
  }
```



```
22.
  class Example{
       public static void main(String args[]){
            System.out.println("A");
            System.out.println("B");
            /*System.out.println("C");
            System.out.println("D");
            System.out.println("E");*/
            System.out.println("F");
       }
  }
23.
   class Example{
       public static void main(String args[]){
            int x=100;
            int y = 200;
            System.out.println(x);
            System.out.println(y);
            x=y;
            System.out.println(x);
            System.out.println(y);
       }
   }
 24.
    class Example {
         public static void main(String args[]){
             System.out.println(true);
             System.out.println("true");
         }
    }
```



```
25.
   class Example {
       public static void main(String args[]){
            System.out.println(Java);
            System.out.println("Java");
       }
   }
26.
   class Example {
       public static void main(String args[]){
            System.out.println('A');
            System.out.println("A");
            System.out.println('2');
            System.out.println("2");
            System.out.println('JAVA');
            System.out.println("JAVA");
       }
   }
27.
   class Example {
       public static void main(String args[]){
            System.out.println("Hellooooo\tJAVA");
            System.out.println("Hellooooo\t\t\t\tJAVA");
       }
   }
28.
   class Example {
        public static void main(String args[]){
            System.out.println("Hi\tJAVA");
            System.out.println("Hello\tWorld");
    }
```



```
29.
   class Example {
       public static void main(String args[]){
            System.out.println("AB\nCD");
            System.out.println("");
            System.out.println("EF\tGH\n\nIJ\tKL");
       }
   }
30.
   class Example {
       public static void main(String args[]){
            System.out.println("time - "17:56:02"");
   }
31.
   class Example {
       public static void main(String args[]){
            System.out.println("\'iCET\'");
            System.out.println("\"Institute of Computer Engineering Technology\"");
       }
   }
32.
   class Example {
       public static void main(String args[]){
            System.out.println("First Line \nSecond Line");
            System.out.println("A\tB\tC");
            System.out.println("D\tE\tF");
       }
   }
```



```
33.
  class Example{
       public static void main(String args[]){
           System.out.println("AB\nCD");
           System.out.println("AB\tCD");
           System.out.println("AB\fCD");
           System.out.println("AB\bCD");
           System.out.println("AB\rCD");
           System.out.println("AB\\CD");
       }
   }
34.
  class Example{
       public static void main(String args[]){
           System.out.println(10+20);
           System.out.println("10"+"20");
           System.out.println("10"+20);
           System.out.println(10+"20");
       }
   }
35.
  class Example{
       public static void main(String args[]){
           System.out.println(20230326);
           System.out.println("2023-03-26");
       }
   }
```



```
36.
   class Example{
       public static void main(String args[]){
            int x,y,z;
            x=10;
            y = 20;
            z=x+y;
            System.out.println(x+"+"+y+"="+z);
       }
   }
37.
  class Example{
       public static void main(String args[]){
            int x=10,y=20;
            System.out.println(x+y);
            System.out.println("x"+"y");
            System.out.println("x+y");
            System.out.println("x"+y);
            System.out.println(x+"y");
       }
   }
38.
   class Example{
       public static void main(String args[]){
            System.out.println(10+20+30);
            System.out.println("10+20+30");
            System.out.println(10+20+30);
            System.out.println("10+20"+30);
            System.out.println("10"+"20"+"30");
            System.out.println("10"+20+30);
            System.out.println(10+20+"30");
            System.out.println(10+"20"+30);
       }
   }
```



```
39.
  class Example {
       public static void main(String args[]){
            String s1="Hello";
            System.out.println(s1);
            System.out.println(sl.concat("JAVA"));
       }
  }
40.
  class Example {
       public static void main(String args[]){
            int x, y, z;
            x=10;
            y = 20;
            z=x+y;
            System.out.println(x+" + "+y+" = "+z);
            z=x-y;
            System.out.println(x+" - "+y+" = "+z);
            z=x*y;
            System.out.println(x+" * "+y+" = "+z);
       }
   }
41.
  class Example {
       public static void main(String args[]){
            int x, y;
            x=10;
            y = 20;
            System.out.println(x+" + "+y+" = "+(x+y));
            System.out.println(x+" - "+y+" = "+(x-y));
            System.out.println(x+"*"+y+"="+(x*y));
       }
   }
```



```
42.
  class Example {
       public static void main(String args[]){
           int x,y;
           x=100;
           y = 200;
           System.out.println(x);
           System.out.println(y);
           y=x;
           System.out.println(x);
           System.out.println(y);
       }
  }
43.
  class Example {
       public static void main(String args[]){
            int num=103;
            if(num>0){
                 System.out.println(num+" is positive number");
            }else if(num<0){
                 System.out.println(num+" is negative number");
           }else{
                 System.out.println(num+" is 0");
           }
       }
  }
```



```
44.
  import java.util.*;
  class Example {
       public static void main(String args[]){
            Scanner input=new Scanner(System.in);
           System.out.print("Input number - ");
           int num=input.nextInt();
              if(num>0){
                 System.out.println(num+" is positive number");
           }else if(num<0){
                 System.out.println(num+" is negative number");
           }else{
                 System.out.println(num+" is 0");
           }
       }
  }
45.
  import java.util.*;
  class Example {
       public static void main(String args[]){
            Scanner input=new Scanner(System.in);
           System.out.print("Enter your marks - ");
           int mark=input.nextInt();
           if(mark > = 75){
                 System.out.println("your grade is A");
           else if(mark >= 65)
                 System.out.println("your grade is B");
           }else if(mark >=50){
                 System.out.println("your grade is C");
           }else{
                 System.out.println("your grade is F");
           }
       }
  }
```



```
46.
  import java.util.*;
  class Example {
       public static void main(String args[]){
            Scanner input=new Scanner(System.in);
           System.out.print("Enter your age - ");
           int age=input.nextInt();
           if(age<18){
                  System.out.println("age is not valid to vote");
            }else{
                  System.out.println("welcome to vote");
            }
       }
  }
47.
  class Example {
       public static void main(String args[]){
            double x, y, z;
            x=3;
            y=4;
            z=Math.sqrt(x*x + y*y);
            System.out.println("Hypotenuse is "+z);
       }
  }
```



```
48.
  import java.util.*;
  class Example {
       public static void main(String[] args) {
             Scanner input=new Scanner(System.in);
             System.out.print("Enter any number - ");
             int num=input.nextInt();
             int fact=1;
             for(int i=1;i<num;i++){
                  fact=fact*i;
             System.out.println("The factorial of "+num+" is "+fact);
       }
  }
49.
  import java.util.*;
  class Example {
       public static void main(String[] args) {
             Scanner input=new Scanner(System.in);
             System.out.print("Input your age - ");
             int age=input.nextInt();
             if(age < 18){
                  System.out.println("age is not valid to vote");
             else {
                  System.out.println("welcome to vote");
             }
       }
  }
```



