

```
[ec2-user@ip-172-31-86-111 ~]$ docker run httpd
AH00558: httpd: Could not reliably determine the server's fully qualified domain name, using 172.17.0.2. Set the 'ServerName' directive globally to suppress this message
AH00558: httpd: Could not reliably determine the server's fully qualified domain name, using 172.17.0.2. Set the 'ServerName' directive globally to suppress this message
[Thu Apr 24 09:03:53.745375 2025] [mpm_event:notice] [pid 1:tid 1] AH00489: Apache/2.4.63 (Unix) configured -- resuming normal operations
[Thu Apr 24 09:03:53.745474 2025] [core:notice] [pid 1:tid 1] AH00094: Command line: 'httpd -D FOREGROUND'
```

```
[ec2-user@ip-172-31-86-111 ~]$ docker container ls
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
d042a1b65445	httpd	"httpd-foreground"	4 minutes ago	Up 4 minutes	0.0.0.0:80->80/tcp, :::80->80/tcp	web1
3972c54490c0	httpd	"httpd-foreground"	15 minutes ago	Up 15 minutes	80/tcp	web
8b5dc535d81a	httpd	"httpd-foreground"	17 minutes ago	Up 17 minutes	80/tcp	crazy_neumann

```
[ec2-user@ip-172-31-86-111 ~]$
```

```
[ec2-user@ip-172-31-86-111 ~]$ docker network ls
```

NETWORK ID	NAME	DRIVER	SCOPE
1b03ffe6af88	bridge	bridge	local
de1e918c518f	host	host	local
bc900b2450dc	none	null	local

```
[ec2-user@ip-172-31-86-111 ~]$ docker network create --driver bridge keerthi-network
770b4b711a4b0ea3a9663e3fb093abe8b6c35c4173efdb1d21bac7f41c35a798
```

```
[ec2-user@ip-172-31-86-111 ~]$ docker network ls
```

NETWORK ID	NAME	DRIVER	SCOPE
1b03ffe6af88	bridge	bridge	local
de1e918c518f	host	host	local
770b4b711a4b	keerthi-network	bridge	local
bc900b2450dc	none	null	local

```
[ec2-user@ip-172-31-86-111 ~]$ docker volume ls
```

DRIVER	VOLUME NAME
--------	-------------

```
[ec2-user@ip-172-31-86-111 ~]$ docker volume ls
```

DRIVER	VOLUME NAME
local	keerthi-volume