Lecture # 7 10/13/2021

Last time
- Finished Ch 2 and Ćuk converter example
  Ch 2: s.s. analysis of ided converters

Today
- Start Ch 3 → Read over next 1 week
  Ch 3: s.s. analysis w/ non-idealities

Logistics
- HW 1 solution posted
- HW 2 posted today, due Wed 10/20 11:59pm PT.

- Closing Thoughts on Cúk converter example:

Take stock:

unknowns: I_1, I_2, V_1, V_2

# of equations = 4

} can do a bunch of algebra to solve for I_1, I_2, V_1, V_2

After solving, we get:

$$V_1 = \frac{V_g}{D}$$

$$V_2 = -\frac{D}{D'} V_g$$

$$I_1 = -\frac{D}{D'} \left(\cdots \right)$$

$$I_2 = \left(\frac{D}{D'}\right)^2 \frac{V_g}{R}$$

Conversion Ratio?

$$M(D) = \frac{V_2}{V_g} = -\frac{D}{1-D}$$

} similar/identical buck boost

– Recap of some basic converters

$M = D$



$M = \frac{1}{1-D}$



$M = \frac{-D}{1-D}$



ch 2

---

ch 3

– Ideal Converter Again



$P_{in} = P_{out}$

$\Downarrow$

$V_g I_g = V I$

$\Rightarrow$ efficiency $\eta = 1$ (Greek symbol eta)

$$\frac{V}{V_g} = M(D)$$

$$\frac{I_g}{I} = M(D)$$

ideal conversion ratios

Can redraw as





Unicorn xfmr: Different from a real-world xfmr

- Adjustable
- Non-integer turns
- Passes dc power

* Ideal converter mimics an adjustable xfmr.

- Rules for "reflecting" ckt elements through a xfmr



Want equiv elements on other side

Result after reflecting elements



easier to analyze

 → scale by $M(D)$

 → scale by $M^2(D)$

 → scale by $\frac{1}{M^2(D)}$

– Including Loss Mechanisms



Repeat ch 2 w/ lossy elements above.

– Boost Convert Model w/ Losses



Look @ balance eqns



$$\left.\begin{aligned}\langle v_L\rangle = 0 = D\left(V_g - IR_L - IR_{on}\right) \\ + D'\left(V_g - I(R_L+R_D) - V_D - V\right)\end{aligned}\right\}$$

$$\left.\langle i_c\rangle =\right.$$

clean up (1)

0 =

=

and (2)

0 =

=

Draw (1') KVL loop



Draw (2') KCL



- Combine into 2 coupled ckts