

6201-09030110

Тренинг Касим

Рационная работа

✓7

x	$f_1(x)$	$f_2(x)$	$f_3(x)$	$f_4(x)$
0	0	0	0	0
1	1	2	2	1
2	2	3	3,5	2
3	3,5	3	4	3,5
4	4	2	5	3
5	5	2	6	3

K	x_4	w_4
0	0	0
1	1	1
2	2	2
3	3	3,5
4	3	3,5
5	3	3,5

K	x_4	w_4	w
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3,5	3,5
4	4	3,5	3,5
5	5	3,5	3,5

$$f(x_3) + w_4 (K - x_3)$$

K	X ₃	$\tilde{w}_3$	w
0	0	0	0
1	0	1	2
2	0	2	2
3	0	2	3
4	0	3	5
5	0	3	5
6	0	4	5
7	0	4	5
8	0	5	5
9	0	5	5
10	0	5	5
11	0	5	5
12	0	5	5
13	0	5	5
14	0	5	5
15	0	5	5
16	0	5	5
17	0	5	5
18	0	5	5
19	0	5	5
20	0	5	5
21	0	5	5
22	0	5	5
23	0	5	5
24	0	5	5
25	0	5	5
26	0	5	5
27	0	5	5
28	0	5	5
29	0	5	5
30	0	5	5
31	0	5	5
32	0	5	5
33	0	5	5
34	0	5	5
35	0	5	5
36	0	5	5
37	0	5	5
38	0	5	5
39	0	5	5
40	0	5	5
41	0	5	5
42	0	5	5
43	0	5	5
44	0	5	5
45	0	5	5
46	0	5	5
47	0	5	5
48	0	5	5
49	0	5	5
50	0	5	5
51	0	5	5
52	0	5	5
53	0	5	5
54	0	5	5
55	0	5	5
56	0	5	5
57	0	5	5
58	0	5	5
59	0	5	5
60	0	5	5
61	0	5	5
62	0	5	5
63	0	5	5
64	0	5	5
65	0	5	5
66	0	5	5
67	0	5	5
68	0	5	5
69	0	5	5
70	0	5	5
71	0	5	5
72	0	5	5
73	0	5	5
74	0	5	5
75	0	5	5
76	0	5	5
77	0	5	5
78	0	5	5
79	0	5	5
80	0	5	5
81	0	5	5
82	0	5	5
83	0	5	5
84	0	5	5
85	0	5	5
86	0	5	5
87	0	5	5
88	0	5	5
89	0	5	5
90	0	5	5
91	0	5	5
92	0	5	5
93	0	5	5
94	0	5	5
95	0	5	5
96	0	5	5
97	0	5	5
98	0	5	5
99	0	5	5

K	X ₃	w ₃
0	0	0
1	1	2
2	2	3,5
3	2	4,5
4	1,2	5,5
5	2	7

K	X ₂	$\tilde{w}_2$	w
0	0	0	0
1	0	2	2
2	0	2	2
3	0	3	5
4	0	4	4
5	0	3	5
6	0	4	5
7	0	5	5
8	0	5	5
9	0	5	5
10	0	5	5
11	0	5	5
12	0	5	5
13	0	5	5
14	0	5	5
15	0	5	5
16	0	5	5
17	0	5	5
18	0	5	5
19	0	5	5
20	0	5	5
21	0	5	5
22	0	5	5
23	0	5	5
24	0	5	5
25	0	5	5
26	0	5	5
27	0	5	5
28	0	5	5
29	0	5	5
30	0	5	5
31	0	5	5
32	0	5	5
33	0	5	5
34	0	5	5
35	0	5	5
36	0	5	5
37	0	5	5
38	0	5	5
39	0	5	5
40	0	5	5
41	0	5	5
42	0	5	5
43	0	5	5
44	0	5	5
45	0	5	5
46	0	5	5
47	0	5	5
48	0	5	5
49	0	5	5
50	0	5	5
51	0	5	5
52	0	5	5
53	0	5	5
54	0	5	5
55	0	5	5
56	0	5	5
57	0	5	5
58	0	5	5
59	0	5	5
60	0	5	5
61	0	5	5
62	0	5	5
63	0	5	5
64	0	5	5
65	0	5	5
66	0	5	5
67	0	5	5
68	0	5	5
69	0	5	5
70	0	5	5
71	0	5	5
72	0	5	5
73	0	5	5
74	0	5	5
75	0	5	5
76	0	5	5
77	0	5	5
78	0	5	5
79	0	5	5
80	0	5	5
81	0	5	5
82	0	5	5
83	0	5	5
84	0	5	5
85	0	5	5
86	0	5	5
87	0	5	5
88	0	5	5
89	0	5	5
90	0	5	5
91	0	5	5
92	0	5	5
93	0	5	5
94	0	5	5
95	0	5	5
96	0	5	5
97	0	5	5
98	0	5	5
99	0	5	5

K	X ₂	w ₂
0	0	0
1	0,1	2
2	1	3
3	1	5,5
4	1,2	6,5
5	1,2	7,5

K	x_2	$\hat{w}_2$	w
5	0	7	
	1	7,5	
	2	7,5	
	3	6,5	7,5
	4	4	
	5	2	

K	x_1	$\hat{w}_1$	w
5	0	7,5	
	1	7,5	
	2	7,5	
	3	7,5	7,5
	4	6,5	
	5	5	

$$\begin{cases} x_1 = 0 \\ x_1 = 1 \\ x_1 = 2 \\ x_1 = 3 \end{cases}$$

Answer: (2, 1, 2, 0)

Возмем $x_1 = 2$ $k_1^* = 5 - 2 = 3$ отнимаем 3
 бьем $x_2 = 1$ $k_2^* = 2$, $k_3 = 2$
 Answer: (2, 1, 2, 0)