

SQL-kyselyjä pet-taulusta , osa 2

```
mysql> SELECT DISTINCT owner FROM pet;
+-----+
| owner |
+-----+
| Harold |
| Gwen   |
| Benny  |
| Diane  |
+-----+
4 rows in set (0.02 sec)

mysql> SELECT name FROM pet ORDER BY name ASC;
+-----+
| name  |
+-----+
| Bowser |
| Buffy  |
| Chirpy |
| Claws  |
| Fang   |
| Fluffy |
| Slim   |
| Whistler |
+-----+
8 rows in set (0.02 sec)

mysql> SELECT * FROM pet WHERE death IS NULL;
+-----+-----+-----+-----+-----+-----+
| name | owner | species | sex | birth | death |
+-----+-----+-----+-----+-----+-----+
| Fluffy | Harold | cat | f | 1993-02-04 | NULL |
| Claws | Gwen | cat | m | 1994-03-17 | NULL |
| Buffy | Harold | dog | f | 1989-05-13 | NULL |
| Fang | Benny | dog | m | 1990-08-27 | NULL |
| Whistler | Gwen | bird | | 1997-12-09 | NULL |
| Slim | Benny | snake | m | 1996-04-29 | NULL |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM pet WHERE owner LIKE 'H%';
+-----+-----+-----+-----+-----+-----+
| name | owner | species | sex | birth | death |
+-----+-----+-----+-----+-----+-----+
| Fluffy | Harold | cat | f | 1993-02-04 | NULL |
| Buffy | Harold | dog | f | 1989-05-13 | NULL |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.02 sec)

mysql> SELECT DISTINCT owner FROM pet WHERE owner LIKE 'H%';
+-----+
| owner |
+-----+
| Harold |
+-----+
1 row in set (0.00 sec)

mysql> SELECT DISTINCT name FROM pet WHERE name LIKE '%ff%';
+-----+
| name |
+-----+
| Fluffy |
| Buffy |
+-----+
2 rows in set (0.00 sec)

mysql> SELECT DISTINCT name FROM pet WHERE name LIKE '____';
+-----+
| name |
+-----+
| Fang |
| Slim |
+-----+
2 rows in set (0.00 sec)

mysql> |
```