

## Homework 2 Questions

### Instructions

- 1 exercise graded for completion only.
- 2 socially-responsible computing questions, which will be expanded on in discussion sections.
- 3 graded technical questions.
- Write code where appropriate.
- Feel free to include images or equations.
- Please make this document anonymous.
- This assignment is **fixed length**, and the pages have been assigned for you in Gradescope. As a result, **please do NOT add any new pages**. We will provide ample room for you to answer the questions. If you *really* wish for more space, please add a page *at the end of the document*.
- **We do NOT expect you to fill up each page with your answer.** Some answers will only be a few sentences long, and that is okay.

## Exercise

**E1:** Let's look again at the webcam Fourier decomposition demo which James showed in class. Let's run it in our CSCI 1430 virtual environment *preferably on a computer with a webcam*, from within the 'questions' directory.

```
$ python liveFFT2.py
```

This file contains five parts for you to explore and see the amplitude image, the phase image, and the effect of the reconstructed image.

- Part 0: Scanning the basis and observing the output image.
- Part 1: Reconstructions from different numbers of basis frequencies.
- Part 2: Replacing amplitude and phase with that from a different image.
- Part 3: Replacing amplitude and phase with that from a noise image.
- Part 4: Manipulating the amplitude and phase images.

Uncomment the different parts and explore the camera feed decomposition! Please include the results of your experimentation, e.g., two-to-three screenshots of what you discover. We'll be grading for completion, not correctness. *Note:* For anonymous grading, try not to put yourself in the camera frame. Show your favourite vector calculus book, wear a mask, use your cat, etc. Extra credit for creative effort.

## Exercise Results

Please include images of your results from the exercise here, e.g., two-to-three screenshots of your findings.

Extra space

**Q2:** Imagine we wished to find points in one image which matched to the same world point in another image—so-called feature point correspondence matching. We are tasked with designing an image feature point algorithm which could match world points in the following three pairs of images.

*RISHLibrary:* [One Two](#) — *Chase:* [One Two](#) — *LaddObservatory:* [One Two](#)

Please use the included python script `plot_corners.py` to find corners using Harris corner detection for each image above.

For each pair, discuss the differences in the returned corners (if any), the aspects of the images that create these differences, and any underlying real world phenomena that may have been the primary cause of these differences.

**A2 (a):** Answer for RISHLibrary pair

**A2 (b):** Answer for Chase pair

**A2 (c):** Answer for LaddObservatory pair

**Q3:** One use of local feature extraction and matching is [fingerprint recognition](#)—please watch the video and note the similarity to our task in this homework. Fingerprint recognition uses biometric data—measurements of human biological features that are unique to an individual—to make it convenient to unlock doors or devices quickly and without needing to remember a password. However, given its uniqueness, biometric data may be seen as a greater privacy encroachment upon a person than a password. Further, given the trust that is derived from the uniqueness of biometric data, it may also pose a greater risk of misuse if the data is not secure because the data cannot be changed.

a) Do you use biometric recognition systems? List them. [If not, list some that people around you use.] For one of the systems you use, where is the reference data stored (such as your stored fingerprint), and where and how does the authentication process happen (at a high level)? Try to find the answer online; [this article](#) may also help.

b) How might someone use computer vision to steal or spoof your biometric data to gain access? *This could be across reconstruction, recognition, or (re)organization.*

c) Biometric recognition systems may not affect all people equally. For a biometric authentication system, define a group of people and describe how they might be affected disproportionately.

**A3 (a):** Your answer here.

**A3 (b):** Your answer here.

**A3 (c):** Your answer here.



EXTRA SPACE

**Q4:** Brown University decides to entirely replace passwords with biometric data to authenticate student identity on its computer systems. Given how accurate your feature matching homework 2 code is, Brown asks you to develop the authentication system as your CSCI 1430 final project. Lucky you.

As preparation, you read a previous case about a [biometric data breach](#).

a) How were BioStar 2 storing their fingerprint data? Knowing the computer vision algorithms involved in feature matching, what different processing, features, or storage might you consider instead to decrease the risk of a biometric data breach?

Even though fingerprints are thought to be unique, we are bound by the accuracy of computer vision systems to detect and recognize that uniqueness. This may be a challenge for Brown's 10,000 students, let alone a national-scale database such as the FBI's [Next Generation Identification System](#) that houses over 100 million fingerprints; its Advanced Fingerprint Identification Technology is claimed to be 99.6% accurate.

b) Even seemingly high accuracies can create many inaccurate matches with large databases, potentially causing inaccurate judgements in criminal cases. Compare the causes that affect matching performance in natural images in Q2 to those that you might expect within the scenario of fingerprint recognition for door or device unlocking. Is accurate fingerprint recognition an easier problem than natural image matching? Why or why not?

*Refer to the video at the beginning of Q3 and [this slide deck](#) for example images and additional information.*

**A4 (a):** Your answer here.

**A4 (b):** Your answer here.

EXTRA SPACE

**Q5:** The Harris Corner Detector is commonly used in computer vision algorithms to find interest points from which to extract stable features for image matching.

How do the eigenvalues of the 'M' second moment matrix vary with local image brightness, and how might we interpret the eigenvalues geometrically (think 'shape')?

**A5:** Your answer here.

**Q6:** Given a interest point location, the SIFT algorithm converts a  $16 \times 16$  patch around the interest point into a  $128 \times 1$  feature descriptor of the gradient magnitudes and orientations therein. Write pseudocode *with matrix/array indices* for these steps.

*Notes:* Do this for just one interest point at one scale; ignore the overall interest point orientation; ignore the Gaussian weighting; ignore all normalization post-processing; ignore image boundaries; ignore sub-pixel interpolation and just pick an arbitrary center within the  $16 \times 16$  for your feature descriptor. Please just explain in pseudocode how to go from the  $16 \times 16$  patch to the  $128 \times 1$  vector. You are free to simplify the gradient computation.

**A6:** Your answer here.

```
# You can assume access to the image, x and y gradients, and their
# magnitudes/orientations.

image = imread('rara.jpg')
grad_x = filter(image, 'sobelX')
grad_y = filter(image, 'sobelY')
grad_mag = sqrt( grad_x.^2 + grad_y.^2 )
grad_ori = atan2( grad_y, grad_x )

# Takes in a interest point x,y location and returns a feature
# descriptor

def SIFTdescriptor(x, y)
    descriptor = zeros(128,1)

    return descriptor
```

**Feedback? (Optional)**

Please help us make the course better. If you have any feedback for this assignment, we'd love to hear it!