

ETHICAL HACKING LAB SERIES

Lab 19: Auditing Linux Systems

Material in this Lab Aligns to the Following Certification Domains/Objectives

SANS GPEN Objective

13: Pentesting via the Command Line

Document Version: 2016-03-09

Copyright © 2016 Network Development Group, Inc. www.netdevgroup.com

NETLAB Academy Edition, NETLAB Professional Edition, and NETLAB+ are registered trademarks of Network Development Group, Inc.

VMware is a registered trademark of VMware, Inc. Cisco, IOS, Cisco IOS, Networking Academy, CCNA, and CCNP are registered trademarks of Cisco Systems, Inc. EMC^2 is a registered trademark of EMC Corporation.





Contents

Introd	duction	3
	ctive	
,	opology	
	ettings	
1 (Getting Familiarized with Lynis	6
	Auditing with Lynis	



Introduction

Testing a system for security issues is part of a security assessment. Using the open source tool Lynis in this lab demonstrates how to assess a Linux system and evaluate what vulnerabilities exist in its configuration.


Objective

In this lab, you will be conducting ethical hacking practices using various tools. You will be performing the following tasks:

- 1. Getting Familiarized with Lynis
- 2. Auditing with Lynis



Pod Topology





Lab Settings


The information in the table below will be needed in order to complete the lab. The task sections below provide details on the use of this information.

Virtual Machine	IP Address	Account (if needed)	Password (if needed)
Kali Linux	192.168.9.2	root	toor
pfSense	192.168.0.254	admin	pfsense
OWASP Broken Web App	192.168.68.12	root	owaspbwa
OpenSUSE	192.168.0.2	osboxes	osboxes.org
Security Onion	n/a	ndg	password123



1 Getting Familiarized with Lynis

- 1. Click on the **OpenSUSE** graphic on the *topology page*.
- 2. Enter osboxes as the username. Click Next.
- 3. Enter osboxes.org as the password. Press Enter.
- 4. Open the *Terminal* by clicking on the **Application Launcher** and then clicking on the **Terminal** icon.



5. In the *terminal* window, change to the **/home/osboxes/Downloads/lynis** directory. Type the command below followed by pressing the **Enter** key.

cd Downloads/lynis

6. Enter the command below to start the Lynis application with root privileges.

sudo ./lynis

- 7. When prompted for *root's password*, type osboxes.org and press **Enter**.
- 8. Notice the program exits with an error stating that no scanning mode has been specified, this is okay. For the purpose of this step is to observe the available options for the *Lynis* application.



9. Check to see if *Lynis* is up to date by entering the command below.

sudo ./lynis update info

```
[ Lynis 2.1.1 ]
Lynis comes with ABSOLUTELY NO WARRANTY. This is free software, and you are
welcome to redistribute it under the terms of the GNU General Public License.
See the LICENSE file for details about using this software.
Copyright 2007-2015 - CISOfy, https://cisofy.com
Enterprise support and plugins available via CISOfy
______
[+] Initializing program
                                                 [ DONE ]
 - Detecting OS..
 - Checking profile file (./default.prf)...
 - Program update status...
                                                 [ UNKNOWN ]
[+] Helper: update
== Lynis ==
 ∨ersion
 Status
              : Unknown
 Release date : 22 July 2015
 Update location : https://cisofy.com
```

Notice the status is unknown because the VM cannot access the Internet in this environment to check, but do notice the version number is given. At the time of writing this lab module, *Lynis* is up-to-date.



10. Enter the command below to check the tests available.

```
sudo ./lynis --tests "Test-IDs"
```

```
[ Lynis 2.1.1 ]
 Lynis comes with ABSOLUTELY NO WARRANTY. This is free software, and you are
 welcome to redistribute it under the terms of the GNU General Public License.
See the LICENSE file for details about using this software.
 Copyright 2007-2015 - CISOfy, https://cisofy.com
Enterprise support and plugins available via CISOfy
 [+] Initializing program
  - Detecting OS...
                                                                               [ DONE ]
  Program version:
  Operating system:
  Operating system: Linux
Operating system name: SuSE
  Operating system version: openSUSE 13.2 (x86_64)
                               X86_64
                                     3.16.7
  Hardware platform:
  Hostname:
                                    osboxes
  Auditor:
                                    [Unknown]
                                    ./default.prf
/var/log/lynis.log
/var/log/lynis-report.dat
  Profile:
Log file:
  Report file:
  Report version:
  Plugin directory:
                                     ./plugins
  - Checking profile file (./default.prf)...
```

To navigate, use the **Enter** key when prompted *Press* [ENTER] to continue, or [CTRL]+C to stop. To quit at any given point, press **CTRL+C**.



2 Auditing with Lynis

1. Enter the command below to add an auditor.

```
sudo ./lynis -c --auditor "Joe"
```

If prompted for root's password, type osboxes.org. Press Enter.

2. Navigate through the audit using the **Enter** key when prompted *Press* [ENTER] to continue, or [CTRL]+C to stop. When the prompt is not shown, wait for a couple seconds for the program to run its tests. Once completed, a log is created.

Notice that during the audit process, there are a few processes that will attempt to connect to the internet. During these processes, a message will appear (see below). When these error messages appear, press the **Enter** key to signal an "abort request" and to move on with the audit.

```
Download (curl) error for 'http://download.opensuse.org/distribution/leap/42.1/repo/non-oss/co
ntent':
Error code: Connection failed
Error message: Could not resolve host: download.opensuse.org

Press Enter

ABORT request: Aborting requested by user
```



Enter the command below to pull out the suggestions from the log.

```
sudo cat /var/log/lynis.log | grep Suggestion
```

If prompted for *root's password*, type osboxes.org. Press **Enter**.

Notice the suggested recommendations listed to harden the machine.

4. Close the **OpenSUSE** PC viewer.