Topology

K

December 20, 2022

Contents

Chapter 1

Rings

1.1 Definition and Theorems

Definition 1 (Ring)**.** A ring is a set A equipped with two binary operations $+$ (addition) and $\cdot$ (multiplication) satisfying the following three sets of axioms, called the ring axioms.

1. $(A, +)$ is an abelian group.
2. $(A, \cdot)$ is a semigroup.
3. Multiplication is distributive with respect to addition, meaning that
   - $a \cdot (b + c) = (a \cdot b) + (a \cdot c)$ for all $a, b, c \in A$ (left distributivity).
   - $(b + c) \cdot a = (b \cdot a) + (c \cdot a)$ for all $a, b, c \in A$ (right distributivity).

A ring is called unitary if it contains the multiplicative identity and commutative if multiplication is commutative.

Definition 2 (Ideal)**.**

Definition 3 (Nilpotent Element and Nilradical)**.** An element x of a ring A is called nilpotent if there exists some positive integer $n \in \mathbb{N}^+$, called the index or the degree, such that $x^n = 0$.
The set of all nilpotent elements is called the nilradical of the ring and is denoted by $\mathrm{Nil}(A)$.

1.2 Exercises and Notes

Example 3.1. Let K be a field and $A = {}^{K[X,Y]}\!/_{(X - XY^2, Y^3)}$.

1. Compute the nilradical $\mathrm{Nil}(A)$.

   Solution. Denote $(X - XY^2, Y^3) =: \mathfrak{a}$.

   $$\begin{aligned} 2X + \mathfrak{a} &= XY^2 + \mathfrak{a} && \text{because } X - XY^2 \Rightarrow X \sim XY^2. \\ &= XY^2Y^2 + \mathfrak{a} && \text{because } XY^2 - XY^2Y^2 = Y^2(X - XY^2) = 0 \Rightarrow XY^2 \sim XY^2Y^2 \end{aligned}$$

   □