Integration and Integration

K

March 19, 2021

Contents

Ι	Solving Integrals	5
1	Trigonometric Functions	7
2	Hyperbolic Functions	ę
3	Solving Integrals	11

4 CONTENTS

Part I Solving Integrals

Chapter 1

Trigonometric Functions

Chapter 2

Hyperbolic Functions

Chapter 3

Solving Integrals

Theorem 3.0.1 (Important Identities).

$$\int x^{\alpha} dx = \frac{1}{\alpha + 1} x^{\alpha + 1} + c \qquad \text{For all } \alpha \in \mathbb{N}$$
 (3.1)

$$\int \frac{1}{x} dx = \ln|x| + c \qquad \text{If } x \neq 0.$$
 (3.2)

$$\int e^x \, \mathrm{d}x = e^x + c \tag{3.3}$$

$$\int \cos x \, \mathrm{d}x = \sin x + c \tag{3.4}$$

$$\int \sin x \, \mathrm{d}x = -\cos x + c \tag{3.5}$$

$$\int \frac{1}{1+x^2} dx = \arctan(x) + c \tag{3.6}$$

$$\int \tag{3.7}$$

Exercise 3.1

$$\int (1-t)^9 \, \mathrm{d}x \tag{3.8}$$

Solution 3.1

Substitute $1 - t = u \Rightarrow -1 dt = du$, then we have

$$\int (1-t)^9 dx = -\int u^9 du$$
 (Substitution.) (3.9)
= $-\frac{u^{10}}{10} + c$ (Important identities: 3.1) (3.10)
= $-\frac{(1-t)^{10}}{10} + c$. (u = 1 - t.) (3.11)

Exercise 3.2

$$\int (x^2 + 1)^2 \, \mathrm{d}x \tag{3.12}$$

Solution 3.2

Substitute $x^2 + 1 = u \Rightarrow 2x \, dx = du$.

$$\int (x^2 + 1)^2 dx = \int x^4 + 2x^2 + 1 dx \tag{3.13}$$

$$= \int x^4 \, \mathrm{d}x + 2 \int x^2 \, \mathrm{d}x + \int 1 \, \mathrm{d}x \tag{3.14}$$

$$=\frac{1}{5}x^5 + \frac{2}{3}x^3 + x\tag{3.15}$$

Exercise 3.3

$$\int \frac{1}{x^2 - x + 1} \, \mathrm{d}x \tag{3.16}$$

Solution 3.3

Substitute $x - \frac{1}{2} = u \Rightarrow 1 dx = du$.

$$\int \frac{1}{x^2 - x + 1} \, \mathrm{d}x = \int \frac{1}{(x - \frac{1}{2})^2 + \frac{3}{4}} \, \mathrm{d}x \tag{3.17}$$

$$= \int \frac{1}{u^2 + \frac{3}{4}} \, \mathrm{d}x \tag{3.18}$$

$$= \frac{3}{4} \int \frac{1}{\frac{4}{3}u^2 + 1} \, \mathrm{d}u \tag{3.19}$$

The last step was done in order to force the integrand to be in a form similar to

$$\frac{\mathrm{d}}{\mathrm{d}x}\arctan x = \frac{1}{x^2 + 1} \tag{3.20}$$

Lastly, substitute in the equation above $\frac{2}{\sqrt{3}}u = v \Rightarrow \frac{2}{\sqrt{3}} du = dv$. It is $u = \frac{\sqrt{3}}{2}v$ and $du = \frac{\sqrt{3}}{2} dv$, therefore, we have

$$\frac{3}{4} \int \frac{1}{\frac{4}{3}u^2 + 1} \, \mathrm{d}u = \frac{3}{4} \int \frac{1}{\frac{4}{3}(\frac{\sqrt{3}}{2}v)^2 + 1} \frac{\sqrt{3}}{2} \, \mathrm{d}v$$
 (3.21)

$$= \frac{3}{4} \frac{\sqrt{3}}{2} \int \frac{1}{v^2 + 1} \, \mathrm{d}v \tag{3.22}$$

$$= \frac{3\sqrt{3}}{8}\arctan v \tag{3.23}$$

$$= \frac{3\sqrt{3}}{8}\arctan\left(\frac{\sqrt{3}}{2}u\right) \tag{3.24}$$

$$= \frac{3\sqrt{3}}{8}\arctan\left(\frac{\sqrt{3}}{2}(x-\frac{1}{2})\right) \tag{3.25}$$