


```
import os  
import json  
import tempfile
```

```
import boto3
```

```
# Code block to download config file into config dict
s3 = boto3.resource('s3')
source_bucket = s3.Bucket(os.environ['SOURCE_BUCKET'])
config_file = 'config.json'
```

```
with tempfile.SpooledTemporaryFile() as data:
    source_bucket.download_fileobj(config_file, data)
    data.seek(0)
    config = json.loads(data.read())
```

```
def main(event, context):
```

```
return json.dumps(config)
```



BOOTSTRAP TIME



EXECUTION TIME

BOOTSTRAP TIME

```
import os
import json
import tempfile

import boto3

# Code block to download config file into config dict
s3 = boto3.resource('s3')
source_bucket = s3.Bucket(os.environ['SOURCE_BUCKET'])
config_file = 'config.json'

with tempfile.SpooledTemporaryFile() as data:
    source_bucket.download_fileobj(config_file, data)
    data.seek(0)
    config = json.loads(data.read())
```

EXECUTION TIME

```
def main(event, context):

    return json.dumps(config)
```

DATE & TIME	FUNCTION		DURATION (MS)	MEMORY (% USED)	COLD START	ERRORS
oct 05 8:29 am	pycon-dev-download_config_outside_handler	5	<div><div></div></div>	33	no	
oct 05 8:29 am	pycon-dev-download_config_outside_handler	4	<div><div></div></div>	33	no	
oct 05 8:28 am	pycon-dev-download_config_outside_handler	5	<div><div></div></div>	33	no	
oct 05 8:28 am	pycon-dev-download_config_outside_handler	41	<div><div></div></div>	33	no	
oct 05 8:28 am	pycon-dev-download_config_outside_handler	37	<div><div></div></div>	33	yes	
oct 05 8:22 am	pycon-dev-download_config_in_handler	243	<div><div></div></div>	34	no	
oct 05 8:22 am	pycon-dev-download_config_in_handler	256	<div><div></div></div>	34	no	
oct 05 8:22 am	pycon-dev-download_config_in_handler	227	<div><div></div></div>	34	no	
oct 05 8:22 am	pycon-dev-download_config_in_handler	225	<div><div></div></div>	34	no	
oct 05 8:22 am	pycon-dev-download_config_in_handler	930	<div><div></div></div>	33	yes	