ClientIPAddressNotAuthorized


Last updated by | Jackie Huang | Jan 4, 2022 at 12:24 AM PST

Contents

- Issue
- Root Cause
- Resolution

Issue

Self Hosted integration runtime throwing error "The Authentication key is invalid or empty" after disabling public network access for Data Factory.



In the Event log customer would see below error:


Failed to get service token from ADF service with key IR@ff504d07-aca7-47fd-aa27-

Root Cause

Customer disabled the public network access for the data factory, and either of below 3:

- 1. Private Endpoint for the data factory is not created
- 2. The SHIR hosted machine is not in the VNet where Private Endpoint is in, or does not connected to the VNet using Azure VNet solution, like ER/VPN, VNet peering
- 3. SHIR configured Proxy, while Proxy server is not in the VNet

Dashboard > ligengvnetdfeu



Resolution

- #1 If customer does not want to enable private endpoint, switch to Public Endpoint
- #2 . If customer do need to enable private endpoint, setup private endpoint for the data factory: https://docs.microsoft.com/en-us/azure/data-factory/data-factory-private-link data-factory-private-link data-factory-private-link data-factory-private-link https://docs.microsoft.com/en-us/azure/data-factory/data-factory-private-link data-factory-private-link https://docs.microsoft.com/en-us/azure/data-factory-private-link https://docs.microsoft.com/en-us/azure/data-factory-private-link">https://docs.microsoft.com/en-us/azure/data-factory-private-link https://docs.microsoft.com/en-us/azure/data-factory-private-link">https://docs.microsoft.com/en-us/azure/data-factory-private-link https://docs.microsoft.com/en-us/azure/data-factory-private-link https://docs.microsoft.com/en-us/azure/data-factory-private-link</