# Black Screen on RDP but then Disconnects\_RDP SSH

Last updated by | Kevin Gregoire | Mar 29, 2022 at 11:47 AM PDT


Tags		
cw.TSG	cw.RDP-SSH	

#### **Contents**

- Symptoms
- Root Cause Analysis
  - Root Cause Analysis 1
  - Root Cause Analysis 2
  - Tracking close code for this volume
- Customer Enablement
- Mitigation
  - Backup OS disk
  - ONLINE Troubleshooting
    - Mitigation 1
    - Mitigation 2
  - OFFLINE Troubleshooting
  - After work Cleanup
  - Escalation
- Need additional help or have feedback?

# **Symptoms**

1. The screenshot shows no issues and is on CTRL+ALT+DEL



- 2. When you RDP a machine, you'll get ask for the credentials and when you put them you could get
  - 1. That the remote machine is unavailable
  - 2. Internal error
  - 3. RDP windows opens up, get a black screen and after 1min drops
- 3. You may find the following events on the logs:

4. If you run a Host Analyzer report, you will see high performance on the Guest OS

# **Root Cause Analysis**

#### **Root Cause Analysis 1**

The machine is having a performance spike

## **Root Cause Analysis 2**

The machine is having a brute force RDP attack over the internet which is causing a performance spike.

# Tracking close code for this volume

Root Cause	Product	Support Topic	Cause Tracking code	Bug
1	Azure Virtual Machine � Windows	Routing Azure Virtual Machine V3\Cannot Connect to my VM\Failure to connect using RDP or SSH port	Root Cause - Windows Azure\Virtual Machine\Guest OS - Windows\VM Responding\Black Screen\Performance degradation	

Root Cause	Product	Support Topic	Cause Tracking code	Bug
1	Azure Virtual Networks	Routing Azure Virtual Network V3\Connectivity\Cannot connect to virtual machine using RDP or SSH	Root Cause - Windows Azure\Virtual Network\NSG\Configuration\Customer misconfiguration	

To know how to flag a bug on a case please refer to How to do Proper Case Coding

## **Customer Enablement**

N/A

# Mitigation

# Backup OS disk

▶ Details

# **ONLINE Troubleshooting**

## Mitigation 1

- ▼ Click here to expand or collapse this section
  - 1. A memory dump from the VM needs to be collected while the VM is on state.
    - 1. Confirm if customer has already granted permission in DfM "Product details" section: customer permission granted: Yes If No, ask the customer to go to their case in the Portal and grant us permission to look at OS logs. An example email can be found at: <a href="https://aka.ms/azdataperm/">https://aka.ms/azdataperm/</a>
    - 2. Refer to How to Get an OS Dump from an Azure Virtual Machine
    - 3. Once the memory dump was collected, then engage the <u>GES team</u> ☑ (Windows EEs) for a dump analysis. Cut a problem with the following details:

- Product: Windows Svr 2008 R2 or Windows Svr 2012 R2 Datacenter or Windows Svr 2016
   Datacenter or Windows Svr 2019 Datacenter as appropriate
- Support topic: Routing Windows V3\System Performance\System Hangs
- Problem Description:

```
Customer-facing error (RDP client error):
Symptoms description:

SR#
VM name
ICM#

C--- Only if the dump was collected from the Host
Datacenter

C--- Only if the dump was collected from the Host
Complete the dump was collected from the Host
Complete the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
C--- Only if the dump was collected from the Host
```

- These routing will route you to a Windows team however since we need to engage GES, override the routing to
  - For Premier cases: Windows EE Premier queue
     For Professional cases: Windows EE Pro queue
- 2. Proceed with the action plan provided by the Windows EE

#### Mitigation 2

- ▼ Click here to expand or collapse this section
  - Follow the RDP Brute force attack

## **OFFLINE Troubleshooting**

This scenario needs to be done only in ONLINE mode

## After work - Cleanup

If you are uncertain that we may need this snapshot by the end of this case for RCA purposes, then just leave it.

- 1. If the issue is already fix and no further RCA analysis is needed, then proceed to remove the OS Disk backup we created at the beginning of the case
  - 1. If the **disk is managed** using the portal so the snapshot section and select the snapshot you created previously as a backup.
  - 2. If the disk is unmanaged then
    - 1. If this is an CRP Machine ARM, then no further action is required
    - 2. If this is an Classic RDFE machine, then
      - Check the storage account where the OS disk of this machine is hosted using <u>Microsoft</u> <u>Azure Storage Explorer</u> right click over the disk and select *Managed Snapshots*
      - 2. Proceed to delete the snapshot of the broken machine

#### **Escalation**

- 1. If this doesn't work out, please reach out to the <u>Unable to RDP-SSH SME channel on teams</u> ☑ for advise providing the case number, issue description and your question
- 2. If the Connectivity SMEs are not available, then you may want to consider:
  - 1. Depending if this VM is hosted on a datacenter where <u>Nested virtualization</u> is an option and if the customer agrees, then you can build this environment and the VM in this environment where you are going to have full access to the VM's console screen.
  - 2. If you used Nested Virtualization and the customer then request for a refund, please check this process in <u>Credit Refund Process</u> section
  - 3. If the VM is not hosted in a datacenter where nested environment is an option, you can ask the customer to download the VHD in onprem for further troubleshooting
  - 4. At any point and whenever you have full access to the VM, if you require more help, you can engage **Windows Server** team for further troubleshooting. If that's what you need, then cut a problem with the following values:
    - Product: Windows Svr 2008 R2 or Windows Svr 2012 R2 Datacenter or Windows Svr 2016
       Datacenter or Windows Svr 2019 Datacenter as appropriate
    - Support topic: As appropriate to the issue at hand (If needed please engage a RDPSSH SME for assistance in the correct team to work with.)
    - Override the routing to engage Tier 2 directly

# Need additional help or have feedback?

To engage the Azure RDP-SSH SMEs	To provide feedback on this page	To provide kudos on this page
Please reach out to the RDP-SSH SMEs of for faster assistance.	Use the RDP-SSH Feedback form to submit detailed feedback on improvements or new content ideas for RDP-SSH.	Use the RDP-SSH Kudos form to submit kudos on the page. Kudos will help us improve our wiki content overall!
Make sure to use the <b>Ava process</b> for faster assistance.	<b>Please note</b> the link to the page is required when submitting feedback on existing pages! If it is a new content idea, please put N/A in the Wiki Page Link.	<b>Please note</b> the link to the page is required when submitting kudos!