SQL Side error messages

Last updated by | Sunil Veldurthi | May 23, 2022 at 5:34 AM PDT

For SQL side, It is all the error messages in section 227 in $\underline{\text{file}}$ \square . Copy to below incase you do not have access to the file.

```
// ErrorNumber: 22701
// ErrorSeverity: EX USER
// ErrorFormat: Cannot run this stored procedure as Change Feed feature is not enabled.
// ErrorCause: User tried to run Synase Link stored procedure while the feature is not enabled.
// ErrorCorrectiveAction: Do not use Synase Link stored procedure until feature is enabled
const int SYNAPSE LINK FEATURE NOT ENABLED = 1;
// ErrorNumber: 22702
// ErrorSeverity: EX USER
// ErrorFormat: Caller is not authorized to initiate the requested action. Only members of the db owner fixed
// ErrorCause: The caller does not have sufficient authorization to perform the requested action.
// ErrorCorrectiveAction: Request necessary authorization from db owner.
const int SYNAPSE LINK NOT AUTHORIZED = 2;
// ErrorNumber: 22703
// ErrorSeverity: EX USER
// ErrorFormat: Could not enable Change Feed for database '%s'. Change Feed is not supported on system databas
// ErrorInserts: database name
// ErrorCause: This error is reported when attempting to enable Change Feed for a system database where this f
// ErrorCorrectiveAction: None.
const int SYNAPSE LINK CANT ENABLE SYSTEM DB = 3;
// ErrorNumber: 22704
// ErrorSeverity: EX USER
// ErrorFormat: Could not enable Change Feed for database '%s'. Change Feed can not be enabled on a DB with Ch
// ErrorInserts: database name
// ErrorCause: This error is reported when attempting to enable Change Feed on a database where Change Data Ca
// ErrorCorrectiveAction: None.
const int SYNAPSE LINK CANT ENABLE SYNAPSE LINK CDC = 4;
// ErrorNumber: 22705
// ErrorSeverity: EX USER
// ErrorFormat: Could not enable Change Feed for database '%s' as it is already enabled.
// ErrorInserts: database name
// ErrorCause: This error is reported when attempting to enable Change Feed on a database where Change Feed is
// ErrorCorrectiveAction: None.
const int SYNAPSE_LINK_CANT_ENABLE_SYNAPSE_LINK_ALREADY_ENABLED = 5;
// ErrorNumber: 22706
// ErrorSeverity: EX_USER
// ErrorFormat: Change Feed is not enabled on database '%s'.
// ErrorInserts: database name
// ErrorCause: This error is reported because Change Feed is not enabled on the DB.
// ErrorCorrectiveAction: Use sp_change_feed_enable_db to enable Change Feed on current DB.
const int SYNAPSE LINK SYNAPSE LINK NOT ENABLED = 6;
// ErrorNumber: 22707
// ErrorSeverity: EX USER
// ErrorFormat: The specified database scoped credential name can't be found. It must have the identity of 'SH
// ErrorCause: This error is reported because the database scoped credential can't be found or the identity is
// ErrorCorrectiveAction: Add the database scoped credential first.
const int SYNAPSE LINK SYNAPSE LINK CREDENTIAL NAME FOUND = 7;
// ErrorNumber: 22708
// ErrorSeverity: EX USER
// ErrorFormat: The specified database scoped credential name does not match the landing zone URL path
// ErrorCause: This error is reported because the database scoped credential name does not match the landing z
// ErrorCorrectiveAction: Make sure the credential name matches with the landing zone URL path (only with stor
const int SYNAPSE_LINK_SYNAPSE_LINK_CREDENTIAL_NOT_MATCH_LZ_URL = 8;
// ErrorNumber: 22709
// ErrorSeverity: EX USER
// ErrorFormat: Parameter '%s' cannot be null or empty. Specify a value for the named parameter and retry the
// ErrorInserts: Parameter name
// ErrorCause: The named parameter cannot be null.
// ErrorCorrectiveAction: Resubmit request with an appropriate value for the named parameter.
const int SYNAPSE LINK PARAMETER NULL = 9;
```

```
// ErrorNumber: 22710
// ErrorSeverity: EX USER
// ErrorFormat: Could not update the metadata. The failure occurred when executing the command '%s'. The error
// ErrorInserts: P1: command that failed, P2: error returned, P3: state returned, P4: Message returned
// ErrorCause: The stored procedure failed while modifying meta data to reflect enabling the database. The com
// ErrorCorrectiveAction: Examine the failing action and the returned error to determine the cause for the err
const int SYNAPSE LINK METADATA UPDATE FAILURE = 10;
// ErrorNumber: 22711
// ErrorSeverity: EX_USER
// ErrorFormat: The specified table group can't be found in the current database.
// ErrorCause: Can't find the specified table group.
// ErrorCorrectiveAction: Call sp_change_feed_create_table_group to add table group first.
const int SYNAPSE_LINK_NOT_FOUND_TOPICS = 11;
// ErrorNumber: 22712
// ErrorSeverity: EX USER
// ErrorFormat: The application lock request '%s' needed to modify Change Feed metadata was not granted. The v
// ErrorInserts: P1: lock request, P2: return value
// ErrorCause: The lock request could not be granted. A return value of -1 indicates that the request timed ou
// ErrorCorrectiveAction: Use the return code to determine the cause of the error, take corrective action, and
const int SYNAPSE LINK APPLOCK REQUEST NOT GRANTED = 12;
// ErrorNumber: 22713
// ErrorSeverity: EX_USER
// ErrorFormat: The value for parameter @maxtrans specified must be greater than 0.
// ErrorCause: This error is reported when attempting to enable Change Feed with a value for maxtrans that is
// ErrorCorrectiveAction: Supply a value greater than 0 for maxtrans when enable Change Feed.
const int SYNAPSE LINK MAXTRANS NOT POSITIVE = 13;
// ErrorNumber: 22714
// ErrorSeverity: EX USER
// ErrorFormat: Tables contained in the changefeed schema cannot be enabled for Change Feed.
// ErrorCause: Attempt to enable table in the changefeed schema, which is not supported.
// ErrorCorrectiveAction:
const int SYNAPSE_LINK_CANT_TRACK_TABLES_IN_SYNAPSE_LINK_SCHEMA = 14;
// ErrorNumber: 22715
// ErrorSeverity: EX USER
// ErrorFormat: Enabling Change Feed for a temporal history table '%ls' is not allowed.
// ErrorInserts: Table name.
// ErrorCause: Change Feed is not supported on system-versioned history tables.
// ErrorCorrectiveAction:
const int SYNAPSE LINK TEMPORAL HISTORY NOT ALLOWED = 15;
// ErrorNumber: 22716
// ErrorSeverity: EX USER
// ErrorFormat: Can not enable Change Feed on table '%s' or add ColumnSet column to it because Change Feed doe
// ErrorInserts: P1: table name (sysname)
// ErrorCause: Enable Change Feed on table with column set or ALTER TABLE ADD COLUMNSET clause to a change fee
// ErrorCorrectiveAction: Do not add columnset to Change Feed tracked table
const int SYNAPSE LINK COLUMNSET NOT ALLOWED = 16;
// ErrorNumber: 22717
// ErrorSeverity: EX_USER
// ErrorFormat: A memory-optimized table cannot be enabled for Change Feed.
// ErrorCorrectiveAction: Do not enable Change Feed on memory optimized table.
const int SYNAPSE_LINK_UNSUPPORTED_HEKATON_TABLE = 17;
// ErrorNumber: 22718
// ErrorSeverity: EX USER
// ErrorFormat: Change Feed is already enabled on source table '%s.%s' with link table id '%s'. A table can on
// ErrorInserts: table schema, table name, link table id
// ErrorCause: A table can only be enabled once among all Change Feed table groups.
// ErrorCorrectiveAction: Disable Change Feed for the current table so that a new link can be created, potenti
const int SYNAPSE LINK TABLE ALREADY ENABLED = 18;
// ErrorNumber: 22719
// ErrorSeverity: EX_USER
```

// ErrorFormat: Enabling Change Feed on a table with primary key on computed column is not allowed.

```
// ErrorCause: Change Feed is not supported with primary key on computed column.
// ErrorCorrectiveAction: Do not enable Change Feed on table with primary key on computed column.
const int SYNAPSE LINK PRIMARY KEY COMPUTED COLUMN = 19;
// ErrorNumber: 22720
// ErrorSeverity: EX USER
// ErrorFormat: Enabling Change Feed on a table without primary key is not allowed.
// ErrorCause: Change Feed is not supported without primary key.
// ErrorCorrectiveAction: Do not enable Change Feed on table without primary key or add primary key and retry.
const int SYNAPSE LINK NO PRIMARY KEY = 20;
// ErrorNumber: 22721
// ErrorSeverity: EX USER
// ErrorFormat: Can not enable Change Feed on a table with primary key whose columns' type are user-defined ty
// ErrorCause: Change Feed is not supported with primary key's column type that not supported.
// ErrorCorrectiveAction: Do not enable Change Feed on table with primary key's column type that not supported
const int SYNAPSE LINK PRIMARY KEY TYPE UNSUPPORTED = 21;
// ErrorNumber: 22722
// ErrorSeverity: EX USER
// ErrorFormat: Cannot enable Change Feed on a table with encrypted columns.
// ErrorCause: Change Feed is not supported for encrypted columns.
// ErrorCorrectiveAction: Create the table without encrypted columns to enable Change Feed.
const int SYNAPSE_LINK_TCE_UNSUPPORTED = 22;
// ErrorNumber: 22723
// ErrorSeverity: EX_USER
// ErrorFormat: Cannot find an object ID for the Change Feed system table '%s'. Verify that the system table e
// ErrorCause: user may have manually dropped the Change Feed system table in question, or Change Feed may hav
// ErrorCorrectiveAction: manually query the system table in question, to confirm that it's indeed accessible
const int SYNAPSE_LINK_FAILED_TABID = 23;
// ErrorNumber: 22724
// ErrorSeverity: EX USER
// ErrorFormat: Error occured while exporting initial snapshot to landing zone.
// ErrorCause: Error occured while exporting initial snapshot to landing zone.
// ErrorCorrectiveAction: Retry the operation or correct the input data.
const int SYNAPSE_LINK_SNAPSHOT_ERROR = 24;
// ErrorNumber: 22725
// ErrorSeverity: EX USER
// ErrorFormat: Enabling Change Feed for a ledger history table '%ls' is not allowed.
// ErrorInserts: Table name.
// ErrorCause: Change Feed is not supported on ledger history tables.
// ErrorCorrectiveAction:
const int SYNAPSE LINK LEDGER HISTORY NOT ALLOWED = 25;
// ErrorNumber: 22726
// ErrorSeverity: EX USER
// ErrorFormat: Could not allocate memory for Change Feed operation. Verify that SQL Server has sufficient mem
// ErrorCause: If Change Feed is unable to allocate memory, more than likely server is suffering from low memo
// ErrorCorrectiveAction: check memory setting on server, monitor memory usage from task manager, see if any o
const int SYNAPSE LINK CANT ALLOCATE MEMORY = 26;
// ErrorNumber: 22727
// ErrorSeverity: EX_USER
// ErrorFormat: Failed to load load landing zone library with error %d. Verify that SQL Server is installed pr
// ErrorInserts: error code
// ErrorCause: This error is reported when landing zone library can not be loaded properly.
// ErrorCorrectiveAction: check the landing zone library is installed at the correct path.
const int SYNAPSE_LINK_CANT_LOAD_LANDING_ZONE_LIBRARY = 27;
// ErrorNumber: 22728
// ErrorSeverity: EX USER
// ErrorFormat: Could not disable table because it is no longer enabled for table group.
// ErrorCause: This error is reported when attempting to disable a Change Feed table that is no longer enabled
// ErrorCorrectiveAction: None.
const int SYNAPSE_LINK_TABLE_NOT_ENABLED_FOR_TOPICS = 28;
// ErrorNumber: 22729
```

```
// ErrorSeverity: EX USER
// ErrorFormat: Could not remove the metadata. The failure occurred when executing the command '%s'. The error
// ErrorInserts: P1: command that failed, P2: error returned, P3: state returned, P4: Message returned
// ErrorCause: The stored procedure failed while modifying meta data to reflect disabling the database. The co
// ErrorCorrectiveAction: Examine the failing action and the returned error to determine the cause for the err
const int SYNAPSE LINK METADATA REMOVAL FAILURE = 29;
// ErrorNumber: 22730
// ErrorSeverity: EX USER
// ErrorFormat: Could not disable Change Feed for database '%s' as it is already disabled.
// ErrorInserts: database name
// ErrorCause: This error is reported when attempting to disable Change Feed on a database where Change Feed i
// ErrorCorrectiveAction: None.
const int SYNAPSE_LINK_CANT_DISABLE_SYNAPSE_LINK_ALREADY_DISABLED = 30;
// ErrorNumber: 22731
// ErrorSeverity: EX USER
// ErrorFormat: Error occured while publish incremental data to landing zone.
// ErrorCause: Error occured while publish incremenatal data to landing zone.
// ErrorCorrectiveAction: Retry the operation or correct the input data.
const int SYNAPSE LINK PUBLISH ERROR = 31;
// ErrorNumber: 22732
// ErrorSeverity: EX_USER
// ErrorFormat: Invalid change feed table state.
// ErrorCause: The data in changefeed.change_feed_tables was modified incorrectly.
// ErrorCorrectiveAction: Disable and re-enable the link.
const int SYNAPSE_LINK_TABLE_STATE_ERROR = 32;
// ErrorNumber: 22733
// ErrorSeverity: EX USER
// ErrorFormat: Change Feed snapshot was cancelled.
// ErrorCause: Change Feed snapshot was cancelled.
// ErrorCorrectiveAction: None.
const int SYNAPSE LINK SNAPSHOT CANCELLED = 33;
// ErrorNumber: 22734
// ErrorSeverity: EX USER
// ErrorFormat: Error occured while process Change Feed on database %d.
// ErrorCause: Error occured while process Change Feed on a database.
// ErrorCorrectiveAction: Retry the operation or correct the input data.
const int SYNAPSE LINK PROCESS DB ERROR = 34;
// ErrorNumber: 22735
// ErrorSeverity: EX USER
// ErrorFormat: Error occured while update Change Feed table status for table %ld.
// ErrorCause: Error occured while update Change Feed table status.
// ErrorCorrectiveAction: Retry the operation or correct the input data.
const int SYNAPSE LINK UPDATE TABLE STATE ERROR = 35;
// ErrorNumber: 22736
// ErrorSeverity: EX USER
// ErrorFormat: Error occured while interacting with landing zone.
// ErrorCause: Error occured while calling landing zone libarary APIs.
// ErrorCorrectiveAction: Retry the operation or correct the input data.
const int SYNAPSE LINK LANDING ZONE ERROR = 36;
// ErrorNumber: 22737
// ErrorSeverity: EX_USER
// ErrorFormat: Can not enable Change Feed on a table where the columns' data type are user-defined types, geo
// ErrorCause: Change Feed is not supported with column's with non supported data types.
// ErrorCorrectiveAction: Do not enable Change Feed on table with column's with not supported data types.
const int SYNAPSE LINK COLUMN DATATYPE UNSUPPORTED = 37;
// ErrorNumber: 22738
// ErrorSeverity: EX USER
// ErrorFormat: Can not enable Change Feed on a table with computed columns.
// ErrorCause: Change Feed is not supported on table with computed columns.
// ErrorCorrectiveAction: Do not enable Change Feed on table with computed columns.
const int SYNAPSE_LINK_COMPUTED_COLUMN_UNSUPPORTED = 38;
```

```
// ErrorNumber: 22739
// ErrorSeverity: EX USER
// ErrorFormat: Error occured while trying to retrieve storage info from Synapse Gateway Service with result c
// ErrorCause: Error occured while trying to retrieve storage info from Synapse Gateway Service.
// ErrorCorrectiveAction: Check the MSI set correctly for this DB and check table group and workspace are corr
const int SYNAPSE LINK GATEWAY CLIENT ERROR = 39;
// ErrorNumber: 22740
// ErrorSeverity: EX USER
// ErrorFormat: Parameter '%s' is invalid. Specify a valid value for the named parameter and retry the operati
// ErrorInserts: Parameter name
// ErrorCause: The named parameter's validation check fails.
// ErrorCorrectiveAction: Resubmit request with an appropriate value for the named parameter.
const int SYNAPSE LINK PARAMETER INVALID = 40;
// ErrorNumber: 22741
// ErrorSeverity: EX USER
// ErrorFormat: Landing Zone parameter is not valid on Azure Database.
// ErrorCause: The landing zone parameter is not allowed on Azure Database.
// ErrorCorrectiveAction: Resubmit request without specifying the landing zone parameter.
const int SYNAPSE LINK INVALID LZ PARAMETER ONAZURE = 41;
// ErrorNumber: 22742
// ErrorSeverity: EX_USER
// ErrorFormat: Schema changes on table '%s' are not supported because it is enabled for change feed.
// ErrorCause: Schema changes are not supported for change feed enabled tables.
const int SYNAPSE_LINK_BLOCK_ALTER_TABLE = 42;
// ErrorNumber: 22743
// ErrorSeverity: EX USER
// ErrorFormat: There is an issue with cleaning up metadata of some of the table groups of this database. Ret
// ErrorCause: Issue with cleaning up in-memory objects of table groups and tables contained within this datab
const int SYNAPSE LINK CLEANUP WAIT EXPIRED = 43;
// ErrorNumber: 22744
// ErrorSeverity: EX USER
// ErrorFormat: Cannot disable primary key index "%.*ls" on table "%.*ls" because the table has change feed en
// ErrorInserts: index name, table name
// ErrorCause: Attempting to disable (either directly, or indirectly by disabling the clustered index) the pri
// ErrorCorrectiveAction: Disable change feed on the the table before attempting to disable the index.
// ErrorExecImpact: TRANSACTION_ABORT
const int CRI DISABLE PK ON SYNAPSE LINK TAB = 44;
// ErrorNumber: 22745
// ErrorSeverity: EX USER
// ErrorFormat: Cannot alter the table '%.*ls' because it has change feed enabled on it.
// ErrorInserts: table name
// ErrorCause: The user is trying to alter the table to drop its primary key while the table has change feed e
// ErrorCorrectiveAction: Disable change feed on the table before dropping the primary key index.
// ErrorExecImpact: TRANSACTION ABORT
const int CRI DROP PK ON SYNAPSE LINK TAB = 45;
// ErrorNumber: 22746
// ErrorSeverity: EX INFO
// ErrorFormat: Change Feed
// ErrorCause: Replacement value for %S_MSG parms.
const int PH_SYNAPSE_LINK = 22746;
// ErrorNumber: 22747
// ErrorSeverity: EX USER
// ErrorFormat: Another connection with session ID %I64d is already running 'sp_replcmds' for Change Feed in t
// ErrorInserts: Session ID
// ErrorCause: multiple connections are running Change Feed scan for a given database
// ErrorCorrectiveAction: use one connection to run Change Feed sca at any given time
const int SYNAPSE LINK INUSE = 47;
// ErrorNumber: 22748
// ErrorSeverity: EX_USER
```

// ErrorFormat: Change Feed task is being aborted.

```
// ErrorCause: Change Feed task is being aborted, possibly by failover or disable
const int SYNAPSE LINK TASK ABORTED = 48;
// ErrorNumber: 22749
// ErrorSeverity: EX USER
// ErrorFormat: Cannot rename the table because it is being used for Change Feed
// ErrorCause: Attempt to rename a table used for Change Feed
// ErrorCorrectiveAction: Do not rename tables used for Change Feed
// ErrorOwner: maarumug
const int SYNAPSE LINK RENAME TABLE FAILED = 49;
// ErrorNumber: 22750
// ErrorSeverity: EX USER
// ErrorFormat: ALTER TABLE SWITCH statement failed because the partitioned destination table is enabled for C
// ErrorCause: SWITCH IN is not supported for a partitioned destination if Change Feed was configured for the
// ErrorOwner: maarumug
const int SYNAPSE LINK DISALLOW SWITCH IN = 50;
// ErrorNumber: 22751
// ErrorSeverity: EX USER
// ErrorFormat: ALTER TABLE SWITCH statement failed because the partitioned source table is enabled for Change
// ErrorCause: SWITCH OUT is not supported for a partitioned source if Change Feed was configured for the tabl
// ErrorOwner: maarumug
const int SYNAPSE_LINK_DISALLOW_SWITCH_OUT = 51;
// ErrorNumber: 22752
// ErrorSeverity: EX_USER
// ErrorFormat: Snapshot DATA_EXPORT query failed.
// ErrorCause: Snapshot DATA_EXPORT query failed.
// ErrorOwner: manormyl
const int SYNAPSE LINK SNAPSHOT DATA EXPORT FAILED = 52;
// ErrorNumber: 22753
// ErrorSeverity: EX USER
// ErrorFormat: The number of tables enabled for a Change Feed table group can not exceed %d. Current number o
// ErrorCause: Number of tables enabled for this table group exceeds limit.
const int SYNAPSE_LINK_MAX_TABLES_IN_TOPIC_EXCEEDED = 53;
// ErrorNumber: 22754
// ErrorSeverity: EX USER
// ErrorFormat: Aborting Synapse Link Capture task for this database timed out. Retry this operation later.
// ErrorCause: Aborting Synapse Link Capture task for this database timed out. Retry this operation later.
const int SYNAPSE LINK CAPTURE TASK ABORT FAILED = 54;
// ErrorNumber: 22755
// ErrorSeverity: EX USER
// ErrorFormat: Change Feed is not supported on Free, Basic or Standard tier Single Database (S0,S1,S2) and Da
// ErrorCause: Change Feed is not supported in databases with sub core (less than single core) cpus
const int SYNAPSE LINK NOT SUPPORTED IN DATABASE WITH SUB CORE CPU = 55;
// ErrorNumber: 22756
// ErrorSeverity: EX USER
// ErrorFormat: The elastic pool cannot lower its service tier with database max eDTUs < 100 or max vCore < 1
// ErrorCause: The elastic pool cannot lower its service tier with database max eDTUs < 100 or max vCore < 1 s
// ErrorOwner: maarumug
const int ELASTIC_POOL_DATABASE_SERVICE_TIER_UPDATE_NOT_ALLOWED_WITH_SYNAPSE_LINK_ENABLED = 56;
// ErrorNumber: 22757
// ErrorSeverity: EX USER
// ErrorFormat: The database cannot lower its service tier to Standard(S0,S1,S2), Basic or Free, or move to el
// ErrorCause: The database cannot lower its service tier to Standard(S0,S1,S2), Basic or Free, or move to ela
// ErrorOwner: maarumug
const int DATABASE SERVICE TIER UPDATE NOT ALLOWED WITH SYNAPSE LINK ENABLED = 57;
// ErrorNumber: 22758
// ErrorSeverity: EX USER
// ErrorFormat: Aborting Synapse Link Commit task for table group '%s' timed out. Retry this operation later.
// ErrorCause: Aborting Synapse Link Commit task for table group timed out. Retry this operation later.
const int SYNAPSE_LINK_COMMIT_TASK_ABORT_FAILED = 58;
```

```
// ErrorNumber: 22759
// ErrorSeverity: EX USER
// ErrorFormat: Aborting Synapse Link Snapshot task for table %ld timed out. Retry this operation later.
// ErrorCause: Aborting Synapse Link Snapshot task for table timed out. Retry this operation later.
const int SYNAPSE LINK SNAPSHOT TASK ABORT FAILED = 59;
// ErrorNumber: 22760
// ErrorSeverity: EX USER
// ErrorFormat: Aborting Synapse Link Publish task for partition %ld timed out. Retry this operation later.
// ErrorCause: Aborting Synapse Link Publish task for partition timed out. Retry this operation later.
const int SYNAPSE LINK PUBLISH TASK ABORT FAILED = 60;
// ErrorNumber: 22761
// ErrorSeverity: EX USER
// ErrorFormat: Failed to cleanup previous change feed setup. Please try the operation again. If the problem p
// ErrorCause: The skip scan property shouldn't exist but does and was unable to be deleted before enabling sy
const int SYNAPSE LINK SKIP SCAN PROPERTY DELETE FAILED = 61;
// ErrorNumber: 22762
// ErrorSeverity: EX USER
// ErrorFormat: Cannot enable '%S_MSG' on '%s' because it is being used for '%S_MSG'.
// ErrorInserts: entity type (merge, publish, subscribe, change feed, distributor), entity name (database), en
// ErrorCause: Trying to enable synapse link on a database that is configured as a publisher or subscriber or
// ErrorCorrectiveAction: Use sp_replicationdboption .. 'false' to disable publication and subscription on the
// ErrorExecImpact: TRANSACTION_ABORT
// ErrorBlameComponent: User
// ErrorStateBefore: ONLINE
// ErrorStateAfter: ONLINE
// ErrorInformationDisclosure: ObjectName
const int SYNAPSE LINK IS NOT SUPPORTED WITH REPLICATION = 62;
// ErrorNumber: 22763
// ErrorSeverity: EX INFO
// ErrorFormat: Replication: Distribution
// ErrorCause: Replacement value for %S MSG parms.
const int PH_REPLICATION_DISTRIBUTOR = 22763;
// ErrorNumber: 22764
// ErrorSeverity: EX INFO
// ErrorFormat: Replication: transactional or snapshot publication
// ErrorCause: Replacement value for %S MSG parms.
const int PH REPLICATION PUBLISH = 22764;
// ErrorNumber: 22765
// ErrorSeverity: EX INFO
// ErrorFormat: Replication: merge publication
// ErrorCause: Replacement value for %S MSG parms.
const int PH REPLICATION MERGE PUBLISH = 22765;
```