

AAD - Ping Federate Endpoint

Last updated by | Vitor Tomaz | Feb 18, 2021 at 2:30 AM PST

Contents

- [AAD - Ping Federate Endpoint](#)
 - [How the endpoint looks like on a ping mex metadata](#)

AAD - Ping Federate Endpoint

How the endpoint looks like on a ping mex metadata

We captured it from working PING server's fiddler.

For WSTrust 2005

```
/wsdl:binding><wsdl:binding name="CustomBinding_IWSTrust13Async" type="tns:IWSTrustFeb2005Async">
  <wsp:PolicyReference URI="#windowstransport"/><soap12:binding transport="http://schemas.xmlsoap.org/so
<wsdl:operation name="TrustFeb2005IssueAsync">
  <soap12:operation soapAction="http://schemas.xmlsoap.org/ws/2005/02/trust/RST/Issue" style="docume
  <wsdl:input>
    <soap12:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap12:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
</wsdl:binding><wsdl:binding name="UserNameWSTrustBinding_IWSTrustFeb2005Async" type="tns:IWSTrustFeb2005A
  <wsp:PolicyReference URI="#username_o365"/><soap12:binding transport="http://schemas.xmlsoap.org/soap/
  <wsdl:operation name="TrustFeb2005IssueAsync">
    <soap12:operation soapAction="http://schemas.xmlsoap.org/ws/2005/02/trust/RST/Issue" style="docume
```

For WSTrust 1.3

```
<wsdl:binding name="CustomBinding_IWSTrust13Async" type="tns:WsTrust13">
  <wsp:PolicyReference URI="#windowstransport"/><soap12:binding transport="http://schemas.xmlsoap.org/so
  <wsdl:operation name="WsTrust13Issue">
    <soap12:operation soapAction="http://docs.oasis-open.org/ws-sx/ws-trust/200512/RST/Issue" style="d
    <wsdl:input>
      <soap12:body use="literal"/>
    </wsdl:input>
    <wsdl:output>
      <soap12:body use="literal"/>
    </wsdl:output>
  </wsdl:operation>
</wsdl:binding><wsdl:binding name="SecurityTokenServiceBinding_kerberos" type="tns:WsTrust13">
  <wsp:PolicyReference URI="#kerberos"/><soap12:binding transport="http://schemas.xmlsoap.org/soap/http"
  <wsdl:operation name="WsTrust13Issue">
    <soap12:operation soapAction="http://docs.oasis-open.org/ws-sx/ws-trust/200512/RST/Issue" style="d
    <wsdl:input>
      <soap12:body use="literal"/>
    </wsdl:input>
    <wsdl:output>
      <soap12:body use="literal"/>
    </wsdl:output>
  </wsdl:operation>
</wsdl:binding><wsdl:binding name="SecurityTokenServiceBinding_username" type="tns:WsTrust13">
```

How good have you found this content?

