[Blob] UserErrorSourceBlobNotExist

Last updated by | Jackie Huang | Jan 4, 2022 at 12:24 AM PST

201045- [Blob] UserErrorSourceBlobNotExist

Monday, March 27, 2017
3:52 PM

|	
SME	
Symptoms	**Copy activity fail with the following error:** Copy activity encountered a user error at Source side: ErrorCode=UserErrorSourceBlobNotExist,'Type=Microsoft.DataTransfer.Common.Shared.HybridDeliv required Blob is missing. ContainerName: https://<account>.blob.core.windows.net/successfactor, Co BlobPrefix: SFSample.txt, BlobCount: 0.,Source=Microsoft.DataTransfer.ClientLibrary,

Cause	**Cause 1**: It is caused by the source blob files don't exist when Copy runs. Notice that the file name is
	
	 Cause 2: If the customer was copying an empty folder (without setting file name), Copy activity woul This is the expected behavior now. If the customer want to avoid such error, he can specify the follow UX's code page:
	     1. Click the Code page in the copy activity. (Refer to the following screen shot)
	
	 2. Add the following setting in the code page
	
	``
	"source": {
	    "type": "BlobSource",
	    "recursive": true,
	    "throwExceptionWhenNavigateEmptyFolder
	},
	``
	
	 2. Add the following setting in the code page
	
	``
	"source": {
	    "type": "BlobSource",
	    "recursive": true,
	    "throwExceptionWhenNavigateEmptyFolder": false
	},
	``

Resolution:

Suggest the customer to:

Fix the folderPath or fileName if it is specified incorrectly.

Set the above mentioned internal property when copy an empty folder.

More Information

CSS Feedback	Please leave you feedback if you are using the article to help customers	