

Database copy error codes

Last updated by | Vitor Tomaz | Aug 5, 2020 at 12:41 PM PDT

Contents

- [Public Doc Reference](#)
- [Classification](#)

These are the errors user can encountered while copying a database in Azure SQL Database.

Error code	Severity	Description
40635	16	Client with IP address '%.*Is' is temporarily disabled.
40637	16	Create database copy is currently disabled.
40561	16	Database copy failed. Either the source or target database does not exist.
40562	16	Database copy failed. The source database has been dropped.
40563	16	Database copy failed. The target database has been dropped.
40564	16	Database copy failed due to an internal error. Please drop target database and try again.
40565	16	Database copy failed. No more than 1 concurrent database copy from the same source is allowed. Please drop target database and try again later.
40566	16	Database copy failed due to an internal error. Please drop target database and try again.
40567	16	Database copy failed due to an internal error. Please drop target database and try again.
40568	16	Database copy failed. Source database has become unavailable. Please drop target database and try again.
40569	16	Database copy failed. Target database has become unavailable. Please drop target database and try again.
40570	16	Database copy failed due to an internal error. Please drop target database and try again later.
40571	16	Database copy failed due to an internal error. Please drop target database and try again later.

Public Doc Reference

<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-copy?tabs=azure-powershell#resolve-logins>

Classification

Root Cause: Azure SQL DB v2\Availability\Other

How good have you found this content?

