Power Query Authoring Failures

Last updated by | Ranjith Katukojwala | Mar 7, 2023 at 11:35 AM PST

Contents

- Information gathering
- Known Issues

Information gathering


The following information is required to investigate Power Query authoring issues,

- Data Factory name and Power Query name (or) Session id of the Power Query
- Timestamp of the error
- Actual query which throws an error.

How to get the actual user query?

You can get the query from Power Query - 'Advanced Editor' window.

Home -> Advanced editor



How to get the session id for your Power Query window?

- 1. Goto Network tab in Developer Tools (Press F12 to open Developer Tools)
- 2. In the Network tracing, select any call to Power Query API (https://region.prod.powerquery.microsoft.com/api/ D.). More details of that call will be displayed on the


right pane

3. Click Headers tab, under Request Headers you can find session id (x-ms-client-session-id).

```
sec-fetch-mode: cors
sec-fetch-site: same-origin
user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebK
7.0.664.75
x-ms-client-request-id: 442abdae-54bf-4bd7-b327-a7a01f65cce0
x-ms-client-session-id: 3abbfeb7-d06e-4660-9c7e-383ce6016a32
x-ms-host-context-type: Adf
```

Known Issues

Currently not all Power Query M functions are supported for data wrangling despite being available during authoring. You'll be prompted with the corresponding error message if a function isn't supported like below:



More information about the supported and unsupported Power Query M functions can be found here, https://docs.microsoft.com/azure/data-factory/wrangling-data-flow-functions